

驾旭创高吩阔俊永无拯唔嗅证抓贽谏祗磕

Research progress of omeprazole combined with drugs in the treatment of gastric ulcer

饽狄 Fan Yong

阔毗雷涟虬掉涟伪育 17 尔

手峭 璘ッ唔嗅证搔扒镰跳多抓挨互唔嗅证侄趾 藹嗅峙々嗅味々费丸々侈秘々寐氯八疤璘扒镰只幼 疤璘搔好唔颞口沧猴好苡稽 榴 立安厨虔驴啾稻矮蚱 菱特嗅证簇酝ッ唔嗅证趾晚炅八疾升 戾烈蛔膜 安爱米谦帷臆芸余幼椿爱婉萑朵佃悒挨旧 初听 阐饩沈盾阮莞邦无拯 挫遏啾砒能璃搭酥虻々唔谖尽々唔簇纛仗幛曩朵鄱碍嶂葶扛 莞米谦瘴缝纠愁砒能熬锄豆 矩シ驾旭创高铂八扒镰藹部招炅几抓无拯唔嗅证俊永 酝佬禄戴哩唔脸招シ蜈诅吊拯哦肾抓舫砒多磕 酝楮瘴簇积几 驾旭创高爱厨蹯俊永吩阔无拯唔嗅证抓幼坞シ

Abstract Gastric ulcer is a kind of gastric ulcer disease with high clinical incidence. Epigastric pain, abdominal distension, belching, acid regurgitation and nausea are the main clinical symptoms, which are mainly due to the enhancement of gastric mucosal invasion factors and the decline of its defense ability, causing ulcers to appear. Gastric ulcers are complex, protracted and difficult to heal, and are related to the patient's own mental state and emotional changes. Treatment may cause adverse outcomes such as pyloric obstruction, gastric perforation, gastric bleeding, and even canceration, which will cause serious harm to the life safety of patients. Omeprazole is widely used as a clinically used drug for the treatment of gastric ulcer. With the rapid development of medical technology, many methods of omeprazole combined with other drugs to treat gastric ulcer have been born.

初瘵柏ッ驾旭创高 唔嗅证 吩阔招俊

Key words Omeprazole; gastric ulcer; combination therapy

0 菱璧

驾旭创高疤璘抓铂招科绑挨互甑近锡藕殆单 立安祚蹯 悒挨旧抓溜侑漫 雍百暇漫 痕米谦唔颞口迹笼能绊跳跳秘抓 婉椿矮 遏蔽彼大抓颞佃八胞控喁抓暇漫永甑 立安祚辩爱 H-K-ATP 铉宝瘴葶阔哆脸 笨孺瘴能甑近锡爱胞控钼喁抓疾 阔永 嗽己悒泉抓藕殆 H-K-ATP 铉抓暇漫シ痕髑蹯跏[2]贽谏 瘤澳汽簇 驾旭创高爵 H-K-ATP 铉藕殆抓藩阮祚遏蔽藕殆 米谦播搔抓唔秘痒午扉几 谁葡扒镰贽谏纡洒 驾旭创高痕 唔嗅证米谦瘤澳脸招 遏蔽爵璃搭藹省闾抓群隼祗纡蚱病 立安 稽德唔香级颞口抓记据隼 立安爵米谦唔罟抓莠葶葶士爱苳 啁抓消旧漫祗纡管毗 研扉爵米谦唔颞口苛蚱抓插俳 笨孺爵 米谦镶佃磁苳芥抓插俳铂招祗纡管毗シ唔嗅证科绑挨互镶佃 砒嗅证漫侄趾 挨岫多趾好苡罹搔兆绑磬彪々瘴货爱羟触鄱 棕侄趾科绑挨互炅八熬锄抓镶佃侄趾 立安米谦祚据腮立多 唔簇纛々唔谖尽鄱 熬锄米谦仗幛菱多曩朵シ爵米谦抓瘴缝撤 聊爱瘴暇甑宝瘴绊熬锄抓搂富シ痕扒镰瘤澳 唔嗅证抓多趾 岳姿萃藹蝶 罟瘴米谦痕苳扉无拯番只幼辩祿戴蕴佯 饼搔煎 嗜扯酮无拯据腮疾多 孺襞阮疋抓无拯 爵米谦抓讷示漫爱菜 笨漫罹悒迨冀抓搂富シ婢跳蹯谏谁葡滋初喧扰祗纡葶葶爱 桢扮 沔谏驾旭创高痕扒镰无拯扉涟洼抓卞藿页シ

1 唔嗅证抓扒镰只幼瘵篷

1.1 噢峙暮漫唔嗅证抓噢峙罟炳研里痕噢澳萃抓廊残 饩 唔嗅证抓炳弈痕番迹泥撵搔番谖淼噉噉阮 米谦番吨辩多簇 挡一抓执峙シ

1.2 播锄慈旌

唔嗅证米谦颅桥稠碍毡シ米谦研里辩痕祗触番簇酝噢 峙抓婉椿 慈俊祗触隼/泥跳群遏啾蚱病执峙哇辆 遏啾阔立 镶佃ザ飞蛄蚱 诀悒播锄慈旌抓婉椿 熬锄谦仗幛辩泷滁碍 嶂シ饩搔 40 忌敲藹抓暮漫唔嗅证米谦 吊瘴里蛔蚱级寐漫喂 咒遏啾シ

1.3 执峙漫甑多瘴去朵

唔嗅证执峙悒挨旧琨露漫 研里簇酝痕祗触番 30~ 60minシ孺跌榜脾咧嗅证米谦疤璘搔谕噢漫执峙 研里搔痕祗 触番抓 3~4h 番簇酝 立挨姿烈煎戴矮 1 跳祗脍 痕祗脍番幼 遏蓓璇执峙 悒抓米谦祚辩簇酝脊执峙婉椿シ

1.4 七簇魁藏

饩暮漫唔嗅证米谦七魁藏 螭七蚱触永泥设招俊永捏悒^[5] 饩藏里琨亚纡虬漫 脸瘤菱特锄琮シ

2 驾旭创高无拯唔嗅证抓滋初瘵恧

蔽驾旭创高八碧铐抓 PPI 爵唔秘痒午抓藕殆铂招摺々碍 嶂哆脸俊 厨佃警葶士兆饩立甫高蕴々苳龚蕴夫桃棋祗敖傲蕴 芒抓胞控钼恢士能 嗽己悒泉藕殆 Hp 抓在屠 藕殆唔秘痒 午 汽跳米谦唔搔 pH 超忘俐 立爵躲迫唔咧砒颞口祗纡论 疾 笨孺德螺嗅证抓膜阔砒辆シ立遏蔽爵卑播唔迹苳啁澳兢痕 抓甑近锡铉祗纡丰珊漫藕殆 漓登嗅证抓罟炳痕砒膜阔 插佻 生播抓唔咧砒躲迫颞口 操部趾痒康如玫疾シ

3 驾旭创高吩阔厨蹯俊永无拯唔颞

驾灼创高铂八扒镰无拯唔嗅证抓恢仇俊永 嗽己藕殆卑播痒午唔抓扒挽椿 立插排卑播抓唔咧砵魑口 祗撝管毗生播唔咧砵魑口抓瞳里铂招 蔽冲镶佃芒芥躲戴迫矩>扒镰澳爵绑驾灼创高咧阔厨蹯俊永抓无拯滇篷煎矮>

3.1 驾灼创高咧阔暂俩秘瘵

暂俩秘瘵铂八挨互里琦抓魑口插排俊永 棕俊永痕祗稍卑痒罢番 俊永痕唔播遏蔽庖砵痒璇 立灼钡颞簇遏蔽插排唔魑口抓陟播 1g 暂俩秘瘵遏蔽澳夫 27.1~27.8mmol 抓拯秘>瘵 pH<3 阮 婢俊磷饯澳夫哆脸 pH=5 阮 挫哆脸砵嗣>遏部唔 pH 超管毗痕 3~5 罢疋 踏慑叭秘铂招庖砵 叭秘铂招兴夫>毗把抓卞敌>蚘慑澳夫唔秘抓铂招罢级 祚慑飞蚝夫享阔铂招遏研扉飞蚝夫享阔唔秘录注铗铗姿棋藕殆厨暇漫 慑大绑嗅证罌抓诧疾 婢俊祚嗽享阔危秘夫飞蚝序信脘秘钼喷俦 笨擢虞酮祗包永甑爵唔魑口抓迫表夫刷猴>罡痒警嫌撬着驾灼创高咧阔暂俩秘瘵抓拯泉 鼎蕊钡招驾灼创高祗纭无拯八爵毅莢 钡垛驾灼创高咧阔暂俩秘瘵无拯八就爵莢>爵毅莢钡招 40mg 熙菌招驾灼创高钡 蚘刀大聊殆俊慑蚘仇饵合俊疵荆 H20033394 蟻啻旬熙 2 跳/d 桃藤部招 1 封八 1 傲拯洼>就爵莢痕爵毅莢抓恢仇葛咧阔暂俩秘瘵讽汉硬 哩肌丁向筱窺俊肢慑蚘仇饵合俊疵荆 H20193054 拖跳设招 1 硬 讽汉 3 跳/d 享嗜涩惚 就爵莢无拯惧泉岳跳绑爵毅莢 汽惚咧阔无拯抓泉嗜奢笈>

3.2 驾灼创高咧阔眨酪狭优硬

眨酪狭优铂八挨互妊化无拯俊永 厨踏慑插排唔魑口抓铂招 遏蔽藕殆卑痒抓尧漫哆脸>壤蚘唯恢>操祗魑销阔能 惧泉蓓璇唔魑口躲戴迫矩抓洼辆 慑登绑米撵膜阔[19~20]>扒镰里咧阔部招驾灼创高察咧序硬 蚘刀大聊殆俊慑蚘仇饵合俊疵荆 J20130093 爱眨酪狭优硬 涎伪冀幢殆俊慑蚘仇饵合俊疵荆 H20020541 无拯 设俊劫幼八 米撵设招驾灼创高察咧序硬 20mg 1 跳/d 4~6 封八 1 傲拯洼>眨酪狭优硬 0.1g 3 跳/d 如>梯盾罪旦墮设>米撵咧阔祗敖互俊永无拯 遏蔽汽跳拯泉 去共唔魑口莢葑警去朵>尧只哆脸洼辆鄙>

3.3 驾灼创高咧阔叭 Hp 俊永

扒镰葛 咧阔部招叭 Hp 俊永无拯抓泉嗜奢补>贽谏涩惚 脸招驾灼创高无拯镶佃漫嗅证阮 咧阔脸招充创蠛蚊>毗憔悴逝>攀件高嗒播嗜嗒嵇无拯镶佃漫嗅证 扒镰泉嗜炆笈碍嶂哆脸俊 俊永抓纠愁漫炆跳>

4 葶楠

唔嗅证痕妮合搔里琦趾>九多趾,跌榜脾嗅证炆唔嗅证几琦>笨多趾卑拊渍,折漫几多绑嫁漫,播稻滴灯撵几多绑嗒稻滴灯撵,蜈诅瘴暇仔加抓德螺,唔趾卑拊砵病费砵病黥佃掣敌,嗅证米撵痕澳警瘴抓多趾卑群痕砵病稽德>唔嗅证多趾生殆炆八疾升,痰椿八唔囉口迫矩(幞嗅证)好苾夫堰口插排(堰口苛蜚)好苾罢疋寄吨俐绂捏幞,瘤迫矩好苾稽榴夫(泥)插排好苾掸溜阮,慨遏簇砵嗅证>擗爵嗅证米撵奢肃矮芥杪璃搭融省闾费虬漫撵熏 90%蔽漓 璃搭融省闾 Hp 能八嗅证抓幞趾好苾罢挨>

扒镰葛唔嗅证八唔魑口多瘴尧只趾朵菱特抓挨互蔽暮

漫>疾多>趾婉祺烈蛔膜八疤斑优页抓镶佃冽里琦侄趾>好唔嗅证抓疾多篾往 爵米撵抓瘴暇>狼铂夫警板宏宝瘴拌熬钼搂富>贽谏桎就璃搭融省闾墨梳八唔嗅证抓疤斑多趾好苾>痕扒镰无拯扉洼嗅 爵唔秘痒午祗纭惧泉藕殆 立祗纭 Hp 墨梳谁蚘八无拯抓初瘵>趾刺痢 初绑唔嗅证抓几俊咧阔无拯贽谏砵铗菱特卑币抓钼琮>婢跳贽谏澳 蔽爵几互俊永咧阔脸招无拯唔嗅证抓扒镰泉嗜祗纭贽谏瘵拭八浊抓 爵妮蛭螭无抓唔嗅证米撵砵磷拌痒莢无拯 立爵舵痒拭拌扒镰无拯泉嗜 琥眷莢米撵 Hp 谁蚘惧泉岳>唔嗅证膜阔岳跳绑爵毅莢 琥眷莢米撵招俊番米撵只幼莽讷痒病绑爵毅莢 琥眷莢扒镰只幼去共阮疋炆爵毅莢享>祗挨享嗜爱滋初染援湃疹享嗜滋柄 兆同桎就 爵唔嗅证米撵就仍几俊咧阔无拯抓扒镰泉嗜涩沱 幻茉灼创高抓脸招遏惧泉去共扒镰只幼 蓼享无拯阮疋>

镶佃漫嗅证多趾岳炆跳 疤斑只幼绉砵八嗅味>哆秘>贵丸 泥宾惧唔罡执峙 执峙费暮漫泥封娘漫>熬钼抓镶佃漫嗅证辩菱特唔暖尽>唔簇纆夫唔瞩鄙熬钼抓立多只>镶佃漫嗅证招俊疤斑蔽秘藕殆夫澳夫单八恢仇 藩阮插排唔魑口 椽佯唔灯稻 操祗嗅证抓膜阔 立谁葡趾挽脸招叭阔俊永>驾灼创高八碧绉抓 PPI 能八无拯唔嗅证抓恢婢俊永>扒镰葛砵纭抓惧泉拯坞几八榜咧>瘵咧泥壕咧招俊>榜咧拯坞蔽逅近锡藕殆单爱叭瘴苾咧招八疤 瘵咧拯坞八蔽嵇单八恢仇泥撵蔽 PPI 八恢仇抓癌咧拯坞 嚟咧拯坞痕蔽嵇单八恢仇抓癌咧拯坞抓恢仇葛咧阔部招 H2 躲播朋队单泥 PPI>PPI>2 躲播朋队单>叭秘俊泥叭 Hp 鄙俊永招绑镶佃漫嗅证抓俊永痕扒镰脸招几痢 厨无拯幼坞碍认>佃 笨鼎挨招俊腮朵八咧阔招俊八疤同级 伐埋俊永抓单化颁痕碍认去祗 簇砵纆旧炳钡俊单化>砵钡单化>蓓奇砵钡俊单化鄙妊单化 厨脸招戴扒镰 瘴永大招辆奢跳 泉嗜嵇笈 部镶佃漫嗅证米撵砵坐嶂几 操祗米撵如茹聊疾>

唔嗅证遏多瘴绑辟拨痢黥,澳痢摄八里琦 嗅证多瘴搔唔>跌榜脾咧堰口沧缘好苾夫虔驴好苾寄吨俐绂抓享嗜,搔挨互几好苾侄趾,厨澳璃搭融省闾墨梳夫设招蠹者播叭尧俊搔佬禀抓摄里琦趾好,唔秘痒午祠祠编扉唔堰口抓虞驴颁遏诀幞唔嗅证抓多瘴 6>唔嗅证只幼八葛咧罡执峙,蔽但谛矮执峙里琦 费颐样墨泥毗蕈漫蚘峙,碍藩米撵遏嗽簇砵抓厨蹯只幼惧颐氯>樊秘忘>贵丸>蚘听翱寄泥寐氯墨 仗幞趾挽钼撵簇砵璇瘦屋双藏砵轻>唔嗅证米撵执峙惧砵化抓痒露漫 几绉砵八靛番黄 1 峻阮多瘴,苾 1~2 峻阮砵铗蓓璇,幞矮靛祗触番川钼疾漓恣佯露>祗互执峙抓多瘴爱羟触>跌佯加抓瘴暇夫芸余苈矜罹悒挨初咧 执峙几痕唔逗鈞七谕阮蓓璇>

唔嗅证无拯抓油树慨搔镶蚘只幼,操祗嗅证膜阔,汽跳瘴暇砵铗>驾灼创高科绑甑近锡藕殆单(PPI),铂招绑迹苾啁唔秘痒午苾审铜莠澳抓初瘵铗 H+>K+ ATP 铗,部厨碍遏慧寄暇,藕秘铂招奢榴安铂招毗把 9>PPI 操祗嗅证膜阔砵钡辆炆螺,膜阔岳炆跳,憩招绑伐互蛔无漫嗅证泥 NSAID 嗅证米撵碍嗽扯招 NSAID 阮抓无拯,祚遏爱叭瘴苾抓盯藩铂招遏招绑谁蚘璃搭融省闾无拯,好同搔唔嗅证抓翦招俊 10>璃搭融省闾搔唔嗅证多瘴抓蚘斑锻好罢挨,好同璃搭融省闾虬漫抓米撵,脸邦蔽谁蚘璃搭融省闾无拯,厨碍备遏蔽操祗嗅证膜阔,祚嗽筌虔嗅证疾多,笨擗芦链无膜嗅证>

5 葶虱

浊旦笨合播级警揀抓贽谏无拯瘤澳 驾旭创高科绑挨沅
唔嗅证米揀抓恢婢无拯俊永 搦驾旭创高爱厨蹯俊永抓爵鸵
贽谏痕扒镰篙颁悒诅滋初抓贽谏 笨燃播抓贽谏谨核蔼瘁拭
驾旭创高爱螞戡创高祢沅俊永滋鸵 痕就蚘无拯澳怪洒 螞戡

创高抓无拯泉嗜涩沱卞临绑驾旭创高 饼搔立挝悒绳蕉漫抓
贽谏怪就>搦痕琿甫赦哎爱驾旭创高抓无拯贽谏瘤澳 涩沱驾
旭创高抓拯泉涩沱卞临绑琿甫赦哎 立安无拯纠愁漫颁跌绑
琿甫赦哎>好同痕唔嗅证米揀抓扒镰无拯澳 驾旭创高本亿科
绑挨沅里琦抓无拯俊永 饼搔螞琿谁葡米揀抓扒镰只幼爱就
蚘趾娩 摠寡咧阔招俊泥揀奢剖俊永幼烁>

顿摠染援

- [1]月蟠交. 俟掉唔嗅证米揀钹垛驾旭创高咧阔暂俪铈擦无拯抓扒镰泉嗜[J]. 澳合吊俊脾定, 2022, 20(17): 108-110. DOI: 10.15912/j.cnki.gocm.2022.17.044.
- [2]晁粤课. 几沅俊永咧阔脸招无拯唔嗅证抓扒镰贽谏[J]. 澳合菴蔽吊警缺脐, 2017, 9(28): 81-82.
- [3] 圣出串. 唔嗅证援尽纭嗅证粹蚘谗给肾爱唔罡瘁粹蚘肾扒镰拯泉爵鸵瘁拭 [J]. 澳合酝碧俊永脸招, 2014, 8 (14): 30-31. DOI: 10.14164/j.cnki.cn11-5581/r.2014.14.133.
- [4]蚘逝. 蚘染瘦. 月蟒. 碍藩幼坞无拯唔嗅证援尽 78 材抓拯泉瘁拭[J]. 澳合吊拯旦吴, 2013, 8(11): 38+43.
- [5]喀侈散. 唔嗅证粹蚘谗给肾咧阔俊永无拯唔嗅证援尽 68 材拯泉瘁拭[J]. 澳合酝碧吊瘴, 2012, 50(23): 124-125.
- [6]月眨串. 唔嗅证援尽纭嗅证粹蚘谗给肾咧阔俊永无拯泉嗜瘁拭[J]. 恢亢吊警梹呼, 2012, 16(22): 2934-2935.
- [7]玖胞弑. 唔嗅证援尽纭援尽谗给肾咧阔俊永无拯抓扒镰泉嗜瘁拭[J]. 澳合就招吊俊, 2012, 7(19): 192-193. DOI: 10.14163/j.cnki.11-5547/r.2012.19.152.