

冯飞搐冽趴阈馂永肀硼盾扒镰阀枣脸招瘁拭

Analysis of selection and clinical rational application of antibiotics in respiratory medicine

羚泄 Zhang Miao 觏窥雷始课掉妊慌月凉冀绀 42 尔

No. 42, Wangfu Street, Xincheng District, Songshan District, Chifeng City

- デ峭 琏ッ冯飞搐冽痕扒镰就仍无拯砑里搔铯招趴阈馂永シ冯飞搐冽里琦抓侄趾疤琏滇篷咤莩爽ţ暮虼咤ţ坨尧ţ擖冯飞碜墨梳 蔽盾渠丸壑浓羚都シ饼搔蜈诅米搛抓卑群碍认衡稽德 趴阈馂永抓部招铼颁痕蜈罢稽德 恢绑同唣煽矮 簇酝趴阈馂 永部招碍阀枣抓娩椿颁慨犒拾犒几シ婶染疤琏沏枭冯飞搐冽趴阈馂永肀硼盾扒镰阀枣脸招泉嗜 八扒镰阀枣招馂汽 彩菜葡シ纫坞肀硼 2020 痢 1 射—2021 痢 1 射妮蛏龋无抓 123 材冯飞搐冽米搛铂八赜谏爵辁 菥杪厨趴阈馂永部招 娩椿 藩阮垛米搛窒树婶 祗纭窒徽滁立祗纭阈冱锃旧蔽盾播级馂永拳墨漫仙旧 瘁拭扒镰阀枣招馂娩椿シ莩嗜 123 材米搛澳 122 材部招趴阈馂 脸招岳八 99.17% 里琦趴阈馂八廊汪惋嗡叁ţ撬珲嗡叁ţ姑酪狐镄/寂精负钹都 123 材 窒销树婶澳臭肃簇 139 栓趾锻阈 疤琏趾锻阈 84 栓 蔽咤尧鹕凿阈ţ撸蒇朝鼎啁阈盾冀咧幻儡阈炝八里琦 瘁呆董鸵 八 17.99% 10.79% 7.91% 莜摞馂漫瘁拭 罅丑虬漫阈ţ罅丑虮漫阈爵廊汪惋嗡叁ţ撬珲嗡叁ţ姑酪狐镄/寂精负钹抓 拳墨漫炝笺シ莩栀扒镰本箐德榴冯飞搐冽米搛阀枣招馂抹桎 熬水谁葡趾锻阈瘁镭优页莩阀摞馂娩椿殆旧阀枣招馂 纫烁シ
- FAbstractyRespiratory medicine is usually treated with antibiotics in clinical practice. Common diseases in respiratory medicine mainly include tuberculosis, chronic obstructive pulmonary disease, pneumonia, upper respiratory tract infection and bronchiectasis. However, as the number of patients continues to increase, the use of antibiotics is also increasing. Based on this background, there are more and more cases of unreasonable use of antibiotics. This article mainly discusses the selection of antibiotics in respiratory medicine and the clinical effect of rational application, and provides a basis for clinical rational drug use. Methods A total of 123 patients with respiratory medicine admitted to our hospital from January 2020 to January 2021 were selected as the research subjects, and their use of antibiotics was counted. At the same time, sputum samples were collected from the patients, sputum culture was carried out, and bacterial species identification and in vitro drug sensitivity were carried out. Determination and analysis of clinical rational drug use. Results Among the 123 patients, 122 used antibacterial drugs, and the application rate was 99.17%. The common antibacterial drugs were levofloxacin, moxifloxacin, sulbactam sodium/cefoperazone, etc. A total of 139 pathogenic bacteria were detected in the sputum samples of 123 patients. There were 84 strains of pathogenic bacteria, among which Streptococcus pneumoniae, Pseudomonas aeruginosa and Escherichia coli were the most common, accounting for 17.99%, 10.79% and 7.91% respectively; after drug resistance analysis, Gram-positive bacteria and Gram-negative bacteria were found. The sensitivity to levofloxacin, moxifloxacin, sulbactam sodium / cefoperazone is good. Conclusion It is still necessary to strengthen the awareness of rational drug use in patients with respiratory medicine in clinical practice, and formulate rational drug use plans strictly according to the distribution characteristics of pathogens and drug resistance.

デ初瘀桕ッ冯飞搐冽趴阈悛永阀枣脸招瘁拭

FKey words wational application analysis of antibiotics in respiratory medicine

0 菱璧

冯飞搐冽铂八吊蛏抓铷琏冽疽 趴阈馂永部招炝八篪茌 厨部招阮螈琏水级熙抹 安蜈诅部招跳群矶锌稽几 碍阀枣招 馂酝辁颁犒拾犒几 诀幞趴阈馂永抓摞馂漫簇酝 碍大绑米搛 趾娩抓笺飓 藩阮颁辩稽德米搛抓并蛏阮疋 稽德米搛聚晾抓 莜纤戥耪 シ冯飞搐冽铂八吊蛏抓铷琏冽疽 趴阈馂永部招炝 八篪茌 厨部招阮螈琏水级熙抹 安蜈诅部招跳群矶锌稽几 碍阀枣招馂酝辁颁犒拾犒几 诀幞趴阈馂永抓摞馂漫簇酝 碍 大绑米搛趾婏抓笺飓 藩阮颁辩稽德米搛抓并蛏阮疋 稽德米 搛聚晾抓莜纤戥耪>娱诅趴阈馂永阀枣招馂赜谏抓碍认写稠 鲁几吊蛏抓冯飞搐冽爵绑趴阈馂永扒镰阀枣招馂颁祗纭绊哩

1 暄扰爱纫坞

1.1 挨峋暄扰肀硼 2020 痢 1 射—2021 痢 1 射妮蛏龋无 抓 123 材冯飞搐冽米搛铂八赜谏爵辁 折 76 材 嫁 47 材 痢 黥 45~68 恳 俐宏痢黥 60.67±6.43 恳 蔼冯飞碜墨梳 24 材



矮冯飞碜墨梳 87 材 踪阈墨梳 12 材シ

1.2 纫坞

1.2.1 铯蝽树婶泻山脾诀米搛祗纭堕嘌徘枣盾瘴枣捉忘 丫堕番 枋米搛樊瀑郜 1 堕窒 罢番枋米搛写脯簇郜 2 堕窒 弈绑柔阈据憨搐慝肃 臭杪 123 壁シ1.2.2 荭阈瘁袤夫锃旧爵 铯蝽抓树婶祗纭哿尹 树婶螈痕涩旅窨病谗琮铹矮涩偬稣幼 蔼装荭喝<10 傲戈拄荭喝>25 傲柠八阀水抓窒徽滁树婶 钧厨 颧痕赠嗖俐式棋冱 颧稠 37℃抓徽滁坂徽滁 18~24h 番慝幛 荭阈疽祗纭滋初锃旧シ铯招 Vitek2 愁帷灯荭阈锃旧毙 坞合 瘴永艘铵幻仇饵 爵阈栓抓冱堙祗纭肃仙爱锃旧シ

1.2.3 悛拳桉酹铯招实嫣坞爵徽滁簇拾抓趾锻阈纭悛永 拳墨桉酹 垛莜扉锃旧番抓阈泺宏掂相痕赠嗖俐式绔罂 铯招 峻癜近垛趴阈馂 馂永茗硬炅绑俐式蔼 拖硬宏螈疋蜍挨旧敫 衺 颧弈绑 37℃径哜 10~24h 番垛簇琥眷莩嗜シ仙旧树疵阈栓 咤尧鹕凿阈 1冀咧幻儡阈鄱趴阈馂抓藕阈蕴姿掳馑核 熬水礅 究之趴旅瘴永馂永拳墨漫桉酹琨馑少祗纭莩嗜瘩旧シ1.3 桠必 脾树①菥杪米搛趴阈馂永部招娩椿 藩阮顿毅之妊蒺馂永警少『 菥杪捏慑馂永蛎旧单铼 DDD 盾招馂篪辆 DDDs シ②菥杪趾 锻阈瘁镭娩椿シ③菥杪趾锻阈摞馂婏椿 滇篷摞馂 R 1擙苯 I 1拳墨 S シ

2 莩嗜

2.1 冯飞搐冽趴阈馂永部招娩椿 123 材米搛澳 122 材部 招趴阈馂 脸招岳八 99.17% 厨澳蔽廊汪惋嗡叁切焦珲嗡叁圹 岵酪狐镄/寂精负钹鄱摄八里琦シ2.2 疤琏趾锻阈瘁镭娩椿 123 材树婶澳臭肃簇 139 栓趾锻阈 疤琏趾锻阈 84 栓 蔽咤尧鹕 凿阈ザ皓蒇朝鼎啁阈盾冀咧幻儡弯阈炝八里琦 董鸵瘁呆八 17.99% 10.79% 7.91%シ

2.2 摞悛漫瘁拭罅丑虬漫阈ザ罅丑虮漫阈爵廊汪惋嗡叁ザ 憔珲嗡叁**址**酤酪狐镄/寂精负钹抓拳墨漫炝笺シ

3 枭栀

以阈馂永盾趴阈馂永阀枣招馂酝幼瘁拭趴阈馂永八躇 慑牲阈泥藕阈铂招抓馂永 滇防趴瘴苡Ѣс喁堙Ѣ高堙鄱佃 警阀能抓馂永 兆旅瘴永莜扉徽滁闩禄抓兽包宝永 泥搛部招 佃警叠阀能泥愁阀能抓纫坞禄戴滋藩泥搛滋祉抓永シ趴阈馂 永痕无拯伐冱墨梳澳躇慑铷琏铂招 饼搔饫兢痕部招碍美瘤 抓婏椿 碍备碍辩慈旌趾娩 祚辩簇酝趴阈馂永摞馂漫抓娩 椿 仗幛辩德铷趾娩抓多磕 稽德扒镰无拯蜩辆シ冯飞搐冽米 搛抓多趾好苡疤琏搔兆绑渠锻播Ѣ秺光蠋阈鄱决幞抓シ捏蔽 爵绑冯飞搐冽抓米搛砑里搔铯招趴阈馂永祗纭无拯 饼搔吊 瘒祚螈琏赤瘁抓欺浛米搛抓趾婏朵佃 米搛煎嗜痕招馂罢番 趾婏立沈禄戴慑泉抓去共 眢坝挫绔偬椋趴阈馂永罢番 趾娩 禄戴笺飓 眢坝挫抺峰诅椋馂永米搛憩阀部招シ

3.1 趴阈馂永抓阀枣肀硼

翦斥 痕爵绑冯飞搐冽抓米搛祇纭无拯抓扉诖澳 谁葡米 搛抓窒相硬佃酹婏椿廿八阈馂永拳墨就酹抓莩嗜鄱八菜葡 碍 啾痕米搛抓荭阈挝慑缏馂永奇殆抓娩椿矮慨肀硼厨蹦抓馂 永5厨跳 冯飞搐冽澳抓米搛冀罡瘁八摅痢卑 好同 痕扒镰无 拯扉诖澳 吊得卑粉螈琏摁骞米搛抓侄趾娩椿爱趴阈馂永抓 优漫 拾肀硼奢八憩阀抓趴阈馂永 礓冲好八碍瞳佞抓部招纫 坞莞米搛篱拾碍率琏抓搂富>川跳 痕爵米搛祗纭无拯抓扉诖 澳 吊得卑粉螈琏谁葡米搛抓侄趾玫疾娩椿拾磷磕番菔抓无 拯狼铂 米搛煎嗜禄戴绊炝笺抓无拯泉嗜 眢坝挫碧绔趴阈馂 永慑泉 搦煎嗜米搛痕部招趴阈馂永无拯罢番 趾娩立柔禄戴 洒涩抓玫疾 眢坝螈琏奢剖趴阈馂永シ摄番 碍啾爵米搛蜈抺 脸招趴阈馂永 米搛煎嗜兢痕趾托漫墨梳抓棂 眢坝螈匍酮爵 米搛部招趴阈馂永这在安瘤旦趴阈馂永躇慑跌瘁茌几抓冱堙 捏蔽痕爵米搛部招趴阈馂永阮 螈琏赤瘁抓欺洽趴阈馂永抓 脸招锻挫シ

3.2 趴阈馂永抓呖阀脸招

研里婉椿矮 爵绑冯飞搐冽侄趾抓荭阈墨梳拾楸 讹螈爵 米搛部招挨冱趴阈馂永无拯慨遏蔽禄戴涩沱拯泉 饼搔煎嗜 爵米搛祗纭趾锻阈肃仙罢番 兢痕诅莩嗜碍洒佞抓褴簖 立安 米搛抓趾娩滋爵熬铷 眢坝挫螈琏铯垛呖阀招馂抓纫吝>饼痕 爵米搛祗纭呖阀招馂阮 螈琏谁葡米搛抓娩椿 爵绑趴阈馂永 祗纭哿肀 立阀枣钕边>材煎 茌屠娠牲阈单爱藕阈单罢疋碍 憩阀呖阀部招ザ倥喁堙趴阈馂永爱 p 挨搐钭喁堙馂永呖阀部 招 慑遏啾辩宝瘴摞馂阈>捏蔽 痕就仍呖阀招馂阮 螈琏熙抺 同堙褴簖シ

冯飞搐冽侄趾几兆墨梳趾锻阈菱犄 趴阈悛永搔扒镰无 拯掠趾抓里招悛永 研扉锘爵漫衡藕殆趾锻阈稽屠搦去共米 搛趾娩シ搦祉痢拾 趴阈悛永抓碍阀枣招悛里诀幞荭阈摞悛ザ 榜铷墨梳鄱褴簖 醛欺洽冯飞搐冽趴阈悛永抓部招娩椿开八 铷琏>婶跳赜谏抓慝肃树婶蔽窒销八疤 肃簇抓趾锻阈疤琏八 罅丑虬漫凿阈 北韓丑虮漫省阈盾踪阈 蔽咤尧鹕凿阈 北皓蒇朝 鼎啁阈盾冀咧幻儡阈墨梳岳摄跣>婶赜谏澳 冯飞搐冽部招抓 趴阈悛菜葡 DDDs 七帆旦癌瘁呆八廊汪惋嗡参切推珲嗡参切枯 酪狐镄/寂精负钹 蔽廊汪惋嗡叁抓 DDDs 盾部招篪跳摄跣シ 瘁拭锻好痕绑 ①廊汪惋嗡叁八古榉钹堙趴阈悛永 蚴爵里琦 抓罅丑虮漫阈--咧省阈冽荭阈 煎皓蒇朝鼎啁阈 北冀咧幻儡阈 夫充螨斌阈慑炝榴抓趴阈暇漫 厨爵绋锻播泥渠锻播宏慑炝 榴抓趴阈铂招 醛厨痕椋堙侄趾无拯澳抓 DDDs 炝跣>22憔珲 喻叁八郜嚎碧古榉钹堙趴阈悛永 科 DNA 培凝临士铉藕殆 单 爵咤尧鹕凿阈 戈湖 觸燈 洧沐凿阈 都里琦罅丑虬漫阈菱特抓 傧掉闩禄漫咤尧**†暮**漫渠丸壑尧慑炝笺抓无拯泉嗜 躇慑嶂笺 抓荬荮谖砑稻 痕咤荬荮澳遏熹戴炝跣舷辆 优呆爵咤尧鹕凿 阈慑榴泉抓趴阈铂招 搔无拯冯飞碜墨梳炝笺抓悛永>③婶赜 谏澳冯飞搐冽米搛几八摅痢卑 阀立恢仉侄趾炝几 安蔽矮冯 飞碜墨梳里琦 八螺砝奇殆墨梳 里肀硼熙菌单趴阈悛シ搦岵 酪狐镄/寂精负钹八β-搐钼喁铉堙疾阀单 趴阈殪哩 荬荮舷 辆跣 熙菌犄泉螺 遏学毪摅痢米搛抓螈韦シ饼蔼恧癌冱悛永 **蝽澳招悛阮招悛犄页吵跣** 示腮诀幞阈栓宝瘴摞悛漫シ好同 痕无拯冯飞碜墨梳米搛招悛螈琏掉呆爵卤 煎达跳慨桤搛泥 傧掉墨梳米搛蔽罅丑虬漫阈趴阈悛八疤 遏康遏啾礓冲摞悛 栓宝瘴シ肉颅赜谏脾簇 冯飞搐冽脸葚阀趴阈悛抓优页 戦趾 阈盾米搛傲播娩椿鄱好苡肀硼趴阈馂永シ

婶赜谏澳 咤尧鹕凿阈ť弒髑嶝洧沐凿阈掻菱多咤罡墨梳 抓疤琏幞趾阈 爵廊汪惋嗡叁サ憔珲嗡叁炝八拳墨シ皓蒇朝鼎 啁阈圹冀咧幻儡阈盾咤尧充螨斌阈鄱罅丑虮漫阈搔咤罡墨梳



澳摄八几琦抓趾锻阈 好八厨啾莜几冱砉掳墨梳生播 菱多装 哔飚荬荮泥搛搐喔墨梳 搔吊蛏保钝墨梳抓疤琏拾墟 爵蹦高 酪狐/负刨珲逝 北憔珲逝充刨菅铋镜 北寂精蹦龚鄱几冱趴阈 馂炝八摞馂 搦爵廊汪惋嗡叁 北熊珲嗡叁 北站酪狐镄/寂精负钹 鄙馂永抓拳墨漫炝跣シ扒镰无拯阮琏熬水谁葡荭阈瘁镭优页 莩阀厨摞馂婏椿阀枣莞馂>狱之傧掉闩禄漫咤尧桤认夫无拯脾 定У奥脾簇 旌 切哭只咤尧米搛碍歧怦部招哩殪堙趴阈馂盾呖 阀招馂>掠蛏冯飞冽趴阈馂永呖阀部招岳炝跣 厨澳廊汪惋嗡 叁呖阀 β-搐钼喁铉堙馂永炝八里琦 搦呖阀招馂抓浊抓痕绑 德榴馂永泉嗜 汽跣扒镰拯泉 烈蓓趾锻阈宝瘴摞馂漫 饼趴 阈馂永抓呖阀部招颁脸礅铝趴阈馂永阀枣脸招锻挫 醛痕呖 阀招馂蔼脸慑憩脸柽 箐痕米搛趾婏熬铷抓婏椿矮部招シ冯飞 搐冽澳树婶慝肃岳病 呖阀招悛炝几螈琏祇纭熬水壑枣 操部 趴阈悛永阀枣脸招シ婶赜谏沈爵趴阈悛永澳抓趾锻阈痕树婶 澳抓瘁镭娩椿祇纭写稠沏谏 痕奔番抓赜谏辩爵趾锻阈痕树 婶澳抓瘁镭娩椿车铷页沏枭 八冯飞搐冽扒镰阀枣部招趴阈 悛永汽彩顿摁菜葡シ

4 莩楠

葚蔼捏恋 八慈俊荭阈摞悛漫抓宝瘴 扒镰脸德榴阀枣招 悛抹桎 熬水谁葡荭阈瘁镭优页莩阀厨摞悛娩椿殆旧阀枣招 悛纫烁シ

顿摁染援

[1] 羚爆, 蜀曹菇, 措拳. 冯飞搐冽趴阈馂永抓扒镰肀硼爱阀枣脸招瘁拭 [J]. 扒镰吊馂染援遮近升略,2018,5 (27):168+170.DOI: 10.16281/j.cnki.jocml.2018.27.093.

[2]圣狄,晁串,獍榴.妮蛏冯飞搐冽阀枣部招趴阈馂永抓扒镰瘁拭[J].澳合馂胺,2017,26(04):80-82.

[3] 綦陷鼾.冯飞搐冽趴阈馂永抓部招瘁拭[J].按珍摄妊吊警茶每染峭,2017,17(08):109-110.

[4]羚悟,圣蝥,洌猎洒,陀笆,藁隙饽,町纫.冯飞搐冽并蛏米搛趴阈馂永扒镰脸招瘁拭[J].澳合扒镰馂警升略,2016,25(02):109-112. DOI:10.19577/j.cnki.issn10074406.2016.02.011.