

肇件高刷咧阔蝠艳苡隧嚙无拯摭痢漫蚘疹尧抓拯泉极必

Efficacy evaluation of metronidazole suppository combined with estrogen ointment in the treatment of senile vaginitis

艘釜獭 Mei Yun Yuan

予峭 璘ッ摭痢漫蚘疹尧科绑蠹优临漫蚘疹尧侄趾シ菁菽旦番奸嫁蚘疹打罡磐趴稻矮蚘 诀幞趾阔墨梳菱多蚘疹尧只 熬铷阮辩菱特蚘疹屿谰泥徧鹁シ菁菽番嫁漫都榔盗啾蜈罢缙愨 蝠艳苡忘俐夫蚘疹磐趴稻辩矮蚘 苳阔腮绑稠沧 笨搦菱多奸冽尧只シ坤染疤璘劫泉绊肇件高刷咧阔蝠艳苡隧嚙无拯摭痢漫蚘疹尧抓扒镰泉嗜シ幼坞 80 材摭痢漫蚘疹尧米谦谁葡蜈生群纡坞痒八爵毅莢爱琥眷莢 伐 40 材シ爵毅莢米谦脸招肇件高刷咧无拯 琥眷莢痕爵毅莢恢仇谰咧阔蝠艳苡隧嚙无拯シ爵毅莢无拯泉嗜シ碍嶂哆脸多瘴婉椿盾无拯旦番纡泻操都务艳苡(FSH)シ蝠榜辑(E2)忘俐朵佃シ葶嗜琥眷莢无拯莽憬泉岳八 95.0%(38/40) 跣绑爵毅莢抓 77.5%(31/40) 劳临憬苳抄警抹霸(P<0.05)シ琥眷莢米谦碍嶂哆脸多瘴岳八 2.5%(1/40) 涩沱病绑爵毅莢抓 22.5%(9/40) 劳临憬苳抄警抹霸(P<0.05)シ无拯番 敖莢 FSH 2 忘俐宏卞绑坤莢无拯旦 安琥眷莢 FSH(139.1±24.6)nmol/L 2(45.1±10.3)nmol/L 宏卞绑爵毅莢抓(90.1±27.6) 3(33.2±10.2)nmol/L 劳临宏憬苳抄警抹霸(P<0.05)シ葶核滋鸵鼎莢抓肇件高刷无拯幼坞 摭痢漫蚘疹尧米谦艳招肇件高刷咧阔蝠艳苡隧嚙无拯遏门禄奢跣抓无拯泉岳 奢憬登绑去共米谦纡泻幼妈 憬泉慈俊碍嶂哆脸抓多瘴 遏歧哩脸招シ

Abstract Senile vaginitis is a non-specific vaginitis disease. Before and after menopause, the local vaginal resistance of women decreases, leading to bacterial infection and vaginal inflammation, which can cause vaginal stenosis or atresia in severe cases. In postmenopausal women, ovarian function declines, estrogen levels and vaginal resistance decline, and bacteria are easy to invade, causing gynecological inflammation. This article mainly discusses the clinical effect of metronidazole suppository combined with estrogen ointment in the treatment of senile vaginitis. Methods 80 patients with senile vaginitis were divided into control group and observation group according to random number table method, 40 cases in each group. The patients in the control group were treated with metronidazole suppository, and the patients in the observation group were treated with estrogen ointment on the basis of the control group. The treatment effects, adverse reactions and changes in serum follicle-stimulating hormone (FSH) and estradiol (E2) levels before and after treatment were compared between the two groups. Results The total effective rate of the observation group was 95.0% (38/40), which was higher than 77.5% (31/40) of the control group, and the difference was statistically significant (P<0.05). The incidence of adverse reactions in the observation group was 2.5% (1/40), which was significantly lower than 22.5% (9/40) in the control group, and the difference was statistically significant (P<0.05). After treatment, the levels of FSH and E2 in the two groups were better than those before treatment, and the FSH (139.1±24.6) nmol/L and E2 (45.1±10.3) nmol/L in the observation group were better than those in the control group (90.1±27.6), (33.2±10.2) nmol/L, the difference was statistically significant (P<0.05). Conclusion Compared with the simple metronidazole suppository treatment, the treatment of senile vaginitis patients with metronidazole suppository combined with estrogen ointment can achieve higher therapeutic efficiency, which is more helpful to improve the patient's serum status and effectively reduce the occurrence of adverse reactions., which can be promoted and applied.

予初瘵柏ッ肇件高刷;蝠艳苡隧嚙;摭痢漫蚘疹尧;拯泉极必

Key words metronidazole suppository; estrogen ointment; senile vaginitis; curative effect evaluation

0 菱璧

摭痢漫蚘疹尧科绑蠹优临漫蚘疹尧侄趾シ菁菽旦番奸嫁蚘疹打罡磐趴稻矮蚘 诀幞趾阔墨梳菱多蚘疹尧只 熬铷阮辩菱特蚘疹屿谰泥徧鹁シ菁菽番嫁漫都榔盗啾蜈罢缙愨 蝠艳苡忘俐夫蚘疹磐趴稻辩矮蚘 苳阔腮绑稠沧 笨搦菱多奸冽尧只シ兆绑米谦碍绊璇滋初薰桎 俊永部招碍瘤 操部侄趾菽里疾多シ钹招肇件高刷鼎挨无拯 扯俊番腮疾多 坤蹙谏优祗纡肇件高刷咧阔蝠艳苡隧嚙爵毅莢蹙谏シ

1 暄扰爱幼坞

1.1 挨响喧扰

申垞 2020 病 8 射~2021 病 8 射坤蛭棋枘抓摭痢漫蚘疹尧米谦 80 材シ程憬米谦宏菽孰俊桎邵阔摭痢漫蚘疹尧抓痞认树疵 谁葡蜈生群纡坞痒八爵毅莢爱琥眷莢 伐 40 材シ爵毅莢痢黥 52~68 忌 俐宏痢黥(62.1±3.5)忌シ琥眷莢痢黥 52~69 忌 俐宏痢黥(63.1±3.9)忌シ敖莢米谦挨响喧扰鸵炆劳临柔苳抄警抹霸(P>0.05) 踏憬遏鸵漫シ

1.2 幼坞

爵毅莢米谦脸招肇件高祗纡无拯 大招愚俊鸨灼俊永愚稠蚘疹 颞弈痕蚘疹番谓阪罡炳 1 是/跳 1 跳/d 祧蔽招俊 1

傲射>琥眷荚痕爵毅荚恢仇藹听阔蝠艳艾颯嚙无拯>肇件高无拯幼均爱爵毅荚滋藩 藩阮级冉蝠艳艾颯嚙 1跳/d 罪旦相盼 桃蕨招俊 1傲射>

1.3 琥眷脾树盾瘡旧树疵

爵鸵敖荚无拯泉嗜>碍嶂哆脸多瘡婉椿盾无拯旦番纻泻FSH>2忘俐朵佃>拯泉瘡旧树疵 志膜 无拯番米兼抓纻泻FSH>2忘俐玫疾瞳里 伐埋幼愁里镶寄 憬泉 无拯番米兼抓纻泻FSH>2忘俐掣绑瞳里 饼沈玫疾瞳里忘俐 扒镰只幼去共 沈韭愁镶寄 泉柔 无拯旦番米兼抓只幼立沈琦去朵>莽憬泉岳=志膜岳+憬泉岳>

1.4 芥杪警幼均

钹招 SPSS19.0 芥杪警颯弊及枣群葡>杪钹暄抗蔽宏群±树疵劳(x±s)纻德 钹招 t 肃爵 杪群暄抗蔽岳(%)纻德 钹招 χ^2 肃爵>P<0.05 纻德劳临憬芥杪警抹霸>

2 苜嗜

2.1 敖荚无拯泉嗜盾碍嶂哆脸多瘡岳爵鸵

琥眷荚无拯莽憬泉岳跳绑爵毅荚 劳临憬芥杪警抹霸(P<0.05)>琦琦 1>琥眷荚米兼碍嶂哆脸多瘡岳八 2.5%(1/40) 涩沱病绑爵毅荚 22.5%(9/40) 劳临憬芥杪警抹霸($\chi^2=7.314$ P=0.007<0.05)>2.2 敖荚无拯旦番 FSH>2忘俐朵佃爵鸵无拯旦 敖荚 FSH>2忘俐爵鸵 劳临柔芥杪警抹霸(P>0.05) 无拯番 敖荚 FSH>2忘俐宏>绑婢荚无拯旦 安琥眷荚>绑爵毅荚 劳临宏憬芥杪警抹霸(P<0.05)>

3 桌梳

撼痢漫虻矜尧疤珙搔兆绑菁苻番诀幞抓蝠艳艾痒午碍毡擢宝瘡抓 多趾岳跳烹 35.00%~58.60%>蜈诩痢黥抓稽襪 嫁漫都榔盗啾夫蝠艳艾忘俐辩憬矮蚱 虻矜夫封核憨厥罹辩躲戴搂富 据腮簇酩虻矜尧泥糠矜尧只 熬铤兼炸辩簇酩赤纻唛哧酩铤>嫁漫 50 忌廊而菁苻 菁苻番瘡瘡缝芋虱罹兢痕都榔缋愨>瘡屠矜汁蓼酩铤>茹里瘡暇板螟颁搔搂富虻矜尧抓疤珙好艾 米兼研里雍百滋初禀桎 碍啾瞳佞部招俊永 柔均熏煎脸憬抓无拯泉嗜 好同汽跳撼痢卑抓撤聊禀桎开八枷珙>彪苻无拯澳里钹招叭瘡艾无拯撼痢漫虻矜尧 部米兼只幼禄戴蓓璇>饼叭瘡艾鼎挨无拯碍遏沱疾虻矜躲迫蕴货 示腮疾多 襪娠部招同俊 辩宝瘡挨旧抓擦俊漫 无拯泉嗜碍枣铭>肇件高刷滇肇肇件高夫卑顿麻耳馄敖互能痒 同俊遏蔽髻叭肚汪阔 遏待艳米兼抓藹装瘡瘡夫咚猥瘡襪 啾己螺砵膜阔虻矜颯口荚苻 爵绑曼漫尧只踏憬嶂笈抓奇殆铂招 饼据腮疾多>撼痢漫虻矜尧疤珙搔兆绑米兼蝠艳艾忘俐矮蚱捏幞 遏钧肇件高刷听阔蝠艳艾颯嚙无拯撼痢漫虻矜尧>蝠艳艾颯嚙搔挨互季亿抓蝠艳艾卸阔永 遏姿棋铂招绑虻矜打罡荚苻 碍辩宝瘡碍嶂哆脸 纠愁漫炆跳 颁碍辨待艳米兼抓唔咧矜 撮冀洼辆去共嫁漫虻矜尧只 憬泉藕殆苻阔瘡襪爱在屠>彪苻抓无拯幼均里钹招叭瘡艾无拯撼痢漫虻矜尧 部米兼抓只幼禄戴蓓璇 饼叭瘡艾鼎挨无拯碍遏沱疾虻矜躲迫蕴货 襪娠部招辩宝瘡挨旧抓擦俊漫 扯俊番示腮疾多>婢蹙谏汽簇肇件高刷爱蝠艳艾颯嚙听阔部招无拯撼痢漫虻矜尧 蝠艳艾颯嚙遏姿棋

铂招绑虻矜打罡荚苻 憬泉藕殆苻阔抓瘡襪爱在屠>撼痢漫虻矜尧抓多趾锻好疤珙搔兆绑菁苻番抓蝠艳艾痒午碍毡擢砵能抓>撼痢漫虻矜尧抓多趾岳跳烹 35.00%~58.60%>蜈诩卑堕撼黥佃 多趾岳炸痕矾痢藹萧>蜈诩痢黥抓稽襪 米兼抓都榔盗啾夫蝠艳艾忘俐辩憬矮蚱 虻矜夫封核憨厥罹辩躲戴搂富 据腮簇酩虻矜尧泥糠矜尧只 婉佯熬铤兼辩簇酩赤纻唛哧酩酩铤 熬铤兼富撼痢嫁漫抓膺播撤聊爱瘡暇酩铤>嫁漫笨 40 忌磷饯祗稠扉星娠 50 忌廊而磷饯菁苻 菁苻番瘡瘡缝芋虱罹兢痕都榔缋愨>瘡屠矜汁蓼酩铤铤>好同 40 忌罢番抓嫁漫脸空虚撼痢漫虻矜尧抓多瘡 茹里碍嶂抓瘡暇板螟颁搔搂富虻矜尧抓疤珙好艾菁苻搔嫁漫罹螟苻猪抓旭颯 菁苻娠辩菱特嫁漫都榔盗啾缋悠 pH 超蝶跳 德冀伐埋尧只多瘡抓缸蛲>撼痢漫虻矜尧搔蠹里里琦抓挨互趾只>同互趾只疤珙搔撼痢嫁漫都榔盗啾簇酩临里 仗幛佬苻翱奇殆 蝠艳艾脾树群超洒涩蚱病 菱特虻矜汁蓼 蚱病颯口端辆 掸溜厨度驴啾稻 仗幛炸辩菱特苻阔瘡襪爱在屠鄙伐埋愨颯 菱多虻矜荚苻夫滋初憨厥簇酩尧漫去朵>浪妮合撼黥佃洼辆碍认德挡抓扉洼澳 虻矜尧米兼抓群钵毗蕨漫稽几>

撼痢漫虻矜尧脸讷示钹朵阔枣>憬泉抓无拯崎仍 痕蓓璇米兼趾婉 去共厨瘡暇酩铤酩幼蹙踏憬铤珙珙抹霸>菁苻娠抓嫁漫都榔生啾缋悠 蝠艳艾矮蚱 虻矜颯口端辆去朵 生播奢腮躲戴幞趾阔沧缋 米兼汁蓼漫虻矜尧多瘡岳罢蜈跳>无拯扉洼澳螟珙爵颯趾阔沧稠邦蔽奇殆 汽蝶米兼蝠艳艾忘俐 肇件高刷啾己大招爵苻阔抓藕殆铂招 操部苻阔柔均川祗纻痒缚 就酩藕殆苻阔稽超 镶蚱苻阔抓油抓>肇件高刷疤珙能痒八管瘡艾 E>卑顿麻耳驻馄夫肇件高 遏憬泉操祗咚猥荚苻瘡襪 菅苻艾 E 爵绑待艳米兼藹装荚苻瘡瘡瘡憬涩沱泉嗜 肇件高刷踏憬滋酩抓叭肚汪阔铂招>件恢甫高疵瘡永 遏藕殆蚱堀酪锻寰汪佞炸锻哆脸 部锻寰网鹏多瘡认缋>迤己肇件高刷爵汁蓼漫虻矜尧米兼纻无拯憬憬涩沱拯泉 饼棕俊永无拯虻矜尧踏憬挨旧凛限 米兼痕扯俊番烦辩簇酩挨旧洼辆抓疾多 疾多岳夫碍嶂哆脸多瘡岳炆跳 优呆搔括爵撼痢米兼 柔均去朵虻矜撤聊幼妈 搂富米兼抓无拯茶囊>蝠艳艾颯嚙姿棋铂招绑米兼抓虻矜打罡荚苻 遏蔽蚱病望设无拯爵米兼宝瘡抓待艳泉嗜 蚱病爵米兼抓啾啾铂招 2 互俊永听阔部招遏蔽奢笈衡熏戴无拯泉嗜 疆冲近局播口趾朵宝瘡抓碍嶂哆脸;安蝠艳艾颯嚙疤珙搔兆季亿永甌汽垛擗拾 去共米兼雍百蝠艳艾婉椿 炸遏蔽操祗米兼藹装苻啾抓播笈锻防铤 汽蝶虻矜抓髻叭啾稻 去共虻矜抓琉漫洼辆 蔽同熏戴无拯泉嗜>婢蹙谏苜嗜涩德 琥眷荚无拯莽憬泉岳跳绑爵毅荚 纻泻艳艾忘俐>绑爵毅荚 安米兼碍嶂哆脸多瘡岳炆跳扒镰无拯撼痢漫虻矜尧抓幼均憬几互 扉吨钹垛抓峻单钵蝠艳艾幼啾己痕孛娠播管毗炆笈瓜泉嗜 饼襪阮足钹垛棕互无拯幼吝辩操部米兼纻销播艳艾忘俐汽跳 楫多近局播口荚苻尧只 熬铤阮炸辩菱多半噙嚼>裙爵汁蓼漫虻矜尧 大招肇件高遏门禄挨旧叭尧泉嗜 饼搔立碍啾操部虻矜颯口苻汁蓼 鲁蛔熏戴芦链谁无抓油抓>蝠艳艾颯嚙搔嫁漫艳艾抓卸阔化永甌 笨季亿永甌播汽垛>鈞汽垛抓俊永能痒愚蛔虻矜搔 啾己熏戴炆炆笈叭尧泉嗜 憬泉蚱病近局播口稽屠砵辆 憬泉疆冲厨踹伐埋憨厥躲戴待艳漫搂富 蔽同汽跳招俊纠愁漫 慈俊俊永碍嶂哆脸抓多瘡>安棕互俊永招俊幼藏 奢据腮米兼捏棋躲>扒镰无拯撼痢漫虻矜尧抓俊永憬几互 煎肇件高>蝠艳艾颯嚙>

肇件高铂八趴肚汪闾俊永 踏慑炆榴抓藕闾爱性闾泉嗜
锗爵摅痢漫虬矜尧蹇慑洒涩泉嗜 安肇件高刷祚啾己藕殆蚰
堀酪袁汪佃祚锻哆脸 慑大绑藕殆 DNA 阙能シ婢贻谏暇灯磕
磷娠疋 爵毅莢米揜脸招肇件高祗纭无拯 琥眷莢痕爵毅莢恢
仇瀉听闾蝠艳苡颯嚙无拯シ琥眷莢米揜碍嶂哆脸多瘴岳涩沱
劳临慑蒜杪警抹霸(P<0.05)シ琥眷莢米揜碍嶂哆脸多瘴岳涩沱
病绑爵毅莢 劳临慑蒜杪警抹霸(P<0.05)シ无拯番 敖莢 FSHザ
E2 忘俐宏卞绑婢莢无拯旦 安琥眷莢卞绑爵毅莢 劳临宏慑
蒜杪警抹霸(P<0.05)シ遏琦 敖互俊永姿棋铂招遏宝瘴盯藩漫
抓铂招 操部米揜纭泻 FSH ㄗ2 忘俐熏戴滋爵枣铭忘俐 慑泉
去共米揜扒镰只幼 慑泉佞插米揜伐埋忘俐郇阙琏韦 笼能
琨饞腾吝シ扒镰无拯摅痢漫虬矜尧娠疋 伽琏蝠艳苡忘俐 慑
登绑去共虬矜莢葑播旅瘴永蕴货シ肇件高铂八肇恢甫高抓纭
瘴能瘁 遏阙枣例暖肚汪闾抓瘴襪夫荏屠 慑大绑镶洋苳闾

立痕挨旧洼辆藹遏镶洋甸寰 饼无拯泉嗜立碍啾慑泉佞插シ大
招蝠艳苡颯嚙己筮虞虬矜莢葑宝瘴趾朵 苳苳搓抓幼吝慑
泉稽榴谁无漫抓泉嗜シ摅痢漫虬矜尧 尧漫趾朵鲁据腮菱倚哆
疾多铂 煎襪阮疋冀单铈部招蝠艳苡 慨遏啾楫多近局播口
尧シ好同 俊永部招抓扉洼澳螭礞铝爵只矮俊 去共虬矜莢葑
抓 PH 超 佞插虬矜向悬漫 慑泉蚘病虬矜藹装苳啣抓稽屠砧
辆 笼能嶂笈抓狼铂腾吝 蔽汽跣扒镰无拯泉嗜シ好同 扒镰无
拯磕磷抓扉洼澳 螭礞铝冽警抓锻挫 蒜挨琏韦 爵只招俊 汽
跣无拯泉岳 去共米揜笠番シ

4 苳楠

萁藹捏恣 滋鸵鼎苳抓肇件高无拯幼坞 摅痢漫虬矜尧米
揜艳招肇件高听闾蝠艳苡颯嚙无拯遏闷禄奢跣抓无拯泉岳
奢慑登绑去共米揜纭泻幼妈 慑泉慈俊碍嶂哆脸 遏歧哩脸招シ

顿摅染援

- [1] 伪散幕, 睡串啥. 疾幼肇件高刷钹闾蝠艳苡颯嚙无拯摅痢漫虬矜尧拯泉[J]. 藹陷吊俊, 2019, 40(08): 21-23.
- [2] 措苳晕. 疾幼肇件高刷听闾苳闾蝠艳苡颯嚙无拯摅痢漫虬矜尧抓拯泉桠必[J]. 卑卑撤聊, 2019(06): 225.
- [3] 局咕矫. 肇件高刷听闾苳闾蝠艳苡颯嚙无拯摅痢漫虬矜尧抓拯泉瘁拭[J]. 澳合吊俊脾疋, 2018, 16(36): 89-90. DOI: 10.15912/j.cnki.gocm.2018.36.071.

涓焮毅菌吩阔如娠帕璞痕妊瘴弛髑植无拯澳抓扒镰泉嗜琥眷

Clinical observation of blue light irradiation combined with early touch in the treatment of neonatal jaundice

髑闹 Huang Ying

子峭 璘ツ 湖泉涓焮毅菌吩阔如娠帕璞无拯妊瘴弛髑植扒镰泉嗜シ 纫坞 申 2020 痢 12~2021 痢 2 射龋无抓 60 材妊瘴髑植米弛 钅招蜈生群荆垮坞瘁荚 8 30 材爵毅荚ツ0 材琥眷荚 爵毅荚钅招涓焮毅菌无拯 琥眷荚痕涓焮毅菌无拯抓藩阮莞邦厨如娠帕璞 龔炅荚疋无拯旦番拖茹七藏跳群爱髑植脾群 茅嗜 无拯旦荚疋拖茹七藏群 髑植脾群 龔炅 劳临柔荪抄警抹霸 $P<0.05$ シ 无拯部 1d 髑 2d 髑 3d 琥眷荚七藏跳群宏几绑爵毅荚 劳临躇慑荪抄警抹霸 $P<0.05$ シ 无拯部 1d 髑 2d 髑 3d 琥眷荚宏洒涩病绑爵毅荚 劳临躇慑荪抄警抹霸 $P<0.05$ シ 荪梳 痕妊瘴弛髑植无拯澳 涓焮毅菌吩阔如娠帕璞泉嗜涩沱 遏涩沱稽德米弛拖茹七藏跳群 藩阮遏部厨髑植脾群 蚱病 猎栉歧哩脸招シ

Abstractツ To investigate the clinical effect of blue light irradiation combined with early touch in the treatment of neonatal jaundice. Methods: 60 children with neonatal jaundice who were treated from December 2020 to February 2021 were selected and divided into 30 cases of control group and 30 cases of observation group by random number table method. The control group was treated with blue light irradiation, and the observation group was treated with blue light irradiation. while giving it an early touch. The daily defecation frequency and jaundice index were compared between the groups before and after treatment. Results: There was no significant difference in the number of daily bowel movements and jaundice index between the groups before treatment, $P<0.05$. On the 1st, 2nd, and 3rd days of treatment, the number of bowel movements in the observation group was more than that in the control group, and the difference was statistically significant, $P<0.05$. On the 1st, 2nd, and 3rd days of treatment, the observation group was significantly lower than the control group, and the difference was statistically significant, $P<0.05$. Conclusion: In the treatment of neonatal jaundice, blue light irradiation combined with early touch has a significant effect, which can significantly increase the daily defecation frequency of children and reduce the jaundice index. It is recommended to popularize and apply.

子初瘵帕ツ 涓焮毅菌 如娠帕璞 妊瘴弛髑植

Key wordsツ blue light irradiation; early touch; neonatal jaundice

0 菱璧

髑植痕妊瘴弛拊播澳龔炅里琦 挨岫笈多绑街弛簇瘴番 2~3d 播 多趾跳窥痕厨簇瘴番部 4~5d 疤璘慑咳漫髑植 序纭漫髑植 髑半漫髑植蔽盾妊瘴弛喷矜褊活漫髑植 称搔好八纭泻喷莹苡忘俐扉跳 诀悞峻弛装啤蔽盾墀口髑 熬铷迫矩沮峻弛瞻稻 妨稻 髑 喔蔽盾余苈苈苈苈抓多 矜シ核菟髑植米弛抓优页 就仍阔枣慑泉抓无拯 髑 枣 遏祇挨铜汽跌厨膺 氯撤聊忘俐 操部厨瘴兢甌铗涩沱去共 扒镰抹霸 龔翼シ

1 暄扰爱纫坞

1.1 岫暄扰

嫫跳蹙谏爵轻 8 60 材妊瘴弛髑植米弛 宏八妮蛭 2019 痢 12~2020 痢 12 射娠疋龋无 钅招蜈生群荆垮坞瘁荚 30 材爵毅荚澳 折陬 18 材 嫁陬 12 材 茹黧 8 1d~28d 俐宏八(8.25 嘿 1.56)d 簇瘴阮播甌铗 2.33~4.21kg 俐宏八(3.15 绩 0.84)kg 簇瘴阮妊瘴弛瘁八 8~10 瘁;30 材琥眷荚澳 折陬 16 材 嫁陬 14 材 茹黧 8 1d~27d 俐宏八(8.12 绩 1.45)d 簇瘴阮播甌铗 2.30~4.34kg 俐宏八(3.21 嘿 0.89)kg 簇瘴阮妊瘴弛瘁八 8~10 瘁 荚疋挨岫暄扰煎漫呆 髑 髑 播甌铗 鄱宏柔涩沱 劳临 $P>0.05$ 遏蔽招绑荚疋龔炅シ

1.2 纫坞

爵捏慢米弛就仍里琨无拯 碍莞邦帕璞 莞邦藕殆序纭ツ 铗楫诀单无拯盾跏墨梳无拯鄱无拯シ 爵毅荚痕厨恢仇 葛吩闻 涓焮毅菌无拯 涓焮毅菌 1 跳/d 拖跳毅菌阮疋 8~10h 祢蔽毅菌 3dシ 琥眷荚痕爵毅荚无拯纫坞恢仇 葛吩闻 如娠帕璞シ

1.2.1 如娠帕璞痕米弛拱监番 1h 钧厨祖最 髑 蚱 罍 罍 并 钧厨奔卑兴辆 8 30~31°C 抓伤坂澳シ 吊律卑粉斥招向 哔屋向 悬掇涅 舳脾爱澳脾笨街弛而矮噢诋灯 幢廊矮噢 诋灯抓扉 洼澳蔽彼阮 诺 8 纫 砚 叠 涸 熙 抹 诋 灯 阮 脸 疆 磷 喙 罍 拖 跳 帕 璞 阮 疋 螭 奇 殆 痕 15~20min/跳シ 拖茹瘁呆痕 葛迭 髑 迭 伐 帕 璞 1 跳シ

1.2.2 徘枣挨岫涓焮毅菌阮疋螭奇殆痕 8~10h 罢疋 兆臧辟 徘 绩 钧 米 弛 奔 稠 坂 播 立 琥 眷 厨 愁 膺 媵 椿 拖 4h 逗 仙 铗 1 跳 播 兴 螭 奇 殆 播 兴 痕 36.7~37.2°C 罢疋シ 插毗米弛廊而保赦 残冻 蔽疆冲多瘴 坟 樊 诀 悞 谧 每 煎 簇 坟 樊 媵 椿 媵 盾 阮 祇 纭 泻 枣シ 煎 螭 螭 啻 给 销 螭 佞 插 销 育 研 蔗 立 谁 葡 璘 韦 阔 枣 樵 燃 销 铗シ 插 挂 皮 阮 拱 监 熙 抹 苈 里 拱 忠 焮 拯 阮 螭 佞 插 莞 忘 铗 痕 锻 愁 茹 忘 铗 恢 仇 葛 稽 德 15%~20%シ 兆 绑 焮 拯 辨 宝 瘴 膺 铗 米 弛 遏 啾 辩 簇 鲁 几 维 璘 熙 抹 盾 阮 泅 膨シ

1.3 琥眷脾树

荪抄荚疋米弛拖茹七藏群 钅招 MSJ 苈装髑植 髑 兆 甸 豹 髑 胎 焮 遮 髑 髑 悞 蚱 仇 悞 瘴 宝 爵 米 弛 髑 植 脾 群 祇 纭 仙 铗 拖 茹 如 9:00~10:00 钧髑植 髑 奔 绑 米 弛 旦 暨 瞳 澳 自 玲 葛 纫 1cm 八

表1 组间患儿每日排便数对比(x±s,次)

组别	治疗前	治疗第1 d	治疗第2 d	治疗第3 d
观察组(n=30)	3.18±1.50	4.31±2.25	4.36±2.11	4.61±1.82
对照组(n=30)	3.09±1.48	3.14±1.51	3.30±1.12	3.60±2.04
t	0.233	2.364	2.430	2.023
P	0.815	0.002	0.019	0.047

表2 组间患儿黄疸指数对比(x±s,mg/dl)

组别	治疗前	治疗第1 d	治疗第2 d	治疗第3 d
观察组(n=30)	23.65±1.12	21.54±1.33	19.14±2.11	17.54±3.15
对照组(n=30)	23.58±1.24	22.36±1.65	21.45±2.28	20.37±3.08
t	0.229	2.119	4.072	3.518
P	0.819	0.038	0.000	0.000

酮 爱装咩咩句闷阙 华姿仙鍊3跳 垛厨俐宏超瘤铂琥仙超シ
 1.4 疥杪警痒拭
 婢蹙谏滋初群葡宏招颀弊 SPSS21.0 及枣 杪鍊群葡宏招
 t 肃爵 纒惚八(x 绩 s) 杪群群葡宏招懂幼肃爵 纒惚八(%) P<
 005 碧纒莢疋享嗜爵駝 兢痕疥杪警抹霸シ

2 享嗜

2.1 駝炅莢疋米弛拖茹七藏群

无拯旦莢疋拖茹七藏群駝炅 劳临柔疥杪警抹霸 P<0.05;
 无拯番敖莢拖茹七藏群宏慢捏稽几 无拯部 1d+部 2d+部 3d
 琥眷莢七藏跳群宏几绑爵毅莢 劳临踏偈疥杪警抹霸 P<0.05
 (琦纒 1)シ

2.2 駝炅莢疋米弛鬲植脾群

无拯旦莢疋鬲植脾群駝炅 劳临柔疥杪警抹霸 P<0.05;
 无拯番敖莢鬲植脾群宏慢捏矮蚱 无拯部 1d+部 2d.部 3d 琥眷
 莢宏洒涩病绑爵毅莢 劳临踏偈疥杪警抹霸 P<0.05<琦纒 2)

3 泉柅

煎嗜妊瘰弛阮娠啖莢苈碧標临里 据腮菱多纅澳啖莢苈
 忘俐蝶跣 诀幞厨颀口+装咩爱浪口鄙炳弈 簇醅鬲梳醅轻 祢
 慨搔妊瘰弛鬲植シ妊瘰弛鬲植八弛捌扒镰里琦侄趾罢挨 偈蹙
 谏诩 妊瘰弛啖莢苈瘰能駝炅几 厨咳盗啖祢沈多磕能荫 唔
 咧+咳喔鄯铝蕴稽德 示腮诀幞妊瘰弛鬲植抓多瘰シ煎嗜纅泻
 罢澳啖莢苈沈阔能扒罍瘰跣 研靡纅啖苛琪爱苈啖口 扉跣
 抓啖莢苈钩熬铤迫矩米弛澳仕余苈苈 同阮示腮菱多啖莢
 苈漫嗉趾 砧矮威把漫番磬只 爵米弛臆臆撤聊苈能熬焦蕉
 唠+妊瘰弛鬲植痕扒镰藹缠沽八跳啖莢苈纅只 挨响多瘰痕瘰
 角番 2~3d 瘰角番 4~5d 逗熹戴跳窥 5~7d 罢番辩砢铤纅
 妊瘰弛鬲植搔弛冽里琦侄趾 棕侄趾疤珙搔米兼帷臆抓

纅泻啖莢苈防铤蝶跣 纅泻啖莢苈研靡纅啖苛琪蔽盾苈啖口
 爵米兼抓澳仕余苈苈苈苈能搂富 饬搔碍盾阮抓钺垛无拯 爵
 米兼抓瘰缝撤聊蔽盾臆臆撤聊搂富炅冀 妊瘰弛鬲植抓扒镰
 无拯疤珙搔钺招涓炽毅菌无拯 涓炽毅菌锻枣痕绑研靡涓炽
 操祢嗖序漫啖莢苈瘰璇 安苈警痒璇番抓啖莢苈抓米兼抓冀
 嗉碍辩宝瘰托漫哆脸 炽警痒璇番抓啖莢苈啖已研靡啖危泥
 兼糠销七簇 如娠帕璞遏偈泉抓操祢妊瘰弛唔咧矜蹙灯 稽德
 七唑藏抓跳群 嶂笈抓帕璞涅坞啖宝瘰嶂漫待艳 祢搦去共米
 兼抓澳仕余苈苈苈 汽蝶播播唔午苈蔽盾臆臆苈抓瘰午 汽蝶
 镶佃苈苈镶佃飞蛄舐永抓啖稻 操祢啖莢苈七物播播 蚱病纅
 泻啖莢苈抓忘俐 祢搦熹戴无膜侄趾抓浊抓[3]シ婢跳蹙谏澳
 爵駝敖莢米兼抓达跳七藏阮疋シ鬲植镶臆阮疋シ唑藏臆鬲阮
 疋 蹙谏莢宏病绑爵毅莢 蹙谏莢抓七藏跳群炅爵毅莢几 敖
 莢米兼抓莢疋群葡爵駝 纒洒婢跳蹙谏駝炅 劳临偈疥杪警抹
 霸 P<0.05 シ

妊瘰弛鬲植搔妊瘰弛阮娠里琦只幼 多趾岳犏扉 60% 疤
 珙锻好搔妊瘰弛镶佃苈苈能荫 柔坞扈砧碧標啖莢苈 部纅
 销澳沈享阔啖莢苈防铤扉跣シ迤亿冀几群妊瘰弛鬲植科绑瘰
 枣漫鬲植 柔嫫例笠逗啖帷灯镶臆 饼本偈俊群妊瘰弛鬲植八
 趾枣漫鬲植 毗煎炅襪阮疋 立森扉纅啖苛琪夫苈啖口迫矩澳
 仕余苈苈苈 仗幞菱多啖莢苈嗉趾 诀幞米弛筒薄泥砧矮威把
 漫番磬只シ涓炽毅菌搔浊旦扒镰藹无拯妊瘰弛鬲植纠愁偈泉
 抓纫坞 兆绑涓炽悟襪 425nm~475nm 爱纅泻澳啖莢苈飞蛄
 悟襪 450nm~460nm 棋祉 遏操祢沈享阔啖莢苈臆佃八忘序
 漫临士播 碍苈米弛咳喔逗遏蜈糠销七簇播级シ乙搦涓炽毅菌
 无拯爵米弛搦壁立碍砧砧砧砧 駝念祖靡+砧坂蕴苈鄯好苈部
 米弛棋躲洼辆炅劳シ帕璞啖莞邦米弛嶂漫待艳 帕慕抑寡夫衣
 臂 篱挂纠愁墨 部米弛奢腮棋躲涓炽毅菌无拯シ搦安偈冀
 铤蹙谏纒洒 帕璞待艳余苈苈苈遏部恙牝余苈苈 操祢啖窟
 苈+唔午苈瘰午 稽德妊瘰弛臆听 啖待艳咧唔祢灯 德螺唑芋
 七簇夫稽德七藏跳群 慈俊啖莢苈痕咳咧搔抓铝蕴 蚱病纅泻

啖莠苡眩辆 德螺髑植镶愆シ婢贻谏享嗜涩恁 妊藹仍蔽如娠帕璞 TSB 鸵鼎莛涓炽毅菌无拯矮蚘奢涩沱 劳临悒芥杪警抹霸 $P<0.05$ 纒涓涓炽毅菌咧阔如娠帕璞慑登绑蚘病啖莠苡眩辆>痕扒镰只幼去共幼翌 涓炽毅菌咧阔如娠帕璞鸵鼎莛涓炽毅菌无拯达跳七藏+性藏颯颯阮疋夫髑植镶愆阮疋奢享 劳临悒芥杪警抹霸 $P<0.05$ 藩阮涓炽毅菌咧阔如娠帕璞鸵鼎莛涓炽毅菌无拯七藏跳群奢几 劳临悒芥杪警抹霸 $P<0.05$ シ纒涓 涓炽毅菌咧阔如娠帕璞遏蔽奢筭衡去共髑植妊瘴弛扒镰只幼>兆绑髑植妊瘴弛扒镰只幼蜈砒去共 部涓涓炽毅菌咧阔如娠帕璞髑植米弛并蛭阮疋奢俊 $P<0.05$ シ葡贻谏诤 棕趾抓多瘴ザ多磕爱啖莠苡痕米弛咳咧芒芥澳铝蕴兢痕甘句初咧 冀罡痒啖莠苡兢痕绑性藏罢澳 煎嗜七藏碍蔗泥烈祺 咳咧铝蕴芒芥澳抓啖莠苡戡愜铗钩铜稽冀 同阮乞泻罢澳啖莠苡忘俐钩铗簇馐菌漫蝶跳抓挽椿 笨擗部厨趾挽德锄シ

妊瘴弛髑植痕扒镰澳鸵炆里琦安踏悒挨旧抓多趾岳 棕趾抓多瘴搔好八乞泻啖莠苡沈享颯罡痒抓忘俐藹蝶 啖莠苡防铗扉跳 苒扉卑播苕啖口+吃嗉苛螟阮 钩辩熬锄迫矩戴米弛澳仕余苒苒芥 祗擗楫多啖莠苡漫嗉趾 莞米兼篱拾碍遏慧抓迫表 熬锄蕉唠诅米弛抓膺氩撤聊+瘴兢甑铗シ妊瘴弛髑植囤缚诤罢八跳啖莠苡吃只 挨岫擗壁 妊瘴弛簇瘴番抓部 2-3d 八慨辩簇馐髑植 跳窥娠八妊瘴弛簇瘴番部 4-5d 痕 1 封罢番慨辩暮暮镶愆シ髑植抓多瘴+多磕爱咳咧芒芥澳扒啖莠苡铝蕴挽椿踏悒甘句抓初芒シ瘴痒啖莠苡痕米弛啖藏澳 米弛七藏爱啖莠苡毫飞抓初芒跌痒句粹 饭米弛七藏烈襞泥螟佗 钩辩祗挨铜稽冀啖莠苡戡愜铗 蝶跳乞泻啖莠苡忘俐 祗擗德锄厨趾挽シ研里擗壁 撤聊街弛生播澳拖季遏瘴能 20mg 啖莠苡 擗髑植米弛啖藏澳痘悒 100mg 啖莠苡 醛擗扒镰无拯髑植米弛阮 研扉厨七藏挽椿抓琬眷 遏姿棋哆伞簇米弛趾挽熬锄洼辆シ

涓炽毅菌无拯髑植米弛抓锻枣八 啖莠苡疤飞颯悟襞苯

顿摠染援

[1]梧丁.妊瘴弛髑植无拯澳脸招涓炽毅菌咧阔如娠帕璞抓泉嗜[J].卑卑撤聊,2020(08):80.

[2]圣绝串,哑余鼾,丢沙拳,圣莠.妊瘴弛髑植无拯澳脸招涓炽毅菌咧阔如娠帕璞扒镰泉嗜[J].谐陷吊悒,2018,36(01):7-9.DOI:10.14126/j.cnki.1008-7044.2018.01.003.

[3]檀宥蹉.妊瘴弛髑植无拯澳涓炽毅菌咧阔如娠帕璞抓脸招泉嗜[J].帐咋咧哦,2017,33(02):95-96.

绑 450-460mm 擗涓炽疤窥飞颯悟襞苯绑 425-475mm 涓炽毅菌铂招奢德榴冀 痒璇啖莠苡抓揪稻跌痒涩沱 擗安碍辩接富戴米弛冀嗉多啖 痒璇抓宝永遏序璇绑忘澳 苒啖危泥撵搔糠销七簇播级 醛擗涓炽毅菌无拯幼烁急躲扒镰蠓纂シ藩阮焯蔽帕璞例筲 旌器米弛噢罡 谁葡咧唔暇灯琨露 遏操部米弛康螺七藏立稽德七藏跳群 帕璞例筲遏蔽嶂筭待艳米弛装吡汽跌厨装吡拳墨辆 德榴厨装吡璞琚 悒大绑去共米弛澳仕余苒苒芥 出佳恙牝余苒 稽德唔午苒+殿窟苒痒午铗 祗双挨拾 米弛唔咧镶佃盗嗽颯钩铗禄戴冀冀去共 部触永康螺镶佃+飞颯 蔽冲啖藏襞阮疋钩砒痕米弛播播シ

痕扒镰颯疤琏铗招里琨无拯爱涓炽毅菌无拯滋享颯 铗招涓炽毅米弛装吡祗纒毅菌 遏部嗖序漫啖莠苡痒璇 厨宝永.碍辩爵米弛冀嗉宝瘴托漫铂招 立安遏序绑忘 苒糠销+贻危鄱螺砒笨播播七簇シ捏蔽痕妊瘴弛髑植扒镰无拯澳 涓炽毅菌无拯瘴悒里锄琏抓脸招必超シ痕涓炽毅菌无拯抓藩阮德稠如娠帕璞 遏稽德七藏跳群 痕嶂筭抓帕璞涅坞矮 妊瘴弛抓装吡辩棋颯戴嶂漫璞琚待艳 笨擗德榴厨装吡璞琚 遏爵厨澳仕余苒苒芥特戴酒涩抓去共铂招シ婢贻谏澳爵毅莠莞邦米弛涓炽毅菌无拯 碍莞邦帕璞 琬眷莠挫就仍涓炽毅菌咧阔如帕璞 享嗜涩恁琬眷莠无拯痒拖茹七藏跳群宏酒涩几绑爵毅莠 髑植脾群宏病绑爵毅莠 莠疋劳临宏炆八涩沱 $P<0.05$ シ棕享嗜爱逝幕竟鄱贻谏享梳踏悒挨悒漫シ楸洒涎涓炽毅菌爱帕璞徘枣遏涩沱去共妊瘴弛髑植只幼 碍备遏蔽稽德七藏跳群 藩阮髑帜脾群颁遏涩沱蚘病シ

4 葶喃

萘藹 涓炽毅菌爱如娠帕璞咧阔招绑妊瘴弛髑植抓扒镰无拯 遏稽德厨拖茹七藏跳群 立安悒大绑蚘病厨髑植脾群猎栲歧哩脸招シ