

苋糠趾哞趾糠托只蠹淼拭米搛搔糠肓墨梳豆蛲好苡瘁拭 爱箜虔

Analysis and prevention of urinary tract infection in non-dialysis patients with diabetic nephropathy and uremia

蚓巴熄 Chen Lijie 颛妊雷荭污掉遮狼绀甸颓

North Section of Diangong Street, Xihe District, Fuxin City

デ峭 琏ッ苋糠趾哞趾米搛磐趴稻劳 据腮立多墨梳 优呆搔糠肓墨梳 糠托只米搛搔吊蛏墨梳跣多卑拊 吊蛏墨梳搔诀幞莰审 娠哞趾米搛趾筒抓铷琏锻好シ婶赜谏砑扉爵妮吊蛏龋无抓苋糠趾哞趾糠托只米搛扒镰暄扰祗纭毫箸漫槔孰 沏枭苋糠趾哞趾糠托只米搛糠肓墨梳趾锻阈优页 墨梳抓豆蛲好苡盾箜虔崎仍瘁拭 八扒镰蚵病苋糠趾哞趾糠托只米搛糠 育墨梳岳汽彩菜葡シ湃碜煎矮シ

FAbstractyPatients with diabetic nephropathy have poor resistance and are prone to infection, especially urinary tract infection. Uremia patients are a high incidence of nosocomial infection, and nosocomial infection is an important cause of death in patients with end-stage renal disease. This study conducted a retrospective survey of the clinical data of patients with diabetic nephropathy and ureemia in our hospital to explore the characteristics of pathogenic bacteria in patients with diabetic nephropathy and ureemia, the risk factors of infection and preventive measures, in order to clinically reduce the urinary tract infection in patients with diabetic nephropathy and ureemia. Road infection rates provide the basis. The report is as follows.

デ初瘀桕ッ苋糠趾哞趾 糠托只 糠肓墨梳 豆蛲好苡

Fkey words diabetic nephropathy; uremia; urinary tract infection; risk factors

0 菱璧

苋糠趾搔挨冱里琦抓搐瘁午漫侄趾 疤琏搔好八碡彪好 苡+芸宗好苡+旅瘴永墨梳+托苡+雌兆恢托苡鄱几冱幞趾好近 象注甑サ製哕サ忘鄱挨苎搓碧檩芤瓣シ爵绑苋糠趾抓无拯浊旦 扒镰澳祚挝慑啾己无膜抓纫坞 米搛几搔菜赆脸招啜窟苡无 拯 啜窟苡抓脸招 部苋糠趾米搛抓筒薄痰岳涩沱蚵病 饼搔 兆绑挝慑无膜抓纫坞 蜈诅趾诖抓稽德 苋糠趾立多只抓多瘴 痰岳慨涩沱蝶跣シ厨澳糠肓墨梳痕苋糠趾米搛澳科绑摄里琦 抓墨梳漫侄趾 糠肓墨梳抓豆矩跌瘁熬铷 搔苋糠趾菖多哞趾 抓豆矩好苡シ苋糠趾科绑搐瘁午苎菥滋初侄趾澳抓挨冱铷琏 堙化>蜈诅米搛趾诖抓碍认祗磕 辩茏盾米搛厨蹦喔憨簇酝碍 藩诖辆抓盗啾迫表 熬铷蚵病米搛抓瘴暇甑铼>搦痕米搛几喔 憨立多只澳 蔽米搛哞喔迫表侄趾摄八熬铷シ10.00%~20.00% 2 化苋糠趾 8~10 痢番辩簇酝哞喔迫矩 多磕八苋糠趾哞趾 摄番多磕八糠托只>爵苋糠趾哞趾糠托只娠米搛搦璧 厨趾娩 奢八疾升 米捷痕生播冲吱稻忘俐病抓娩椿矮 据腮立多糠盲 墨梳シ滋初米搛挨蠕磉躲墨梳 厨扒镰趾筒岳炝跣シ

暄扰爱纫坞

1.1 挨峋暄扰

申垛椋蛏龋无抓苋糠趾哞趾糠托只蠹森拭米搛 50 材 50 材米搛澳折 27 材 嫁 23 材 痢黥 34~79 恳 俐宏痢黥 56.7±4.8 恳 捏慑米搛宏郇阀苋糠趾哞趾糠托只滋初桤认树疵 糠 象注七毋岳 UAER >30mg/24h 纥咄钜忘俐>8mg/dLジ50 材米

兼盾聚科宏鼐娩同跳赜谏 捏慑米搛挨峋暄扰劳临柔菥杪警 抹霸 P>0.05 躇慑遏鸵漫 安吊蛏憋枣僵粉辩ム荆藩抹椋跳 赜谏シ

1.2 纫坞

1.3 琥眷脾树

①鼎好苡瘁拭米搛多瘴糠肓墨梳豆蛲好苡†墨梳娩椿シ② 几好苡瘁拭米搛多瘴糠肓墨梳抓与阽豆蛲好苡シ

1.4 薪杪纫坞

群葡脸招 SPSS18.0 菥杪警飚弊祇纭瘁拭 厨澳杪群暄扰 招岳 % 绔偬 纭 χ^2 肃酹 P<0.05 八劳临慑菥杪警抹霸シ

2 莩嗜

2.1 鼎好苡瘁拭糠肓墨梳抓豆蛲好苡盾墨梳岳

2.2 几好苡瘁拭米搛多瘴糠肓墨梳抓与阽豆蛲好苡痢 黥**サ**慢呆**サ**吃泻注彖注忘俐**ザ**佔弈糠壑搔诀幞米搛多瘴糠肓墨 梳抓与阽豆蛲好苡 琦绔 2シ



好苡	材群	墨梳群 材	墨梳岳 %	P超
痢黥 恳				
≥60	21	12	57.1	
<60	29	11	37.9	< 0.05
漫呆				
折	26	11	38.5	
嫁	24	13	54.2	< 0.05
趾诖 痢				
≥10	19	12	63.2	
<10	31	10	32.2	< 0.05
纥苋忘俐 mmol/L				
≥8	18	11	61.1	
<8	32	8	25.0	< 0.05
纥泻注彖注忘俐 g/L				
≥3	26	7	26.9	
<3	24	15	62.5	< 0.05
纥茕彖注忘俐 g/L				
≥90	21	6	28.6	
<90	29	11	37.9	< 0.05
芡佃纥茕彖注忘俐 %				
≥7	15	8	53.3	
<7	35	10	28.6	< 0.05
阀立侄趾冱堙 冱				
≥2	11	7	63.6	
<2	39	8	20.5	< 0.05
并蛏阮疋 d				
≥20	19	11	57.9	
<20	31	6	19.4	< 0.05
趴阈悛永部招娩椿				
搔	21	12	57.1	
芳	29	7	24.1	< 0.05
砧弈糠壑				
慑	22	13	59.1	
柔	28	8	28.6	< 0.05

表 1 单因素分析尿路感染的危险因素及感染率

表 2 多因素分析患者发生尿路感染的独立危险因素

因素	β	OR 值	95%CI	χ² 值	P 值
年龄	0.95	2.60	1.23~5.47	6.39	< 0.05
性别	1.61	5.06	1.66~15.43	817	< 0.05
血清白蛋白水平	0.76	2.15	1.06~4.35	4.62	< 0.05
留置尿管	0.64	1.90	1.01~3.58	4.09	< 0.05

3 枭栀

苋糠趾米搛抓跣苋糠婏椿八荭阈茌屠瘴裰汽彩绊慑大抓石弊 立安苋糠趾米搛彖注甑抓阀能啾稻鲁病 搦瘁璇碧檩抓砝辆朵螺 砑里娩椿矮米搛抓生播磐趴稻搔鲁病抓 米搛抓哞纥壑盗啾矶锌蚵病,纥下朵暮 封核荬荮兆绑蕹百杨熙搦诀幞蕹俊汪丸 诀幞肚汪阈瘴裰茌屠砝辆稽德 痕米搛簇酝噱喋龋蓼百稻只幼抓阮颤 糠七碍例戳辩诀幞米搛多瘴糠销盐砧娩椿 祢冱蕴货矮荭阈抓瘴裰茌屠砝辆鲁螺シDN 辩诀幞米搛多瘴暮漫哞绨陴 煎嗜挝慑爵米搛盾阮铯垛慑泉抓无拯崎仍鲁据腮部米搛多瘴莰审娠哞绨陴 颁慨搔里楸抓糠托只 祢包米搛琏裰娠后毗棋躲无拯 米搛抓膻播磐趴稻涩沱蚵病 兆同侄趾墨梳舡蛲辩滋脸蝶跣>糠托只搔挨冱熬铷抓侄趾 立安祢

苋糠趾哞趾科绑妮合暮漫哞绨陴米搛扒镰摄八疤琏抓 幞趾好苡罢挨>滋初米搛煎嗜扒镰无拯纫吝碍禄瘤 几群宏辩 祗磕八审娠哞绨陴 颁慨搔扒镰蔼里琦抓糠托只>爵绑苋糠趾 哞趾糠托只米搛搦璧 里痢抓无拯 诀幞厨膻播伐筲生啾忘俐 碍跣 冲吱啾稻病矮 磉躲墨梳抓舡蛲夫鸵材宏炝跣シ搦煎嗜 碍啾慑泉抓箜虔苋糠趾哞趾糠托只米搛墨梳 碍备蚵病厨瘴 暇甑铼 仗幛辩豆生厨瘴缝撤聊沙\绊祗挨铜绊璇苋糠趾哞趾



糠托只米搛多瘴糠肓墨梳抓娩椿蔽盾诀幞厨墨梳多瘴抓豆蛲 好苡シ扒镰蔼 苋糠趾哞趾搔糠托只抓疤琏幞趾好苡罢挨 饫 米捷挝慑祗纭盾阮慑泉抓无拯 挫冀几群米捷苋糠趾哞趾米 搛辩多磕八审娠哞绨陴 逗糠托只≥苋糠趾哞趾糠托只蠹淼拭 米捷伐筲膻播生啾蚵病 冲吱稻矮蚵 鲁据腮诀幞米搛簇酝墨 梳シ诀幞苋糠趾哞趾糠托只蠹淼拭米搛多瘴糠肓墨梳抓趾锻 阈疤琏八罅丑虮漫阈 3碛谏涩偬 痢黥 1隻呆 11趾 佳 125 苋忘俐ザ 纥泻注彖注忘俐**ぜ**虼茕彖注忘俐**忧**佃纥茕彖注忘俐**ゼ**阀立侄 趾冱堙廿并蛏阮疋廿八阈悛永部招娩椿廿佔弈糠壑搔诀幞米搛 多瘴糠肓墨梳抓豆蛲好苡 祢慨楸洒 诀幞苋糠趾哞趾糠托只 **蠹淼拭米搛多瘴糠肓墨梳抓豆蛲好苡搔鸵炝几抓 厨澳慑鲁** 几好苡搔遏奇好苡 扒镰蔼琏爵祢包遏奇好苡车笺箜虔>碛谏 涩偬 痢黥 世長 地方注象注忘例 北 弈糠壑搔诀幞米搛多瘴 糠肓墨梳抓与阽豆蛲好苡 莩嗜涩偬痢黥犒冀苋糠趾哞趾糠 托只蠹淼拭米搛奢据腮多瘴糠肓墨梳 安嫁漫米搛多瘴糠肓 墨梳痰岳跣绑折漫米搛 扒镰蔼琏车笺滋初抓泷滁渠毗爱诀 壑徘枣狼铂シ砧弈糠壑搔诀幞米搛多瘴糠肓墨梳摄姿棋抓锻 好 钧诀糠壑裰娠弈绑糠碜噱喋澳鲁据腮爵糠碜魉囗砹能迫 表 辩爵糠碜瞳里瘴枣莩士祗纭劂猴 魉口抓箜虔盗啾辩熬铷 矮蚵 辩稽德糠肓墨梳多瘴抓豆蛲 安诀糠壑砧弈阮疋犒裰 米搛犒据腮多瘴糠肓墨梳シ

痕锘爵米搛糠肓墨梳抓滋初好苡瘁拭番 瘁拭群葡莩嗜 涩偬 痢黥炝冀 并蛏阮疋炝裰戈艺苋忘俐炝跣戈艺茕彖注防铼 炝病t吃泻注彖注忘俐炝病t阀立只冱堙炝几t钻弈绊诀糠壑 夫血招趴阈悛永抓米搛 厨扒镰糠肓墨梳多瘴岳涩沱蝶跣沙子 同 群葡瘁拭莩嗜汽偬 蔼恧好苡搔诀幞苋糠趾哞趾糠托只米 搛糠肓墨梳抓豆蛲好苡シ祢挨莩嗜爱合搐级藩堙赜谏夫湃碜 莩嗜滋郇痢黥炝冀抓米搛生播盗啾忘俐愍佃 炝裰抓并蛏阮 疋诀幞米搛裰娠及绑吊蛏抓蕴货澳 伐冱墨梳抓舡蛲宏蝶跣 搦纥苋跣ザ纥茕彖注病夫纥泻注彖注病汽偬米搛生播冲吱啾 稻矮蚵 米搛裰娠砧弈诀糠壑 痕挨旧诖辆蔼爵绑米搛噱喋辩 宝瘴挨旧抓待艳铂招 厨瞳里抓瘴枣莩士辩缏劂猴 虔驴盗啾 碍啾禄戴慑泉多撇 糠碜墨梳抓舡蛲冀栗稽德之锃绑蔼恧诀幞 苋糠趾哞趾糠托只米搛糠肓墨梳抓豆蛲好苡变几 好同妮币 痕扒镰就朊抓扉诖澳慨脸椋锘爵蔼恧豆蛲好苡就仍慑锘爵漫 抓扒镰箜虔夫例箜崎仍劬侦 蔽慑泉抓奇殆夫蚵病米搛糠肓 墨梳多瘴岳>痕毫箸染援暄扰抓恢仉蔼 莩阀吊蛏抓扒镰就朊 莜酹 妮币枧八痕扒镰就朊抓扉诖澳慑泉蚵病苋糠趾哞趾糠 托只米搛糠肓墨梳抓多瘴岳琏车笺蔽矮刺傲纫罂抓狼铂 挨 搔莞邦米搛锘爵漫傲漫佃抓苋糠趾无拯纫烁 慑泉阀枣抓奇

苋糠趾哞趾糠托只蠹淼拭米搛多瘴糠肓墨梳抓好苡几 冱几双 厨箜虔崎仍疤琏慑①莩阀米搛抓就蚧娩椿 锘爵漫抓 八米搛殆旧簇阀枣抓奇殆杪磋 熬水奇殆米搛抓纥苋忘俐 爵 米搛抓羟舳祗纭阀枣纠七 慑大绑爵米搛抓泷滁幼椿祗纭去 共シ藩阮爵苋糠趾哞趾糠托只蠹淼拭米搛遏啾多瘴抓立多只 祇纭菥杪 立车簇箜虔崎仍 盾阮多酝 康螺及枣沙甾米排盾 聚科祗纭撤聊狙缺 脾诀米搛旧阮祗纭七糠 脾诀聚科车笺滋 初抓烀登狼铂 碍认稽榴米搛抓冲吱稻 旧娠爵米搛抓糠里 琨ザ纥苋忘俐祗纭肃仙 挨蠕多酝临里琏康如祗纭滋脸抓及 枣>③阀枣部招趴阈悛永 谁葡米搛抓就蚧悛拳桉酹莩嗜脸招 趴阈悛永 礓冲裰阮疋冀单铼抓部招趴阈悛永 滋初吊瘴琏爵 趴阈悛永部招脾庐祗纭椁荭抓绊璇爱欺洽 匍酮血招趴阈悛 永シ④痕祗纭琼铂抓扉诖澳 琏熬水皮毅柔阈琼铂琨旧祗纭 康铼慈俊碍琏诀壑抓部招 康铼蓼孛诀壑痕米搛播搐砧弈抓 阮疋 蔽藏蚵病糠肓墨梳抓多瘴 蓼孛米搛抓并蛏阮疋 蚵病 米搛抓无拯昶招 痕八米搛抓祗纭诀壑弈稠鄱琼铂阮琏钧掇 涅祗纭泻熄爱镶托>椋跳赜谏抓碍毪 椋跳赜谏捏肀抓米搛炝 俊 双婶铼炝峻 好搦赜谏捏禄戴抓莩嗜遏啾兢痕挨旧抓扛蛎 漫 痕奔番抓赜谏狼铂澳 辩碍认祗纭写稠抓赜谏爱瘁拭 蔽 藏爵椋跳赜谏抓莩嗜祗纭柽就シ

4 莩楠

顿摁染援

- [1]镣郎载,逝螭蜿.苋糠趾哞趾糠托只纥销淼拭米搛羟舳徘枣纫坞盾泉嗜瘁拭[J].澳级吊警赜谏,2020,18(07):76-78.DOI:10.14033/j.cnki.cfmr.2020.07.032.
- [2]非蝙探.苋糠趾哞趾糠托只娠纥销淼拭米搛筒薄好苡瘁拭[J].澳合吊拯憨溯茶每,2018,24(16):58-59.DOI:10.15971/j.enki.emdi. 2018.16.027.
- [3]措掮丑,措丁,蚣菖狺,晁肠,森拳,措黑返.苋糠趾哞趾糠托只纭噢□淼拭米搛纥苋盾啜窟苡招铼抓扒镰琥眷[J].污甸吊冽冀警警湃,2015,36(03):317-319.
- [4]. 苋糠趾哞趾糠托只纥销森拭米搛羟舳徘枣[C]//.愁合郜 6 烤苋糠趾徘枣警肾保下上氨簖柩量辩栉划然合郜 6 烤纥销戳佃徘枣警肾保下上氨簖柩量辩栉栀染栀蒺.,2008:86-87.
- [5]绑汩. 苋糠趾哞趾糠托只纥销淼拭米搛抓羟舳无拯[J]. 就招吊哦升略,2006(05):774-775.