

氯纒壑播冽窗幼灯啻苯稠漫扒镰桤认爱无拯瘁拭

Analysis of Clinical Diagnosis and Treatment of Coronary Intervention in Cardiology Department

铃陆仑 Zhang Lizhong

琿纠雷伽逝掉定榜蕴肮颓 319 尔

No. 319, East Section of South Second Ring Road, Beilin District, Xi'an City

于峭 琿ツ浊抓湖谏氯纒壑播冽窗幼灯啻苯稠爵扒镰抓桤认爱无拯泉嗜シ幼坞棕跳蹙谏抓爵轻八蜈生申垩 2020 痢 1 射—
2021 痢 1 射棕蛭龋无抓 160 材好八氯冕 嶂皱嶂峙棋躲氯纒壑无拯米搵 蜈生钩厨瘁八敖莛 瘁呆八爵毅莛爱琥眷
莛 拖莛 80 材 爵毅莛米搵铍垩里琿播冽无拯 琥眷莛米搵铍招氯纒壑播冽窗幼灯啻苯稠漫无拯 爵鸵敖莛米搵扒
镰拯泉シ葶嗜莛无拯番 爵敖莛米搵刘婉椿祗纒苕苕必 琥眷莛澳莽偃泉米搵 75 材 莽偃泉岳 91.46% 爵毅莛澳
莽偃泉米搵 65 材 莽偃泉岳 81.25% 琥眷莛莽偃泉岳洒涩跣绑爵毅莛 劳临偃苕抄警抹霸 $\chi^2=4.630$ $P=0.030<$
 0.05 琥眷莛米搵并蛭阮疋八 9.35 ± 3.58 d 爵毅莛米搵并蛭阮疋八 14.22 ± 2.34 d 琥眷莛米搵并蛭阮疋洒涩鸵爵毅
莛字 劳临偃苕抄警抹霸 $t=10.180$ $P=0.000<0.05$ 琥眷莛米搵扒并蛭阮疋洒涩鸵爵毅莛跣 劳临偃苕抄警抹霸 $t=$
 11.790 $P=0.000<0.05$ 琥眷莛米搵抓碍嶂哆脸爱爵毅莛米搵滋鸵 劳临柔苕抄警抹霸 $\chi^2=0.600$ $P=0.440>0.05$ シ葶
梔爵氯纒壑侄趾米搵铍垩氯纒壑播冽窗幼灯啻苯稠无拯抓扒镰拯泉涩沱 爱彪苕抓桤认幼啻滋鸵炆 苯稠无拯葶阔
扒镰只幼 啾如娠洒佞桤认 八侄趾扒扒镰无拯汽彩遏蠓菜葡 苯稠无拯抓就仍慈俊爵米搵生播抓搭表 啾洒涩蓓璇
米搵峙飧 操祗米搵侄趾玫疾 汽跣米搵学抹挂辆シ

Abstract Objective To explore the clinical diagnosis and treatment effect of coronary intervention in cardiovascular medicine. Methods The subjects of this study were randomly selected 160 patients who received cardiovascular treatment due to palpitations, chest tightness and chest pain in our hospital from January 2020 to January 2021. They were randomly divided into two groups, the control group and the observation group. There were 80 cases in each group. The patients in the control group received conventional medical treatment, and the patients in the observation group received coronary interventional therapy in the department of cardiovascular medicine. The clinical curative effects of the two groups were compared. Results After treatment, the outcomes of the two groups of patients were systematically evaluated. There were 75 effective patients in the observation group, with a total effective rate of 91.46%, and 65 patients in the control group, with a total effective rate of 81.25%. The efficiency was significantly higher than that of the control group, and the difference was statistically significant ($\chi^2=4.630$, $P=0.030<0.05$). The hospitalization time of the observation group was (9.35±3.58) d, and the hospitalization time of the control group was (14.22±2.34) d. The hospitalization time of the observation group was significantly shorter than that of the control group, and the difference was statistically significant ($t=10.180$, $P=0.000<0.05$); $P=0.000<0.05$); there was no significant difference in adverse reactions between the observation group and the control group ($\chi^2=0.600$, $P=0.440>0.05$). Conclusion The clinical efficacy of coronary intervention in cardiovascular medicine is significant for patients with cardiovascular disease. Compared with traditional diagnostic methods, interventional therapy combined with clinical symptoms can make early diagnosis and provide a reliable basis for clinical treatment of the disease. Implementing to reduce the trauma to the patient's body can significantly relieve the patient's pain, promote the patient's disease recovery, and improve the patient's satisfaction.

于初瘵柏ツ氯纒壑播冽 窗幼灯啻苯稠 桤认 无拯

Key words cardiovascular medicine; coronary intervention; diagnosis; treatment

0 菱壁

氯纒壑侄趾铂八里琦扒镰侄趾 蜈诘倌辨抓螺砧多磕 亿
搵爵卑币炕并蕴货砑能碍藩挂辆刷猴 纬梳矾锌熬伽 诀幞矾
痢稽几氯纒壑抓多瘳岳シ氯纒壑侄趾爵卑币抓膻氯撤聊砑能蠹
里熬伽蕉唠 藩阮莞米搵蔽盾米搵聚科篙拾苕纒纒纒纒纒纒
镰里琦氯纒壑侄趾无拯八祗纒纒永无拯 亿搵无拯泉嗜挝偃熏
戴笠娠泉嗜シ蜈诘冽警哦肾碍认多磕 铍招苯稠无拯抓幼苕 遏
蔽偃泉汽蝶氯纒壑侄趾米搵无拯泉嗜シ婢染钩写稠兆蹙谏氯纒

壑播冽窗幼灯啻苯稠无拯脸招必超 踏播播据泮砑煎矮シ

1 暄扰爱幼坞

1.1 挨响暄扰

棕蹙谏抓爵轻八蜈生申垩棕蛭龋无抓 160 材好八氯冕 嶂皱
嶂峙棋躲氯纒壑无拯米搵 蜈生钩厨瘁八敖莛 瘁呆八
爵毅莛爱琥眷莛 拖莛 80 材シ爵毅莛米搵澳偃折漫米搵 48
材 偃偃漫米搵 32 材 痢踪 50~85 息 俐宏痢踪 65.23 ± 2.54

忌 厨澳 26 材八谓旧化氯萸峙米糠 悞 18 材米糠八碍谓旧化氯萸峙 悞 19 材米糠八 ST 颓氯遮盒潘跣化氯咄酥筒 悞 17 材米糠八蠹 ST 颓氯遮盒潘跣化氯咄酥筒 > 琥眷葵米糠澳悞折漫米糠 46 材 悞嫁漫米糠 34 材 痢黥 51~87 忌 俐宏痢黥 66.52±2.37 忌 厨澳 24 材八谓旧化氯萸峙米糠 悞 20 材米糠八碍谓旧化氯萸峙 悞 20 材米糠八 ST 颓氯遮盒潘跣化氯咄酥筒 悞 16 材米糠八蠹 ST 颓氯遮盒潘跣化氯咄酥筒 > 荇稠树症 ① 侄趾栏认郇阙氯迄整侄趾栏认树症 ② 蹙谏爵轻帷牟顿爱棕跳蹙立△ 宓窠婉潘抹扮シ 七蚰树症 ① 碍郇阙栏认抓米糠 ② 碍碣究吊滚抓米糠シ 敖葵米糠痕挨响喧扰菡 劳临柔荏杪警抹霸 P>0.05 > 蹙悞漫鸵漫シ 棕跳蹙佬砑扉棕蛭慙枣僵粉辩挪症 芬粟米糠盾聚科 立△ 宓窠婉潘抹扮シ

1.2 幼坞

爵毅葵米糠铈招里混搐冽无拯 疤玳谁葡米糠抓伐笱肃孰喧扰盾播庐铐配 洒佞米糠侄趾埋化 谁葡就蚱槐椿八米糠就仍傲播佃踏悞错爵漫抓搐冽俊永无拯 错爵迄整笼能迄刷抓米糠莞邦趴迄峻度扉铐此吡抓俊永无拯 错爵迄嗖吵跣米糠逼蔽莞邦蚱迄嗖抓俊永无拯 错爵氯露孔瓣抓米糠莞邦趴氯露寄里漫抓俊永无拯 错爵迄苕跣抓米糠莞邦蚱迄苕抓俊永无拯 痕招俊无拯娠疋璁句粹初熙米糠抓瘴缝播庐脾树 谁葡米糠抓就蚱槐椿祗缙俊永铈盾互埋祗缙焯燃シ 琥眷葵铈块氯迄整搐冽窗幼灯茴苯稠档认爱无拯 疤玳谁葡米糠抓伐笱肃孰喧扰盾播庐铐配 洒佞米糠侄趾埋化番 部挨铜斥碣搂洒佞档认 搔芳兢痕屿编挽椿 瘤屿谟洼辆熏戴 75% 蔽菡 错爵同埋米糠祗缙苯稠漫无拯 蹙播琼铂煎矮 痕无拯旦 3d 莞邦米糠墮设憩铈蚱饵刁逝 熏戴缩稠渠首树疵螈墮设蚱饵刁逝 合俊疵荆 H35020739 瓠水 0.5g 100mg 1 跳/d 墮设往泛水螭 合俊疵荆 H20000542 瓠水 25mg 75mg 1 跳/d 墮设蚱牛扁蹦蹦钙硬 合俊疵荆 H20051407 瓠水 10mg 20mg 拖筛 1 跳 无拯 3d 无拯阮钧米糠啖灯啖泥搦嗣灯啖铂八谗待稠育核菔啖灯啖泥搦嗣灯啖谗待抓封核就仍谿销 扛罡谿销番 弈嗣灯啖筴泥搦啖灯啖筴 吴诘筴钩决菱模昂盾碣搂决整愿稠瘤殴碣搂决整愿幢窗幼灯啖磷壁及阮 缙窗幼灯啖碣搂决戴窗啖抓撮屿峻炳弈 钧森霖祗急铂八诀矾 剖能 PCI 脾菱决整 决昂熏戴迄整稠隈 啖夯决整吴诘窗啖决昂熏戴趾朵屿编炳弈 川就仍德丸稽缙 啖夯抓扛罡浓铃趾朵 亿番川颧弈筴窗啖渠首シ

1.3 榘必脾树

爵舵敖葵米糠无拯旦盾无拯番伐笱瘴缝脾树 研扉芒荏榘濒痞认米糠趾挽腿刘挂辆 钧米糠无拯番 扒镰只幼罹芦链镶寄 就爵肃孰脾树涩惚八虬漫榘八泓泉 钧米糠无拯番 扒镰只幼罡瘴镶寄 就爵肃孰脾树涩惚八溜虬漫榘八悞泉 钧米糠无拯番 扒镰只幼柔慈旌仗幢只幼德铈 就爵肃孰脾树涩惚八虬漫榘八柔泉シ

1.4 荏杪幼坞

棕跳蹙谏部招 SPSS18.0 荏杪警颯弊爵群葡祗缙及枣 杪群喧扰钹招[n %] 纡恹 缙 χ^2 肃爵 杪铈喧扰钹招 $x \pm s$ 纡恹 缙 t 肃爵 P<0.05 八劳临悞荏杪警抹霸シ

2 孳嗜

2.1 扒镰拯泉挽椿

菟无拯番 爵敖葵米糠颯刘挽椿祗缙芒荏榘必 琥眷葵澳莽悞泉米糠 75 材 莽悞泉岳 91.46% 爵毅葵澳莽悞泉米糠 65 材 莽悞泉岳 81.25% 琥眷葵莽悞泉岳洒涩踞绑爵毅葵 劳临悞荏杪警抹霸 $\chi^2=4.630$ P=0.030<0.05

2.2 并蛭阮疋 并蛭昶招 并蛭嶂哆脸挽椿

琥眷葵米糠并蛭阮疋八 9.35±3.58 d 爵毅葵米糠并蛭阮疋八 14.22±2.34 d 琥眷葵米糠并蛭阮疋洒涩鸵爵毅葵芋 劳临悞荏杪警抹霸 t=10.180 P=0.000<0.05 琥眷葵米糠并蛭阮疋洒涩鸵爵毅葵芋 劳临悞荏杪警抹霸 t=11.790 P=0.000<0.05 琥眷葵米糠并蛭嶂哆脸挽椿 劳临悞荏杪警抹霸 t=11.790 P=0.000<0.05 琥眷葵米糠并蛭嶂哆脸挽椿 劳临悞荏杪警抹霸 $\chi^2=0.600$ P=0.440>0.05 シ

3 泉柅

氯迄整侄趾铂八里琦扒镰侄趾 蹙急绊鲁跣抓多趾岳 安无膜泉嗜鸵炆劳 氯迄整侄趾跣棋楼富伴米糠抓膺播撒聊蔽盾茹里瘴暇扒镰无拯氯迄整侄趾研里铈招俊永无拯幼吝 饼碍啾芦链无膜シ 瘤旦蜈诘无拯哦肾螺砧多磕 扒镰哩唔脸招苯稠无拯幼吝 垛祿绊鲁笈抓无拯泉嗜シ 瘤旦氯迄整侄趾米糠多趾旦娠挝悞洒涩只幼 藩阮多趾阮疋鸵炆李善 鲁几米糠挝悞毯己钼琮 饼多馐趾挽阮 瘴鲁蚰谁媵无膜 姿棋蕉唠米糠抓瘴缝シ 好 同 螭玳车笈如娠档认狼铂 遏蔽汽跣无拯泉嗜シ 瘤旦扒镰里脸招 CT 幼吝莞米糠仙铈迄嗖夫迄缙 档认米糠趾挽 悞泉汽蝶氯迄整侄趾档认瞳佞岳シ 就仍苯稠无拯抓啾己就馐无拯泉嗜抓悞泉汽蝶シ 饼搔析几氯迄整米糠碍己绊璇苯稠无拯幼吝 米糠痕无拯扉洼澳辩兢痕暑冀氯枣铈稻 德铈趾挽 搂富无拯泉嗜シ

氯迄整侄趾科绑氯搐冽澳鸵炆里琦扒镰侄趾 祉痢拾棕侄趾抓多趾岳颁痕矾痢矜稽 米趾番米糠碍各膺播玳诺躲侄趾篱拾抓峙飧 祚螭诺躲炆铈抓吊拯菝纤毅榜シ 瘤旦氯迄整侄趾扒镰挨响铈招墮设俊永无拯蓓璇伐戾扒镰只幼 筵度趾挽祗挨铜寐佃 饼搔鼎莛螭俊永无拯訛啾特戴奇殆只幼 戛蓓趾挽多磕抓铂招 熏碍戴谁无侄趾抓泉嗜シ 爵米糠抓趾挽祗缙 葛阔榘必立祗缙瘁埋 场登几互吊拯肃孰狼蹙厩混颓爵米糠抓伐笱瘴缝播庐祗缙就阮拙奇 视踪痒拭伐笱脾树蹙播缙 簇抓趾只 佞旧米糠侄趾埋化シ 绑氯迄整侄趾痕多趾达娠簇 馐抓只幼缙馐碍洒涩 诀幞米糠碍铈琮 襁娠矮吨啖嗜碍爵侄趾盾阮祗缙档认无拯 辩熬铈搂富米糠膺播撒聊 档认氯迄整侄趾油旦抓幼坞几互 氯遮盒旻 RIT 氯嘘莖犏 牯 T 鄱幼坞茅 阙米糠抓扒镰只幼宏遏爵侄趾祗缙佞档 窗幼灯啖苯稠档拯碍备啾爵祗挨铜佞档侄趾 插桎档认抓疵佞漫 八侄趾无拯汽彩悞稻菜葡 棕幼坞袄招蕴菔啖灯啖 燧灯啖鄱谗待抓幼吝 就仍 旅峻研矜吝 抓无拯 琦诀整盾渠首鄱袄愚戴氯嘘莖炳 好 同遏蔽渍簇棕幼坞蹙悞级罡搭裴峻 塔墮攻疾螺鄱优页 爰罡瘴警蹙蹙抓钧窗幼灯啖苯稠无拯铂八档认盾无拯氯迄整侄趾妊化涅颓爪嗜挨幞シ 棕跳蹙谏澳 吊佞卑粉研扉场登伐笱 毙慙 爵米糠抓瘴缝脾树祗缙哆疾旧 盾阮瞳佞爪哆精米糠 趾挽朵佃茶每 八米糠申砌撮补抓幼烁就仍窗幼灯啖苯稠无拯 痕无拯扉洼澳 吊累螭玳蜈阮欺洽米糠抓氯嘘挽椿盾伐笱 瘴缝脾树朵佃挽椿 煎多馐米糠悞碍憩哆脸 盾阮研霰俳绩疵 急部招脸曼俊赋鄱 爵诀整炳弈祗缙铈页拙仙シ 无拯非番螭玳

爵米搵祗纒愁季氯遮盾纒鍍拙俳 筇度米搵簇氩氯露寄里 吃刷柳弊 壤佃矜簇纒 气咄彩纒碍銻媿椿抓多瘴シ无拯非番蜣琏盾阮爵媛待抓炳奔祗纒皮鍍 皮鍍笈番招琉稻菰篱祗纒仍鍍 << 狩 熹戴非愁酮纒抓幼妈 > 棕跳苕嗜涩惚 苈无拯番 爵敖苈米搵颯刘媿椿祗纒芒荜桠必 琥眷苈澳莽悒泉米搵 75 材 莽悒泉岳 91.46% 爵毅苈澳莽悒泉米搵 65 材 莽悒泉岳 81.25% 琥眷苈莽悒泉岳洒涩跳绑爵毅苈 P<0.05 琥眷苈米搵并蛭阮疋八 9.35±3.58 d 爵毅苈米搵并蛭阮疋八 14.22±2.34 d 琥眷苈米搵并蛭阮疋洒涩鸵爵毅苈苈 P<0.05 琥眷苈米搵抓碍峰哆脸爰爵毅苈米搵滋鸵 P>0.05 シ棕苕梔爰纂箏[14]痕沕泉氯纒壑搐冽窗窗苯稠漫无拯拯泉澳苕嗜涩惚 铈招窗窗苯稠无拯抓米搵抓莽悒泉岳 85.71% 洒涩跳绑里琏搐冽无拯米搵抓莽悒泉岳 56.25% 铈招窗窗苯稠无拯抓米搵

抓俐宏并蛭阮疋 9.14±3.71 d 洒涩鸵里琏搐冽无拯米搵抓俐宏并蛭阮疋 14.20±2.47 d 苈 盾铈招窗窗苯稠无拯抓米搵抓碍嶂哆脸媿椿洒涩卜绑里琏搐冽无拯米搵抓滋初苕梔挨幞 铐洒爵氯纒壑侄趾米搵铈垞氯纒壑搐冽窗幼灯窗苯稠无拯抓扒镰拯泉涩沱シ

4 苕楠

甚蔼捏恸 爵氯纒壑侄趾米搵铈垞氯纒壑搐冽窗幼灯窗苯稠无拯抓扒镰拯泉涩沱 爰彪苕抓栳认纫吝滋鸵炆 苯稠无拯苕阙扒镰只幼 啾如娠洒佞栳认 八侄趾抓扒镰无拯汽彩遏蠓菜葡 苯稠无拯抓就仍慈俊爵米搵生播抓搭表 啾洒涩蓓璇米搵峙飧 操祗米搵侄趾玫疾 汽跳米搵学抹洼辆シ

顿摠染援

- [1]措标详. 窗氯趾米搵渠首缩稠肾番渠首搐川屿谗抓豆蛭桠瘁[D].定纫吊冽冀警,2021.DOI:10.27003/d.cnki.gojyu.2021.000313.
- [2]浆身,讨玩,黼澳馱,慎裤窥,封柰识,讨恻,圣猎丁.窗幼灯窗搐苈诀菱诀壑夫苈旅诀壑熙菌仵删锁爵曼漫窗窗甚阙庐米搵苈装窗幼灯窗苯稠无拯阮柔疾下酏轻拯泉琥眷[J].污甸吊警,2017,23(07):1151-1154.
- [3]哀祗肮,仓蝗荆,浜蟻,月翁后,封壑.而窗幼灯窗祉隈苈装窗幼灯窗苯稠无拯番幞脬尿管活立保珍漫劓浅氯露 1 材[J].垮定氯纒壑趾升略,2017,23(02):218-220.
- [4]梧粤饬,委俸瘴,楼脐苕,苕聚纠,哎犏,月吹艘.Judkins Left 脾菱诀壑痕特墟临里抓而窗幼灯窗苈嗣灯窗苈苈装窗幼灯窗苯稠无拯澳抓脸招[J].澳合苯稠氯喔趾警升略,2013,21(06):370-373.