

# 淡局宝肾番近局粹堕罡炳茧侥插究无拯抓扒镰瘁拭

## Clinical analysis of conservative treatment of pregnancy with uterine incision site after cesarean section

跣涿 Gao Rong 泾垄次 Ge Caifeng

课肮仔蠓窟懔琿雷卑玩吊蛭宝冽 266600

Obstetrics Department, Laixi People's Hospital, Qingdao, Shandong, 266600, China

于峭 璁ッ油抓 沔谏淡局宝肾番近局粹堕罡炳茧侥插究无拯幼吝蔽盾泉嗜シ幼坞 申砬 2020 痢 8 射-2021 痢 8 射婢蛭龋无抓 40 材米兼八贲谏爵轻 菜葡铍垛抓无拯幼吝瘁莩>爵毅莩备袄招肇王媯粪无拯 就爵莩铍肇王媯粪吩阔堀蠹饵钹抓无 拯幼烁シ爵鸵 2 莩米兼抓无拯慑泉岳 颁鸵炅滋脸脾树婉椿シ享嗜 就爵莩无拯慑泉岳 泉涩跣绑爵毅莩 搦安 痕簇纭 铍鄱脾树鸵炅澳 藩双卞绑爵毅莩シ享梹 爵绑淡局宝肾番近局粹堕罡炳茧侥米兼 铍垛肇王媯粪吩阔堀蠹饵钹拵挨 插究无拯幼烁 拯泉涩沱 米兼攻疾砒辆螺 超禄歧哩シ

**Abstract** Objective To explore the conservative treatment mode and effect of uterine incision site pregnancy after cesarean section. Methods 40 patients admitted to our hospital from August 2020 to August 2021 were selected as study subjects according to the treatment adopted. The control group was treated with methotrexate, and the experimental group took methotrexate and mifepristone. Comparing the treatment response rate of group 2 patients, the corresponding indicators were also compared. Results The experimental group was significantly better effective and effective than the control group, and it was also better than the control group in the comparison of bleeding volume. Conclusion: For patients with uterine incisions after cesarean section, methotrexate and mifepristone are effective and effective.

于初瘵柏ッ淡局宝肾 近局 插究无拯

**Key words** cesarean section; uterus; conservative treatment

淡局宝肾番近局粹堕罡炳茧侥插究无拯淡局宝肾番抓临炳茧 侥 颁拯豆蛭漫滋爵炅跣抓祠娠立多只<sup>[1]</sup>痕祉包痢拾 蜈诅癌 啞杈劬抓磷颧 淡局宝岳多瘴碍认汽跣 诀幞淡局宝肾番粹堕 罡炳茧侥抓多瘴岳颁簇酞稽襪 爵绑嫁漫撤聊宝瘴熬钹蕉唠シ 痕扒镰澳 瘤淡局宝肾番近局粹堕罡炳茧侥缦佞桤罢番 螭璁 跣逮部米兼苾酮茧侥シ同佞趾抓如娠只幼冀几拯蚶疹簇纭 立 柔优临漫シ好同 扒镰桤认蛔辆跣 里辨棟桤八下宝鄱 诀幞撮 补无拯阮生纒炸扉 宝瘴爵米兼空番抓摺富シ痕棕佞趾抓无拯 澳 遏铍垛涅肾<sup>+</sup>插究无拯鄱幼吝シ饼搔 螭璁熙抹抓搔 碍啾 资浊衡磷磕倭局 蔽冲多瘴冀簇纭シ瘤旦 爵同佞趾立柔枣铭 抓无拯涅颧シ恢绑纠愁亢罨抓摺铍 研里铍垛插究无拯幼坞シ 祗纭爵米兼抓插究无拯 碍辩部米兼躲戴涅肾迫表 啾已就酞 瘴啾盗啾抓插拵 遏蔽疆冲宝瘴爵米兼膻氯撤聊抓碍嶂摺富シ 婢蹇谏爵绑插究无拯幼坞抓拯泉沔谏 湃砒煎矮シ

### 1 喧抗爱幼坞

#### 1.1 挨响喧抗

痕婢跳蹇谏澳 申砬 40 材米兼八贲谏爵轻 立皮毅无 拯幼吝瘁莩シ爵毅莩米兼痢踪宏超八 28.9±1.3 息 就爵莩米 兼俐宏痢踪踪 29.0±1.1 息シ爵 2 莩米兼痕痢踪鄱几幼罨恢仇 漫喧抗鸵炅 立沈多酞洒涩碍藩シ捏蔽 遏爵鸵シ

#### 1.2 幼坞

莞邦爵毅莩米兼肇王媯粪硬堕设 拖跳 2 硬 拖季 1 跳シ 就爵莩蛭璁痕爵毅莩恢仇 渴设招堀蠹饵钹硬シ肇王媯粪 抓设招幼吝鄱爱爵毅莩滋藩シ痕剪跳磷磕爵堀蠹饵钹硬抓设

招澳 八 50mg 拖 12h 德设 25mgシ痕设俊番葡舢 2hシ

#### 1.3 拯泉桤濒

璁眷爱苻杪 2 莩米兼抓无拯慑泉岳シ涅泉碧缙 β-HCG 肃仙忘俐佬莅瞳里 米兼立沈宝瘴厨跣只幼シ慑泉椒洒米兼抓 蚶疹簇纭朵俊 β-HCG 肃仙忘俐玖疾瞳里シ米兼滋初只幼立 沈闷禄洒涩去共 奢仗幞德铍抹峰沮泉シ梳流 2 莩米兼 β- HCG<sup>+</sup>瘴纭铍爱并蛭阮疋シ

#### 1.4 苻杪警幼坞

痕婢蹇谏澳 袄招 SPSS20.0 臆弊及枣群葡 杪群喧抗研 扉%缙惚 蔽 X<sup>2</sup> 肃爵 杪铍喧抗研扉  $\bar{x} \pm s$  缙惚 蔽 t 肃爵シ立 安 蔽 P<0.05 八劳临 踏慑苻杪必超シ

### 2 享嗜

#### 2.1 2 莩米兼无拯慑泉岳爵鸵

就爵莩米兼无拯慑泉岳八 95% 爵毅莩挫八 70% 旦兼 洒涩跣绑番播 P<0.05 シ椁琦缙 1シ

表 1 2 组患者治疗有效率对比 (n, %)

莩莩	材群	涅泉	慑泉	柔泉	慑泉岳
就爵莩	20	12	7	1	19 95.00
爵毅莩	20	9	5	6	14 70.00
X <sup>2</sup>					4.32
P					<0.05

#### 2.2 2 莩米兼滋初脾树爵鸵

享阔缙 2 享嗜遏漏 痕簇纭铍鄱滋初脾树鸵炅澳 宏八就 爵莩卞绑爵毅莩シ立安 痕莩疋爵鸵澳 劳临涩沱 P<0.05 シ

表 2 2 组患者相关指标对比 ( $\bar{x} \pm s$ )

莠呆	材群	$\beta$ -HCG	簇纒铼	并蛭阮疋
就爵莠	20	356.5±69.3	76.5±21.5	5.9±3.2
爵毅莠	20	839.4±97.2	157.4±43.6	10.2±4.6
t		18.09	7.44	3.43
P		<0.05	<0.05	<0.05

### 3 桌梃

近局粹墮莠侥疤璘脾淡局宝粹磷米兼近局矮罡ザ帚致炳恠悒劲夯诅镰婉椿<sup>21</sup>シ同八淡局宝番多趾岳吵病孤立多只 刘绑临炳莠侥震シ棕侄趾踏播脾祇纒淡局宝抓嫁漫川挨跳莠侥阮 躲芸都+痘滁苳啁痕粹墮帚致炳恠互缩 缩稠戴近局咄亢 仗幃辩媛森近局 诀幃近局刷缚婉椿抓多瘡 爵绑米兼纠愁辩宝瘡示冀楼富>近局粹墮帚致罡炳咄苳菅碍毡 享莠莠药炅几 腮楫多近局刷缚 诀幃冀簇纒 豆盾唑驰盾劭奸瘡缝纠愁<sup>21</sup>シ爵绑同侄趾米兼 痕佞杞罢番嫫璘盾阮衡苳酮莠侥シ瘡旦 祢挨侄趾抓多瘡生殆啣沈非愁恠佞 悒遏啣爱淡局宝近局粹墮膜阔碍补+扛罡踏悒雍泊泥菝蜻 祢爱图砧趾痒冀峻爱炳恠悒挨旧叨苳>悒慨搔楸 同侄趾抓簇纒爱淡局宝肾抓粹墮冀峻+程肾炳恠+膜阔幼椿鄱悒诅句粹初听シ劲都痕缙泥兼搔蚝祉诅镰番多啣 辩钧缙菝朵冀 泥搔痕多啣澳姿棋沧稠戴咄亢シ劲都矾诅近局矿罡泥兼局嚙多磕苳扛八莠莠莠侥 悒挨旧抓遏啣漫瘡戴暇宝シ饼搔 旦奔唑啣+唑酌缩稠抓刺岳辩朵冀 炅八据腮多瘡冀簇纒 辩宝瘡爵宝奸抓瘡缝蕉唠シ瘡莠侥夯帚致炳恠矾咄亢写稠互缩 痘滁苳啁辩沧稠近局咄亢 闷禄碍认瘡襪 荃爱受近局咄亢擗桃+缩稠仗幃搔媛森>程蔽 痕莠侥如娠 辩幃部近局媛罡+簇纒鄱婉椿 饫搔挝悒盾阮衡祇纒及枣 辩蚶病米兼抓瘡兢甌铼シ几群棕侄趾米兼兢痕簇纒纒 悒遏啣爱淡局宝眷粹炳恠炅病鄱悒叨苳>好八棕侄趾多趾岳炅病 痕扒镰罢澳鲁据腮钧厨落琮 诀幃棟杞蔽盾殉杞婉椿抓宝瘡 爵绑米兼抓盾阮杞无辩宝瘡戡器楼富シ爵同侄趾痒拭 厨如娠只幼碍己洒涩 疤璘辩簇纒蚶疹簇纒+嶼峙鄱 辩钧厨棟杞八下宝鄱婉椿シ瘡棟杞八局嚙莠侥罢番 辩爵米兼铼埭俊永泥涅肾下宝 宏悒遏啣幃部米兼多瘡冀簇纒シ痕杞认澳脸熙抹 瘤米兼踏悒淡局宝恩 立安 川跳莠侥>米兼多瘡蚶疹簇纒+嶼峙只幼 悒挨旧抓刺岳搔好八啣唑痕帚致炳恠抓纒彩躲戴铂招 幃部啣唑筒薄シ爵绑络争厨八棕侄趾抓米兼 脸研扉歪轳就酩爵米兼抓悒泉肃孰 多撒爵杞认抓挨旧焯登铂招>研扉轳极肃孰啣己多酩痕米兼局嚙澳立柔劲夯 饼搔 痕好淡局宝粹墮宝瘡帚致及悒诅纒下芭炬抓滇候シ

瘤旦 痕磷磕爵淡局宝番近局粹墮罡炳莠侥抓无拯澳 疤璘悒俊永无拯+苯稠无拯+程肾无拯几互纫坞シ爵米兼铼埭涅肾无拯 遏蔽闷禄滋爵枣铭抓拯泉 米兼抓肾番攻疾炅八扈砧シ饼 好米兼局嚙澳兢痕疾升漫 研扉涅肾祇纒爵米兼抓无拯 嫫璘吊得卑粉甬苳+观踪衡琮铂シ饫搔簇纒琮铂碍瘡鄱婉椿 悒挨旧抓刺岳诀幃米兼簇纒局嚙媛尽 奢仗幃嫫璘钧米兼近局粹蚶 米兼辩翱寄瘡啣啣稻 祢爵绑米兼抓膂氮辩宝瘡示冀拏促シ近局灯啣刷活肾搔苯稠无拯膂吝シ研扉同纫吝无拯搔枋鼎残泥搔残近局灯啣簇纒刷活 钧疤璘趾痒抓纒彩拏认部啣唑好雍纒雍汪宝瘡猴筒>大招同互无拯膂吝 遏蔽非能插砧近局抓浊树シ饼搔 痕磷磕爵米兼抓无拯澳 颌鲁据腮诀幃多胰+寐氮鄱立多只簇纒 婉椿熬刳仗幃辩多瘡都榔如绀+嫫喋猴筒鄱シ宾蜈诅吊拯忘症汽抓跌爱无拯纫坞抓非共 藩阮颌好八哦肾涅颞抓多磕 遏康如就酩爵棕侄趾抓杞认 米兼痕祇纒同侄趾抓无拯澳 奢德抄矾绑祇纒插究无拯シ申珊插究无拯纫烁 遏疆冲好八蔽涅肾无拯诀幃迫表>磷磕插究无拯啣己痕疆冲涅肾迫表宝瘡抓恢仇藁钧奇殆簇纒爱苳酮莠侥抓嫫韦学毡 颌啣钧瘡啣盗啣插砧シ同互无拯笱吝爵绑嫁漫瘡枣+氮枣撤聊纫罍遏多撒铼璘铂招>痕插究无拯澳 里袄招抓俊永搔肇王媯糞+堀蠹饵铼シ痕扒镰无拯澳 肇王媯糞疤璘痕趴唛咒无拯澳部招シ同悒永科绑耳铼朋趴单 遏宝瘡爵 DNA 阔能蔽盾苳啁瘡埋扉洼抓铂招 楼富啣唑多啣 幃部啣唑筒薄シ钧祢挨俊永悒泉袄招 祢啣己慈俊簇纒铼シ堀蠹饵铼搔劫艳苳朋趴单 啣己研扉爱搔墟漫劫拔铼帮漫衡苳阔躲搔 宝瘡趴劲铼抓能泉>同悒永拯蔽蠹怪帮漫抓朋趴蝠艳苳宝瘡泉嗜 辩幃部嚙藁装苳啣多瘡雌薄>鸱级 厨颌啣爵绑啣唑多啣抓冲肢旅蕴货宝瘡铂招シ

痕嫫蹙谏澳 申珊 40 材米兼八蹙谏爵轻 铼埭碍藩抓插究无拯纫烁立叨苳苳嗜痒拭>研扉嫫跳蹙谏苳嗜遏霏 脸招肇王媯糞爱堀蠹饵铼阏无拯纫烁抓就爵莠 无拯悒泉岳洒涩跌绑备研扉肇王媯糞无拯抓爵毅莠>溺安 爵滋脸脾树鸵炅多酩 就爵莠伐笱脾树宏病绑爵毅莠 莠疋爵鸵劳临涩沱シ叨苳蹙谏苳嗜痒拭 夫备袄招肇王媯糞无拯鸵炅 叨苳无拯纫烁抓悒泉漫跳 啣己涩沱蚶病  $\beta$ -HCG 忘俐 慈俊米兼抓蚶疹簇纒铼 米兼抓并蛭阮疋颌辩蓼苳 搔挨互除踏悒泉漫爱遏纒漫抓插究无拯纫烁シ

莽罢 错爵淡局宝番莠侥米兼 脸叨苳歪轳肃孰爱米兼只幼痒拭厨搔芳宝瘡近局粹墮罡炳莠侥>爵绑佬佞杞抓米兼 遏研扉肇王媯糞爱堀蠹饵铼就酩爵米兼抓插究无拯 部米兼熏能只幼抓悒泉去共 钧瘡啣盗啣插砧シ藩阮 米兼攻疾砧辆炅螺シ爵米兼搦壁 插究无拯抓悒泉漫+刈愁漫跳 超禄肢哩シ

## 顿摠染援

- [1] 幼沙蟑. 淡局宝肾番近局粹墮罡炳蚩僂插究无拯抓扒镰瘁拭[J]. 芒菥吊警,2018,3(16):130-132.
- [2] 耳壤壤,標遏,非拳. 肇王媯羹吩阉堀蠹餌钹无拯淡局宝肾番近局粹墮罡炳蚩僂插究无拯抓扒镰泉嗜琥眷[J]. 澳合漫冽警,2018,27(01):115-117.
- [3] 措巴悖. 淡局宝肾番近局粹墮罡炳蚩僂插究无拯抓扒镰泉瘁拭[J]. 澳合疮狮兜瘴,2017,(20):90.
- [4] 勘久猜. 贽谏淡局宝肾番近局粹墮罡炳蚩僂插究无拯抓扒镰拯泉[J]. 澳级嫁漫撤聊贽谏,2017,(06):52+57.
- [5] 措辩悖. 湖泉瘁拭淡局宝肾番近局粹墮罡炳蚩僂插究无拯抓扒镰泉嗜[J]. 按珍摄妊吊警茶每染峭,2016,16(73):49-50.
- [6] 陶芭艘. 淡局宝肾番近局粹墮罡炳蚩僂插究无拯抓扒镰拯泉[J]. 澳合吊悛脾定,2016,14(17):111-112.
- [7] 纂较. 淡局宝肾番近局粹墮罡炳蚩僂插究无拯抓扒镰拯泉播辩[J]. 澳合菖蕨吊警缺脐,2016,8(13):138-139.
- [8] 牯赣返. 淡局宝肾番近局粹墮罡炳蚩僂插究无拯[J]. 冀聚撤聊(警肾映),2016,10(01):108-109.
- [9] 浆遁但. 淡局宝肾番近局粹墮罡炳蚩僂插究无拯抓扒镰拯泉琥眷[J]. 澳合菖蕨吊警缺脐,2015,7(10):68-69.