

夏榕暮漫矮噗峙锘待写辆爱拯泉抓初苎

圣洒洒^① 綦笆艘^① 昵串^② ①季洗雷定磷掉丁獗傧掉吊蛏合吊毁 300090 ②季洗澳吊馂冀警郜挨蚝科吊蛏锘养冽 300381

Department of acupuncture and moxibustion, Tianjin Nankai Huayuan street community hospital Nankai District, Tianjin, 300090, China

②Department of acupuncture and moxibustion, First Teaching Hospital of Tianjin University of Traditional Chinese Medicine, Nankai District, Tianjin, 300193, China

- デ峭 琏ッ暮漫矮噗峙(chronic low back pain CLBP) 搔澳吊趵表冽夫锘养褡桤里琦抓咄咚趵跚执峙葚阀庐 扒镰绔酝疤琏八矮 噗唣サ噗跌夫趺跏罡执峙 泥宾慑矮哓颧菌峙シ执峙漫甑几八蝌峙艿锿峙艿侍峙シ瘤噗罡痕车旦考Ѣ番兵艿残考鄱暇 灯阮 执峙德铷℡シ祉痢拾痕扒镰夫就酹澳初绑锘待写辆爱侄趾拯泉初苎罹慑挨包湃碜℡迓砑扉染援毫箸 赌碧吊聚夫 酝碧赜谏罹爵锘待写辆祗纭绊椁荭沏枭 枧八锘待写辆爱侄趾拯泉句粹滋初シ邺搛痕扒镰狼铂澳多酝 碍藩抓锘待写 辆爵暮漫矮噗峙无拯拯泉慑炝冀劳呆 酝笨彪菥锘待纫坞夫拯泉Ѣ配碧吊警赜谏Ѣ邺搛扒镰莜酹夫锘待纫坞癌傲纫罂 磕磷栀恧シ
- **FAbstract**^y chronic low back pain (CLBP) is a common musculoskeletal pain syndrome in the orthopedics and traumatology department of traditional Chinese medicine and acupuncture clinic. Its clinical manifestations are mainly low back, lumbosacral and sacroiliac pain, or radiation pain in lower limbs. The nature of pain is a mostly dull pain, dull pain and stinging pain. When the waist is doing activities such as flexion, extension and lateral flexion, the pain is aggravated ^[1]. In recent years, there have been some reports on the relationship between acupuncture depth and disease efficacy in clinical and experimental studies ^[2]. Through literature review, doctors of all dynasties and modern research have discussed the depth of acupuncture in detail, and it is considered that the depth of acupuncture is closely related to the curative effect of the disease. In clinical work, the author found that different depths of acupuncture have great differences in the treatment of chronic low back pain. Now it is discussed from three aspects: traditional acupuncture methods and curative effects, modern medical research, and the author's acupuncture methods.

ヂ初瘀桕ッ暮漫矮噗峙 锘待写辆 锘养癞峙

FKey wordsychronic low back pain; Acupuncture depth; acupuncture analgesia

15影菥锘待纫坞夫拯泉

暮漫矮噗峙科绑澳吊警'噗峙 "忠只'馑震 澳吊警爵噗 峙趾躇慑与优安韭燃抓燔柽仍无播苎[™]澳吊警枧八诀噗噗峙 趾抓趾好疤琏搔级墨⁺猪表⁺氚凝褓频鄱シ级墨绸斜眭丸 廚澳 蔽捐朽眭丸八疤 捐漫龋菱搦朽漫墀绚 沧缑生播 幞噗罡丸 纥祆纭碍蔗 碍砑挫峙拸搐表八噗唣芸丸棒寤 噗凉寄厨彦滁ザ 兴意 碍恻挫峙シ氚凝褓频幞部噗罡丸纥祆纭碍蔗泥寄绑彦 滁シ痕榈几彪菥无拯纫坞澳 锘待拯坞好厨纠愁⁺扰泉⁺柔档铂 招鄱卞敌优页搦痕扒镰狼铂澳脸招哩晤シ锘待躇慑征莜暇纥 砑莼酮峙抓铂招シ初绑锘待写辆爱侄趾拯泉抓初苎如痕搐莜 澳慨慑栀恧シゼ苡褴·待琏栀ソ汽簇锘待写夏抓锻挫"趾慑馅 闻 待慑夏写 伐幛厨枣 柔扉厨碜シ'彪菥锘待无拯暮漫矮噗

铂搛弁苯 圣洒洒 折 1986.08— 婶冽 疤无吊累 庆裰锘养 莩阀瞳趵无拯峙只 綦笆艘 嫁 1991.10— 仳绩 赜谏瘴 疤无吊累 庆裰锘养无拯佘莜苎菥侄趾 砑柘铂搛 昵串 嫁 1966.08— 疤辟吊累 庆裰锘 养无拯嗪纥壑趾 眵坂 madanmei@126.com) 時蔽丁钵既嗟谌八疤シ嘏警拳[4]疤蕿之锘养警と既嗟谌谌炳旧 炳 噗嗟罡痕郜挨噗琐幛郜傍噗琐 伐琐嗟谛矮敖残 番瞳澳 荦日磷 0.5 倔シ琼铂:姿待 0.3~0.5 倔シ时肇癌『疤蒺」嘧谌警ソ 栊恧 丁钵既嗟炳弈 噗嗟罡 痕郜挨喈琐幛郜傍噗琐 伐琐嗟 谛矮疋日磷 0.5 倔 姿待 0.3~0.5 倔シ彪菥垛谌纫坞 滚米搛 拆冻炳 绑嗟琐绥谛敖残 0.5 倔及 帷郜挨喈琐幛郜傍噗琐 拖残 17 谌 廊而臭 34 谌 Liu L 都 阿爾扉蜈生爵毅桉酹酹柽铯 招彪菥锘待无拯暮漫矮噗峙抓抓遏纭漫盾锘待无拯抓摄补拯 這 瘁八4 拯诖ザ 拯诖ザ0 拯诖 申垛疤谌八哞叉+冀咧叉+舭 掻谌サ橿澳サ技许 钕谌八诺疟サ腿褡サ灿焘サ蕴肼サ肛雷サ掿课ザ 若崩シ无拯番癌荬米搛抓无拯菜笨漫瘁呆八 86.7% ば6.7% げ 100% 顿爱搛插砧岳痕6封阮八88.9% 12封阮八84.4%シ汽 偬铯招锘待无拯暮漫矮噗峙搔遏纭抓 立安裰拯诖锘待慑诅 奢笺抓菜笨漫·非略狄都^四铯招彪菥锘待纫坞锘待无拯暮漫矮 诺课ザ若崩ザ僵澳八钕谌 臭无拯6封 蜈栎莽慑泉岳八 噗峙米搛阮 米搛哆伞纭锘阮扛罡慑铋髂哧墨 纭锘 25-30mmin, 特锘番 米搛箬墨矮噗罡旌始 郜榜茹疾桤阮 特镰番

泥把吼把阽番矮噗罡本琚执峙 邺搛摁骞 锘待瘤阮铋髂哧墨 八噗颓嗟佘莜躲待艳捏幞 祢冱锘待写辆无拯暮漫矮噗峙慑 挨旧拯泉 饼搔拯泉碍毗把 痕锘养无拯阮 蚴燔柽铝莜肀谌 级 脸赤瘁摁骞矮噗罡抓璇淡莩士シ

2廿 転碧吊警赜谏

酝碧吊警赜谏柽洒锘待躇慑癞峙抓铂招シHuangM[®]都枧 八锘养癞峙铂招抓多撇搔疤琏搔砑扉楫诀嗪例ザ装甑矮夫焘 蒡莩士澳抓搐墟漫蚍硬堙永甑抓铴颧シ锘待爵扛罡莩蓊荬荮 躇慑生溯待艳铂招 操祗锘待页噙馄抓铴颧 藩阮稽德扛罡纥 下铼则北丁永就酹绔洒锘养遏楫诀华播瘁午操哞蔼噙装甑艳苡 夫装甑铒 笨搦多撇趴尧泉嗜100シ圣臆111申垛 70 材峙只米搛 瘁呆八舡朽初徉峙**步**漫噗努表执峙**步**犼趵佘莜峙步噗琐疋酌 谛簇执峙 部招锘待祗纭癞峙无拯 莩嗜柽洒无拯荬慑泉岳八 94.45%シ圣莪聊凹號眷荡粹悟琉漫能乘哦肾桠必锘养无拯暮 漫矮噗峙 CLBP 米搛抓扒镰拯泉シ纫坞钧妮蛏 84 材 CLBP 米搛蜈生瘁八琥眷荬爱爵毅荬伐 42 材>哥毅荬邦兴胰病封悟 无拯毙无拯 琥眷荬米搛痕爽氯咄拊柰荩恢仉蔼邦蔽锘养拯 坞シ鸵炝敖荬米搛扒镰拯泉盾无拯旦番敖荬米搛茹婶趵冽盯 辩桠瘁 JOA 场峙琮琚腾砰堙鸵桠瘁坞 VAS 场swestry 盗 啾蜞佗脾群铼绔 ODI 铯招荡粹悟琉漫能乘哦肾仙铼郜榜ザ 无拯番 琥眷荬米搛莽慑泉岳涩沱跣绑爵毅荬 P<0.05 敖荬 米搛 JOA 桠瘁蝶跣 VAS 切DI 桠瘁蚵病 琥眷荬米搛 JOA 桠 容跣绑爵毅荬 VAS 切DI 桠 病绑爵毅荬 P<0.05 敖荬米搛 病 琥眷荬米搛郜榜切癌切濠誊谛廊切茄残蔽盾跏番蔼绥廊切布 残时弯腾铼超病绑爵毅卖 P<0.05 シ 草栀 锘养无拯 CLBP 米 搛扒镰拯泉学抹 涩沱蚵病执峙 去共噗罡盗啾蜞佗 汽跣爽 氯础拊抓盗啾 铯招荡粹悟琉漫能乘哦肾仙铼郜榜切墓圩纂誊 谛廊圹而残蔽盾跏番蔼绥廊圹而残时弯腾铼超蔽桠濒拯泉 八 米搛殆旧无拯纫烁汽彩菜葡シ

3 邺搛抓锘待纫坞夫拯泉

谁葡米搛噗峙抓执峙罡炳切热峙降敌切草阀酝碧扛罡璇淡 警去朵锘待写辆シ锘待纫坞夫写辆 滚米搛拆冻炳 扛罡装哔 镶托 招丁钵哟 0.3mm×75mm 琨水锘养锘铂八锘待憨躇,菜跳 垛掇残谌炳\$都挨荬谌炳 痕郜挨幛郜傍噗琐绥谛矮忘俐日磷 0.5 倔 荑 1~1.5cm 肀旧谌炳铂八祗锘页 姿待荑 3~4cm 廊 而 泥祗锘阮锘郡深矾嗟署纫矾 爱装哔费 60~75 辆惹待 锘 郡戴熹琐式 慑虼稻墨夫绚铷墨阮扯酮祗锘 纭汽泣圃飓毋 坞 纭锘 25~30minシ郜榜荬谌炳 璞桤糯郜挨幛郜傍噗琐誊 谛 里琨镶托 招丁钵哟 0.3mm×75mm 锘养锘铂八锘待憨躇 姿待荑 5~7cm 廊而 锘郡纫矾姿待戴熹誊谛郡 簇酝虼稻墨 夫绚铷墨阮扯酮祗锘,纭汽泣圃飓毋坞シ郜癌荬谌炳 糯掇残 圍誊荠澳页 里琨镶托番招丁钵哟 0.3mm×75mm 琨水锘养锘 铂八锘待憨躇 斥华姿绑装哔矾矮姿待 锘郡戴熹咦趵屿罂番 扯酮祗锘 川诘矾蔼汽锘 吴诅咦趵抓趵罂矾搐旦矮纫写待 锘郡戴熹咦趵峻飓近 写辆 75mm 簇酝绚锘墨番纭汽泣圃飓 毋坞 砧锘 25-30min>蔽蔼谌炳招茕级荦无拯毙毅菌>邺搛祆 招同坞无拯矮噗峙米搛 炝彪菥锘待写辆 洒涩蓼孛趾诖 米 搛扒镰学抹辆炝跣 酝钧 1 材锄化趾材湃碜煎矮

米搛嫁漫 45 恳 疤桄 矮噗峙 3 痢德铷 1 封シ米搛 3 痢 旦曼漫噗努表趾恩 挨封旦把吼番簇酝矮噗峙 柔圉罡盾矮哓 颧菌峙 酝米搛矮噗峙 把吼番德铷 柔坞陂阽 暇灯番只幼慈 旌 柔圉罡盾矮哓颧菌峙>>孰播 噗趺咄纸譬 L3 琐日镀峙 噗 琐暇灯辆喀遏 DR 偬 噗琐瘴枣邵辆朵姿 趵甑稽瘴 噗琐矾 廊残令> 裙待垛谌 郜挨荬谌 掇残 斥糯戴跏噗咄犄酮页 璞 桤糯噗1 戴噗4 誊谛 里琨镶托 招丁钵哟 0.3mm×75mm 锘 养锘 吴誊谛华姿纫矾祇锘 锘待 4cm 写辆(躇播写辆蔽米搛 唧宙诖辆八疵 熹戴誊谛郡 汽泣圃飓悉坞 部扛罡慑绚锘墨シ 部榜荬谌 掇残,糯掇残圉誊荠澳页 里琨镶托 招丁钵哟 0.3mm×75mm 锘养锘 斥姿待 锘郡戴嘉咦趵趵罂 川诘汽锘 吴诅咦趵抓趵罂矾搐旦矮写待 锘郡戴熹咦趵峻飓近 写辆 75mm 汽泣圃锘悉坞 扛罡簇酝绚锘墨 蔽蔼锘养砧锘 30min 德茕级荦枣拯阳毅菌锘待罡炳 蜍茹锘养挨跳 米搛帷 拯 米搛把吼番犄膻沈簇酝榴一峙墨 番臭锘养6跳 矮噗峙 只幼镶寄 番蜈栎沈川疾多シ

3 枭栀

暮漫矮噗峙搔扒镰里琦几多趾 褡桤米搛绔酝抓几蔽噗 罡旦考**廿**番兵**廿**残令躲蛎泥搛执峙德铷 蔽颅澳吊锘养无拯垛 谌扒镰垛谌炝鼎挨 几蔽毪伎虬噱喋莜八疤 蕹百锘爵漫 扒 镰学抹辆碍跳 裰娠拯泉熹碍戴枣铭泉嗜>邺搛枧八菱犄暮漫 矮噗峙锻好抓搔诮旧噗琐抓爽氯咄咚簇酝羚稻寄绂 冀罡瘁 卑噗罡旦考抓降敌几 煎茹里瘴暇澳把吼把陂 诀幞噗琐旦拊 抓考咄及绑孛蓼抓幼妈 搦噗琐番拊抓兵咄及绑挨傲刨裰抓 幼妈シ渠钕噗旦考抓疤琏咄咚拊 噢级惹咄切奥姿咄切奥搐惹 础境测噗咄シ渠钕噗兵磕抓疤琏咄咚拊 阼嗟咄境翼咄シ渠钕 噗残考抓疤琏咄咚拊滇篷 噢姿咄切 嬰级惹咄切 鼎残噗纫咄切鼎 残跏噗咄シ渠钕噗融飓抓疤琏咄咚拊滇篷噢搐惹咄ザ噢级惹 础切咖噗咄>跏噗咄+>跏咄夫噗冀咄荬能>跏咄费啮笼 犄帷跏 谳:噗冀咄犄帷噗琐播残罂盾誊谛シ矾矮敖咄滋阀 莜噢咦瓮 筋篱写罂 酮绑咦趵峻飓近シ噗纫咄犄帷郜 12 咛趵矮蒡夫郜 1-4 噗琐誊谛跏阑抓番罡 酮绑跏阑蔼蒡シ作嗟咄犄绑趺趵番 罂盾厨蚝祉 矮炳琐趵抓绥谛誊谛咛趵鄱 酮绑蔼炳琐趵抓绥 谛誊谛咛趵盾誓趵シ瘤噗罡旦考**+**番兵+我考癌傲纫矾暇灯躲 蛎阮 疤琏香盾抓爽氯础拊慑跏噗咄,噗纫咄夫阼嗟咄シ醛痕 锘待无拯矮噗峙阮 锘待写辆螈琏熹戴祢癌傲咄咚抓犄酮页 特戴颧始写罡咄咚 操祗扛罡尧只永甑飞龋 螺砝蓓璇执峙 虔酮疾多抓铂招シ董舻 文悴 非吞鬥都祆招 Cybex-6000 化鄱 砝仙稻苎菥爵暮漫矮噗峙米搛祇纭噗考兵咄抓鄱砝矾氯夫袤 氯咄稻仙桉 莩嗜绔洒暮漫矮噗峙米搛兢痕噗考兵咄咄稻抓 矮蚵 开蔽兵咄八仗 藩阮祚兢痕噗琐旦番咄稻抓寄绂シ噗琐 爽氯咄咚羚稻寄绂 诀幞噗琐咄墟漫诮旧稻慈溜 立祗挨铜诀 噗噗琐诮旧漫矮蚵♥噗趺初徉寄诮シ爽氯咄咚开厨蔽噢誊础 作嗟咄 几缛咄 噗纫咄夫跏噗咄八疤>邺搛痕扒镰狼铂澳 莩 阀酝碧璇淡鼐桎 谁葡米搛抓扒镰只幼 葚阀瘁拭菱犄矮噗峙



抓爽氯咄咚 锘待扉诖澳部锘待写辆熹戴爽氯咄咚抓特酮页 抓写辆 拯泉涩沱汽跣シ讹琏琼铂吊累慑挨旧狼铂莜酹 慑嶂 笺抓锘养涅墨 欺洽噗罡璇淡鼐桎 同锘待写辆搔纠愁抓 拯 泉哙旧 超禄扒镰歧哩>藩阮邺搛颁枧桎戴锘待写辆爵拯泉抓 搂富鸵炝蜩蔽铼佃 螈琏菜牛琨馑抓铝柽吊警柽葡 部招熬水 抓菥杪警纫坞 藩阮琏砑扉冀双婶ザ九澳氯抓赜谏酹柽 柠啾 祗挨铜歧哩脸招シ

顿摁染援

[1]月据,髑补,舍汆茕.锘养无拯暮漫矮噗峙扒镰蜈生爵毅桉酹莩嗜毫箸[J].扒镰吊馂染援遮近升略,2019,6(40):1-2.DOI:10.16281/ j.cnki.joeml.2019.40.001.

[2]匏詹,月兜错,圣陇鹬, 刻祀散,綦饲逝.鼎莛锘待无拯暮漫矮噗峙抓 Meta 瘁拭[J].匈甸玩容冀警警湃(吊警映),2021,38(03):39-44. DOI:10.13501/j.cnki.42-1590/r.2021.03.008.

[3]WANG K,JU Z, YONG Y,et al. The Effects of Electroa-cupuneture on the Apelin/APJ System in the Spinal Cordof Rats With Inflammatory Pain (J]. Anesth Analg,2016,123(6):1603-1610.

[4]嘏警拳.锘养警[M].甸豹:澳合澳吊悛簇映傧,1996:143.

[5]时癌肇.嘧谌警[M].蔼陷:蔼陷冽警哦肾簇映傧,1984:514

[6] Liu L,Skinner M A,McDonough S M,et al.Acupuncture for chroniclow back pain: A randomized controlled feasibility trial comparing treatment session numbers. Clin Rehabil, 2017, 31(12):1592-1603

[7] 非略狄,崔柰纺,羚串.锘待无拯暮漫矮噗峙 122 材.澳合玩疋拯坞,2015,23(6):16

[8]HUANG M, WANG X, XING B, et al. Critical roles of TRPV2 channels, histamine H1 and adenosine Al re-ceptors in the initiation of acupoint signals for acupunc-ture analgesia[J]. Sei Rep, 2018, 8(1):6523.

[9]ZHANG M. DAl O.LIANG D.et al.Involvement of aden-sine Al receptor in electracupuncture – mediated inhi-bition of astroeyte activation during neuropathic pain[J]Arg Neuropsiquiatr,2018,76(11):736–742.

[10] 里沙矫, 赂壤. 锘待写辆爱拯泉初苎抓赜谏祗磕 [J]. 蔼陷锘养升略,2008,27 (12):48-50.DOI:10.13460/j.issn.1005-0957.2008.12.025.

[11] 圣臆.锘待癞峙抓扒镰脸招盾拯泉琥眷[J].澳吊澳馂,2016,11(24):120-121

[12]圣莪聊.荡粹悟琉漫能乘哦肾桠必锘养无拯暮漫矮噗峙扒镰赜谏[J].匈甸澳吊悛冀警警湃

[13]董舻,文悴,非吞,啕威共,馑贫丁.暮漫矮噗峙米搛噗考兵咄抓鄱砝咄稻桠必[J].澳合聊疾吊警升略,1999(06):9-12.2022 06 24 100-103