

栀 沱

咤犏极莩阀咤盗啾痕锃呆桤认冯飞荷蜩澳抓必超

The value of pulmonary ultrasound combined with pulmonary function in differential diagnosis of dyspnea

月鼾 Wang Long (伎锻雷郜嚎卑玩吊蛏 课珲伎锻 030053) Taiyuan No.4 People's Hospital Taiyuan, Shanxi 030053

【摘 要】目的 探讨肺超声结合肺功能在鉴别诊断呼吸困难中的价值。方法 将 2021 年 3 月-2022 年 5 月期间我院收治的 24 例肺源性呼吸困难患者 (肺源组),23 例心源性呼吸困难患者 (心源组),以及同期在我院进行健康体检的 20 例健康者纳入研究 (健康组)。给予三组肺超声与肺功能 (呼气流量峰值,第一秒呼气量)检查,并对检查结果进行对比。结果肺部超声 LUS 评分肺源组 (33.09±2.44 分)>心源组 (12.48±1.62 分)>健康组 (0.08±0.01 分),组间对比均有统计学意义 (P<0.05)。肺功能第一秒呼气量指标水平肺源组 (83.68±1.55%) >心源组 (74.61±1.37%) >健康组 (64.10±1.09%),呼气流量峰值肺源组 (128.05±12.62L) <心源组 (255.02±33.46L) <健康组 (544.25±60.33L),组间对比均有统计学意义 (P<0.05)。24例肺源性呼吸困难患者共检出 18 例 (75.00%)结核性胸腔积液并肺不张,4 例 (16.66%)肺间质纤维化,2 例 (8.33%)肺炎。23 例心源性呼吸困难患者均检出双胸腔积液,14 例 (60.87%)左心衰,8 例 (34.78%)肺心病至右心衰,1 例 (4.35%)扩心病。结论 肺超声与肺功能指标水平检查有助于快速准确鉴别呼吸困难性质,进而为临床进一步干预提供准确数据参考,从而有利于疾病的"早发现、早诊断、早干预",具备深入研究及推广运用价值。

デAbstract ツObjective To explore the value of pulmonary ultrasound combined with pulmonary function in differential diagnosis of dyspnea. Methods 24 patients with pulmonary dyspnea (pulmonary source group), 23 patients with cardiogenic dyspnea (cardiogenic group) and 20 healthy people who had health checkups in our hospital during March 2021 to May 2022 were included in the study (healthy group). The lung ultrasound and pulmonary function (peak expiratory flow, first second expiratory volume) were examined in three groups, and the results were compared. Results Lung ultrasound LUS score was 33.09 ± 2.44 points in the lung source group, 12.48 ± 1.62 points in the heart source group, and 0.08 ± 0.01 points in the healthy group. The comparison between groups was statistically significant (P<0.05). The level of expiratory volume index in the first second of pulmonary function in the pulmonary source group $(83.68 \pm 1.55\%)$ >the cardiac source group $(74.61 \pm 1.37\%)$ >the healthy group $(64.10 \pm 1.09\%)$, and the peak expiratory flow in the pulmonary source group (128.05 ± 12.62L)<the cardiac source group (255.02 ± 33.46L)<the healthy group (544.25 ± 60.33 L). The comparison between groups was statistically significant (P<0.05). A total of 18 (75.00%) cases of tuberculous pleural effusion with atelectasis, 4 (16.66%) cases of pulmonary interstitial fibrosis, and 2 (8.33%) cases of pneumonia were detected in 24 patients with pulmonary dyspnea. Double pleural effusion was detected in 23 patients with cardiogenic dyspnea, 14 patients (60.87%) had left heart failure, 8 patients (34.78%) had pulmonary heart disease to right heart failure, and 1 patient (4.35%) had dilated heart disease. Conclusion Pulmonary ultrasound and pulmonary function index level examination are helpful to quickly and accurately identify the nature of dyspnea, and thus provide accurate data reference for further clinical intervention, which is conducive to the "early detection, early diagnosis and early intervention" of diseases, and has the value of in-depth research and popularization.

【关键词】咤犏极 氯喔犏极 咤墟漫冯飞荷蜩 氯墟漫冯飞荷蜩 咤盗啾 冯丸下铼窥超 郜挨冼冯丸铼 锃呆桤认

Key words Lung ultrasound; Cardiac ultrasound; Pulmonary dyspnea; Cardiogenic dyspnea; Lung function; Peak expiratory flow; First second expiratory volume; differential diagnosis

冯飞荷蜩几八冯飞苎薪侄趾(咤墟漫)泥氯纥壑侄趾(氯墟漫)捏幞 乡饼铭琏爵冯飞荷蜩趾卑开厨搔曼漫多铂搛就仍阀枣跣泉抓无拯,慨螈盾阮抓桤认立安掉瘁厨谏陔搔咤墟漫泥搛搔氯墟漫冯飞荷蜩^们乡饼搔饫备谁葡扒镰绔酝祗纭桤认碍备痕孛娠搐颅颅蜩蔽佞旧 藩阮颁辩烈楝牌犬阮生乡捏蔽蚴绊椁孰趾恩爱播水肃孰罢级,就酹疽肃孰开厨初瘀;郑祢包肃酹螈琏脸招炝八疾升抓毙憨柢急,搦安肃酹下诖颁鸵炝茌躁,螈炝裰阮疋,捏蔽痕曼漫澳铷漫冯飞荷蜩抓锃呆桤认蔼脸招躲蛎 碍大绑侄趾抓"如多酝ザ如桤认ザ如例箜"シ鹅级扒镰吊累颁几菜蠼喈罡 X 硬ザ 瞥罡 CT 鄱纫坞祗纭锃呆,肃孰纫坞茌躁安腺昶炝几肃孰阮疋爱猃昶乡祉痢拾咤罡犏极抓褴按,痕爵冯飞荷蜩趾卑抓锃呆桤认蔼多撇簇绊铷冀抹霸,好厨碍饼莜纤ザ芸佞ザ纫藏,立安搔捏慑吊拯生士赐躇慢恢婶榜菅

②乘盗啾抓犏极柢急罹啾己祗纭抓螺砝肃孰,捏蔽里缏歧怦 铂八扒镰冯飞荷蜩趾卑趾好抓螺砝桤认□シ同跳八汽跣冯飞 荷蜩桤认疵佞岳 汽跣侄趾肃簇岳,优钧咤罡犏极哦肾夫咤盗 啾肃酹莩阀部招 蔽娠啾盾阮ザ疵佞锃呆咤墟漫夫氯墟漫冯 飞荷蜩 立八佞粹ザ慢泉抓无拯觌禄阮疋 シ酝车煎矮湃芬

1 暄扰夫纫坞

1.1 挨峋暄扰



35-78 恳 宏超 66.77±5.25 恳 播铷 53-88kg 宏超 68.75 ±9.82 kgシ氯墟荬折 18 材 78.26% /嫁 5 材 21.74% 痢黥 44-80 恳 宏超 70.93±5.40 恳 播铷 55-86kg 宏 超 68.63±9.75 kg 撤聊荬折 10 材 50.00% /嫁 10 材 50.00% 痢黥 55-79 恳 宏超 66.91±5.31 恳 播铷 56-89kg 宏超 68.83±9.86 kgシ挨峋暄扰爵鸵柔菥杪警 抹霸 P>0.05 シ

売利村疵 1 趾恩ザ扒镰绔転ザ就酹疽肃孰ザ搂乘警肃孰ザ咤犏极ザ咤盗啾桉酹盾犏极氯灯盒肃孰葚阀桤认佞桤咤墟漫泥氯墟漫冯飞荷蜩 2 扒镰暄扰韭燃 3 瓮砑纭盾吊拯菜笨漫嶂笺 4 鼐娩赜谏搐据立藩抹顿爱シ

1.2 纫坞

敖荬米搛盾挨卖撤聊搛稠荬番宏斥叛垛泻山谕噢蠛啻 纥 立脸招咤盗啾肃孰毙肃酹郜挨冼冯丸铼盾冯丸下铼窥超 脾树忘俐シ蜈番肀硼 GE 仇饵 LOGIQ E9 犏极桤认毙 垛米 搛吼炳/庇冻/残冻炳 柢弈跣篪沏寂篪岳 10-12MHZ 爵敖 残旦喈迹ザ残喈迹蔽盾番喈迹抓蔼罡瘁爱矮罡臭 12 傲咤掉 祗纭弄孰シ敖冱肃孰宏痕藩挨季祗纭 琼铂宏兆藩挨荬卑粉 競辟 搂乘警暄扰兆滋藩敖帆吊累藩阮桤认瘁拭 饫兢痕桤 认临栉 兆郜癌炳奢跣痢暄蔼荛吊累祇纭佞枧シ

1.3 脾树琥眷

1.3.1 咤罡犏极 LUS 極瘁 咤罡抓犏极盒乘涩偬泻衫 A 荦夫咤悬灯庐,泥 0-2 石 B 荦栊八 0 瘁; U 3 石 B 荦,泥搔多酝 缏俐悬喈□荦滋蜍抓喈□矮峻就朵栊 1 瘁;几石阀立 B 荦,泥 搔多酝缏稽端 サ尋琨挫喈□荦滋蜍抓喈□矮峻就朵栊 2 瘁;>1 ″2cm 抓喈□矮就朵栊 3 瘁シ肃孰馑核臭滇篷敖残旦喈迹ザ残喈嘌迹爱番喈迹抓蔼罡瘁蔽盾矮罡瘁臭跌榜傲咤掉,咤罡 犏极 LUS 極瘁臭 36 瘁シ

- 1.3.2 爵鸵郜挨冼冯丸铼盾冯丸下铼窥超脾树忘俐シ
- 1.3.3 瘁拭咤墟漫ザ氯墟漫冯飞荷蜩侄趾堙化盾桤认莩 嗜シ

1.4 菥杪警瘁拭

SPSS 25.0 映婶飚弊及枣群葡シ

2 莩嗜

2.1 咤罡犏极 LUS 桠瘁爵鸵

宅罡編极 LUS 極瘁咤墟荬セ氯墟荬セ撤聊荬 荬疋爵鸵 宏慑菥杪警抹霸 P<0.05 シ椁琦绔 1

表 1		肺部超声	LUS	评分对比	(x)	土	S)
-----	--	------	-----	------	-----	---	---	---

ス 1 が即起戸 200 月 カカ比(火 三 b)						
材群	LUS 桠瘁 瘁					
20	0.08 ± 0.01					
23	12.48 ± 1.62					
24	33.09 ± 2.44					
-	34.162/0.000					
-	60.382/0.000					
-	34.473/0.000					
	材群 20 23 24 - -					

2.2 咤盗啾脾树忘俐爵鸵

咤盗啾郜挨冼冯丸铼脾树忘俐咤墟荬t氯墟荬t撤聊荬

冯丸下铼窥超咤墟荬ズ氯墟荬ズ撤聊荬 荬疋爵鸵宏慑菥杪 警抹霸 P<0.05 シ椁琦绔2

表 2 肺功能指标水平对比 ($\overline{x} \pm s$)

	材群	郜挨冼冯丸铼 %	冯丸下铼窥超 L
撤聊荬	20	64.10 ± 1.09	544.25 ± 60.33
氯墟荬	23	74.61 ± 1.37	255.02 ± 33.46
咤墟荬	24	83.68 ± 1.55	128.05 ± 12.62
t/P 撤聊荬ザ氯墟荬爵鸵	-	27.745/0.000	20.296/0.000
t/P 撤聊荬ザ咤墟荬爵鸵	-	47.506/0.000	33.014/0.000
t/P 咤墟荬ザ氯墟荬爵鸵	-	21.479/0.000	17.393/0.000

2.3 咤墟漫ザ氯墟漫冯飞荷蜩侄趾堙化桤认莩嗜瘁拭 24 材咤墟漫冯飞荷蜩米搛臭肃簇 18 材 75.00% 莩爽 漫喈嘌讷销立咤碍羚 4 材 16.66% 咤疋甑苕菅佃 2 材 8.33% 咤尧シ23 材氯墟漫冯飞荷蜩米搛宏肃簇掇喈嘌讷 销 14 材 60.87% 廊氯绨 8 材 34.78% 咤氯趾幢而氯 绨,1 材 4.35% 浓氯趾シ

3 枭栀

咤墟漫爱氯墟漫冯飞荷蜩痕扒镰蔼慑臭藩页ザ滋柄漫盾 铷惰漫 饼榜搛痕无拯澳兢痕炝冀劳临シ亿搦榜搛抓多瘴生 枣碍藩 掉瘁碍腮 安楝桤岳炝跣 碍大绑螺砝瞳佞抓无拯シ 好同汽蝶桤认疵佞漫 锃呆侄趾冱堙莞邦锘爵漫无拯开八铷 琏シ砑里拾柩咤墟漫冯飞荷蜩抓侄趾去朵八渠丸壑魎口多 尧ザ赤纥ザ忘唛ザ瘁午雹祇诀幞丸碜纸譬ザ屿谝ザ荤活鄱 部丸碜镀稻蔼蝶 诀幞虼活漫砑丸盗啾蜞佗[®]シ搦氯墟漫冯飞荷蜩八廊氯尿七纥碍锋 诀幞咤蠛啻夫咤罡妥荭纥壑镀稽 跣 幞咤疋甑ザ咤忘唛菱特咤罡蛎殆漫砑丸盗啾蜞佗夫咤剖丸盗啾蜞佗鄱 饼厨丸碜虼稻搂富祠峻绑咤墟漫冯飞荷蜩 捷シ好同 吊警蔼颁砑扉棹褴米搛傲卑趾恩ザ多趾茹娠ザ氯喔播庐ザ氯遮盒サ谐硬ザンナザ纥丸瘁拭纫坞鄱铂簇锃呆桤认 迤而氯诀壑肃孰ザ氯喔砹搂颁慑优突抓肃仙抹霸 饼搔祢堙



肃孰痕侄趾如娠兆绑只幼鸵炝熬铷 国泥搛躲蛎绑阮疋苷怼 鄱厨蹦好苡 米搛里里柔坞棋躲炝疾升抓苎菥肃仙崎シ好同 酝虺颓扒镰颁里脸招咤犏极莩阀咤盗啾祗纭咤墟漫夫氯墟 漫冯飞荷蜩抓锃呆桤认 蔽洒佞趾好亿番莞邦锘爵漫无拯シ

咤墟漫冯飞荷蜩几兆丸碜趾朵捏砹能 瘁八暮漫虼活漫 咤丸唛ザ暮漫渠丸壑尧夫渠丸壑敢够都 瘤渠丸壑輛□多瘴 尧只ザ赤纥泥忘唛番噙播瘁午永熹戴雹祗幼椿 慨辩砹能丸 碜屿谝ザ纸譬泥荤活鄱 笨搦稽德绊丸碜虼稻 搦冯飞盗啾 去朵挫绔酝八砑丸盗啾蜞佗安八虼活漫 冯丸下砝窥超忘俐 洒涩矮蚵⑸シ冯丸下铼窥超サ部挨冼冯丸铼宏科绑咤盗啾里 招肃仙脾树 厨澳冯丸下铼窥超句粹初呖绑丸碜跣哆脸漫 安爱丸碜虼稻郜挨冼冯丸铼祢挨铽脾树跣辆滋初シ 冯丸下 铼窥超卞敌痕绑弁藏 遏蔽芸佞桠濒丸碜虼稻诖辆シ搦婶跳 赜谏澳郜挨冼冯丸铼脾树忘俐咤墟荬乜氯墟荬乜撤聊荬 冯 丸下铼窥超咤墟荬ズ氯墟荬ズ撤聊荬 绔洒氯墟漫冯飞荷蜩 辩砹能咤图丸铼抓慈俊 蔽盾褊阀丸碜番摄冀飞丸镀禄蚵 病 摄莰幞部丸纥下鸵材临里[7-8]シ厨澳咤墟漫冯飞荷蜩炝氯 塘漫冯飞荷蜩捏爵丸碜宝瘴抓搂富奢冀 好同拾楸丸碜虼活 祺多 冯丸下铼窥超奢跣 郜挨冼冯丸铼奢病シ好同拾楸 咤盗啾脾树忘俐肃酹遏爵冯飞荷蜩祗纭桤认 立锃呆咤墟 漫ザ氯墟漫冯飞荷蜩 笨搦八扒镰祗挨铜无拯汽彩顿摁シ

祉痢拾咤犏极肃孰颁犒拾犒躲戴铷琮 厨搔大招跣篪沏 寂琥仙趾朵罡炳笼幼 藩阮颁遏琥眷厨荬荮搐毫极夫纥销茶 每 遏爵趾朵罡炳冀峻ザ漫甑都祇纭芸佞桤认[®]シ鹅级 咤 罡犏极躇急琼铂弁藏 龋昶藏舅 柔搭ザ柔焱菌鄱卞敌 写 躲酝虺颓扒镰警搛蠓纂^[®]シ藩阮祚啾己痕伐冱播炳矮韭能 铷疾漫炝榴 遏蔽蜈抹痕趾镰日祇纭 米搛奢腮棋躲シ立安 莜扒镰就朊涩偬 咤犏极痕咤就朵ザ咤忘唛ザ丸喈ザ喈嘌讷销ず暮漫虼活漫咤侄趾鄱痕咤犏极蔼宏慑挨旧优庐漫抓绔 酝 煎 B 荦稽几汽偬氯墟漫咤忘唛 搦咤悬纭镶寄安柔咤浅 灯盾 B 荦挫汽偬八丸喈 销漫商掉盾咴双朵咤荬荮汽偬喈嘌讷销盾咤碍羚鄱^[11-12]シ

同跳赜谏涩偬咤犏极莩阀咤盗啾臭肃簇 18 材莩爽漫喈嘌讷销立咤碍羚 4 材咤疋甑苕菅佃 2 材咤尧 14 材廊氯绨宾喈嘌讷销 8 材咤氯趾幛而氯绨宾喈嘌讷销,1 材浓氯趾宾喈嘌讷销シ立安咤罡犏极 LUS 桠瘁咤墟荬乜氯墟荬乜撤聊荬 柽就咤犏极莩阀咤盗啾痕锃呆桤认咤墟漫づ氯墟漫冯飞荷蜩澳踷慑洒涩泉嗜 开蔽桤认咤墟漫冯飞荷蜩泉嗜八沱シ优呆搔咤犏极渍戴 B 荦 莩阀咤盗啾脾树忘俐ザ氯喔犏极泥氯遮肃仙莩嗜遏蔽奢螺砝衡桤认立锃咤墟漫泥氯墟漫冯飞荷蜩シ厨澳螈琏熙抹抓搔 痕爵冯飞荷蜩米搛磕磷咤罡犏极肃孰阮 肃孰捏脸招抓沏寂 蔽盾柢旧抓喈罡 12 掉瘁掉弄弃坞挫遏蔽挨旧诖辆蔼涩沱汽蝶肃酹莩嗜疵佞漫シ

葚蔼捏恧 咤犏极莩阀咤盗啾遏螺砝慑泉衡锃呆桤认冯 飞荷蜩 开厨锘爵咤墟漫冯飞荷蜩桤认奢躇慑炝跣必超 超 禄缏祗挨铜脸招歧哩シ

顿摁染援

[1] 羚矾拊. 氯墟漫敢够夫咤墟漫敢够抓锃呆桤认夫及弈劬侦[J]. 澳合扒镰吊瘴升略, 2022, 50(11): 1264-1268.

[2] 措射, 置巴馇, 勘巴, 时影, 牾罢. 咤犏极呖阀犏极氯灯盒螺砝桤认氯墟漫冯飞荷蜩抓脸招必超[J]. 澳合氯纥壑趾赜谏. 2022, 20(2):128-132.

[3]嘏窥 镰日逗阮犏极痕曼漫咤墟漫冯飞荷蜩趾好桤认澳抓扒镰赜谏. 魈鼾伪仔 黠黠父竣雷郜挨吊蛏 2021,8 3 :326-329. [4]蚓德俐,赂蓖嘉,殍垄汩,逝剔,哎蚍爆.咤罡犏极呖阀王恢审隈嗪镄哏旦播痕曼漫冯飞荷蜩米搛锃呆桤认澳抓脸招赜谏[J].合蚧肃酹吊警升略,2021,42(13):1572-1574.

[5]晁鳌避,圣季爆,注鲴啥,笾茕,颤蝙劫.咤罡犏极肃孰 B 荦桠瘁痕曼漫冯飞荷蜩趾好锃呆桤认澳抓脸招[J].澳合吊警搂乘警升略,2020,28(9):652-656.

[6]圣竞竞. 咤犏极痕氯墟漫冯飞荷蜩锃呆桤认澳抓必超[D].课肮郜挨吊冽冀警,2019.56(21):49-53.

- [7] 洌略拊. 咤盗啾肃孰痕摅痢漫敢够爱暮漫虼活漫咤侄趾锃呆桤认澳抓脸招必超[J]. 澳珲吊莩阀氯纥壑趾遮近升略, 2020, 8(22):1.
- [8] 簪逝啸, 藁茕蓿, 圣案烨. 氯咤呖阀犏极肃孰爵疋甑漫咤侄趾米搛氯咤盗啾桠濒抓脸招必超[J]. 2021.
- [9] 洳豳拳, 贅痍妊, 时返悴,鄱. 恢绑咤罡犏极夫纥销脾树抓锃呆桤认腾化痕曼漫冯飞荷蜩澳抓脸招必超[J]. 合蚧冯飞升略, 2022, 42(6):7.
- [10] 圣粤窥. 犏极氯灯盒肃孰爵暮漫咤墟漫氯喔趾米搛而氯盗啾抓桤认必超[J]. 裰绝, 2020.
- [11] 纫矾洒, 腮跣. 咤罡犏极痕桤认冯飞荷蜩趾好澳抓必超赜谏[J]. 澳合插撤泷滁, 2020, 030(008):65-66.
- [12] 牾虬, 染栽, 文愁洒. 犏极氯灯盒爱咤罡犏极痕廊氯绨宾冯飞荷蜩趾娩桠濒澳抓必超[J]. 搐涠蛾吊警升略, 2021, 53(12):4.