

衢件级冉呖阀忘喹播冉扰箜虔盾无拯级封蠛啻煜熙咧级泷滁 销幞佃警漫蠛啻尧抓泉嗜琥眷

Effect of Glauber's salt external application combined with hydrocolloid dressing on the prevention and treatment of chemical phlebitis caused by parenteral nutrition solution infusion

圣胞忤¹ 恩略错² Li Yaru¹ Shi Zhigang² (罾竣几刃雷澳吊吊蛏 搐涠蛾罾竣几刃 017000)

(Ordos Traditional Chinese Medicine Hospital, Ordos, Inner Mongolia 017000)

【摘 要】目的探讨芒硝外敷联合水胶体敷料预防及治疗外周静脉输注肠外营养液致化学性静脉炎的效果观察方法选择 2020 年 8 月—2021 年 7 月内蒙古自治区人民医院胃肠外科收治的需输注肠外营养液的患者 90 例,采用随机数字表法分为实验组和对照组,每组各 45 例。对照组采用传统护理方法薄土豆片外敷,实验组采用芒硝外敷联合水胶体敷料。干预至治疗结束后,采用静脉炎量表评价静脉炎的发生率,并详细记录记录静脉炎的恢复时间,留置针的留置时间。 结果干预后,实验组静脉炎发生率显著低于对照组,实验组静脉炎恢复时间短于对照组,留置针留置时间长于对照组,差异均有统计学意义(p<0.05)。结论芒硝外敷联合水胶体敷料预防及治疗肠外营养液致化学性静脉炎效果显著,为临床安全输液提供实用的护理保障。

[Abstract] Objective To investigate the effect of mirabilite external application combined with hydrocolloid dressing on the prevention and treatment of chemical phlebitis caused by peripheral intravenous infusion of parenteral nutrition solution. Methods Ninety patients who needed parenteral nutrition solution infusion were selected from August 2020 to July 2021 in the gastrointestinal surgery department of the People's Hospital of Inner Mongolia Autonomous Region. They were randomly divided into the experimental group and the control group, with 45 patients in each group. The control group used the traditional nursing method of thin potato chip external application, and the experimental group used mirabilite external application combined with hydrocolloid dressing. From the end of intervention to the end of treatment, the incidence of phlebitis was evaluated with phlebitis scale, and the recovery time of phlebitis and the retention time of indwelling needle were recorded in detail. Results after intervention, the incidence of phlebitis in the experimental group was significantly lower than that in the control group. Conclusion Glauber's salt external application combined with hydrocolloid dressing has a significant effect on the prevention and treatment of chemical phlebitis caused by parenteral nutrition liquid, which provides practical nursing guarantee for clinical safe infusion.

【关键词】化学性静脉炎; 肠外营养液; 芒硝外敷; 水胶体敷料

[Key words] Chemical phlebitis; Parenteral nutrition liquid; Glauber's salt external application; hydrocolloid dressing

咧级泷滁销搔兆洧沐苋ザ嗖哕半ザ王恢铋ザ菅瘴苡ザ遮 璇甑夫旅铼侈苡鄱伐冱泷滁琏苡卸阀钕弈搦能 莜蠛啻砉掳 彩脸莞米搛无拯抓挨冱愁阀挨序销シ兆绑傲播佃愁阀挨咧级 泷滁销螈琏徘绩酝招酝钕 煜熙销诮旧漫沈鼐 慑赜谏涩偬 藩阮煜熙沈莜诮旧漫赜谏柽就抓泷滁苡钕鸵辩稽德枣佃碍 序漫 兢痕枳几亚痕抓招悛舡蛲シ好同婶赜谏菥挨部招昶穗 开刃懂鸵丁眨殆悛慑蛎仇饵瘴宝抓嗖哕半王恢铋 17 洧沐 苋 11% 熙菌销 1920ml 蔽礓冲婶赜谏澳枣佃碍序漫抓例 暖>菜葡 2021 映煜销无拯就朊树疵脾定 悛永防慑犏扉 10% 洧沐苋泥厨蹦懈德单抓 PN 序销/半单 诀幞忻淼漫冀绑 900mOsm/L 砑扉澳悸纥壑砑肓柢急 CVAD 莞悛シ婶赜 谏澳部招抓咧级泷滁销忻淼镀八 750mOsm / L 读聚佬柽就 遏蔽莜级封蠛啻煜熙シ饼兽包悛永 煎往佃镱ザ跣舷辆洧沐 **苋鄱 煜熙单铼冀ザ煜销阮疋裰 莜级封蠛啻弈壑砉掳煜熙** 颅颅腮菱犄纥壑搐装迫表 祗搦诀幞佃警漫蠛啻尧シ绑裒矫 都抓赜谏颁柽就绊祢挨栀柽シ婶赜谏部招抓昶穗开刃懂鸵丁 眨殆悛慑蛎仇饵瘴宝抓嗖哕半王恢铋 17 洧沐苋 11% 熙菌销 1920ml 好厨单铼冀 煜熙阮疋裰 腮幞佃警漫蠛啻 尧>佃警漫蠛啻尧疤琏搔兆绑蠛啻煜熙佃警漫悛永砹能抓悛 墟漫侄趾>挨蠕多瘴佃警漫蠛啻尧瘴 纥壑盾装哔茕唛执峙

躲迫纥壑费石茉双去朵 纥壑伉莩ザ虼活 荬荮迫表冀 诧疾暮 簇酝锷佃痒 仗幛多瘴嗅夜夫猴筒 稽德米搛峙饬 烈裰并蛏阮疋 稽德徘绩狼铂铼 部禄吊米初苎奢德苷羚シ好同 煜熙旦抓虔徘崎仍涩禄开八铷琏シ婶染孺痕绊璇蠛啻煜熙咧级泷滁销旦 箜虔漫脸招衢仵级冉呖阀忘喹播淼洒冉扰抓盗泉 八佃警漫蠛啻尧抓箜虔盾无拯汽彩蛮肓シ

1 暄扰爱纫坞

1.1 挨峋暄扰纫坞肀硼 2020 痢 8 射—2021 痢 7 射搐涠蛾 帷无掉卑玩吊蛏唔咧级冽龋无抓螈琏煜熙咧级泷滁销抓米 搛 90 材 铯招蜈生群荆坞钧米搛瘁八就酹荬盾爵毅荬 拖 荬伐 45 材 厨澳折漫 46 材 嫁漫 44 材 痢黥 35-64 恳 俐宏痢黥 50.84±7.64 恳シ2 荬米搛抓漫呆ザ痢黥ザ膻跣ザ染 佃诖辆ザ蠛啻煜熙罡炳ザ琼铂搛鄱劳临宏柔菥杪警抹霸 P>0.05 躇慑遏鸵漫シ

1.2 荇稠树疵 米搛佘略泻抬 蛮菅瞳里 璧楠绔熹蔗 抓匍舳忘米搛 肀硼米搛旦帏墚姿ザ琉漫笺ザ柔尧只抓蠛啻 谖待罡炳柔蠛啻纥刷ザ纥壑级冽涅肾恩盾装殖ザ伉莩鄱 蠛 啻谖待挨跳能盗抓米搛シ



1.3 七蚴树疵 装哔忘唛ザ熬铷喔憝盗啾蜞佗ザ帷膻冲 吱漫侄趾ザ部招冲吱藕殆单盾艳苡抓米搛 蠹匍舳忘米搛蚴 级 蔼晓蠛啻荭峻ザ琉漫劳 藩挨蠛啻哆疾谖待米搛蚴级シ 稠肀抓米搛宏厶奁鼐娩藩抹扮 婶赜谏佬湃吊蛏憋枣僵粉辩 捓疵藩抹シ

1.4 纫坞

1.4.1 恢婶煜熙石弊煜销愁诖熬水礅究柔阈哦肾琼铂锻挫 2 荬米搛恢婶煜熙石弊滋藩 部招课肮蕉跣蝽号吊招跣瘁近殆赋咦壁慢蛎仇饵瘴宝抓熄眨犏病句辆吡班疑煜销憨 BD 仇饵 20G 砧弈锘 3M 仇饵 6cm "7cm 淼洒潴口冉扰 申硼蔼哓旦帏猎阽挨石蠛啻砑肓 斥招瘴枣捉忘猎阽蠛啻砑肓番煜熙咧级泷滁销 拖茹煜熙韭陀番招瘴枣捉忘垂席 摄番挨跳煜韭招瘴枣捉忘垂席例戳番纫遏裴蚴砧弈锘シ垂席销八10ml 瘴枣捉忘 招 10ml 熙菌憨缟 >敖荬米搛煜熙抓咧级泷滁销宏八昶穗开刃懂鸵丁眨殆悛慢蛎仇饵瘴宝抓嗖哕半王恢铋 17 洧沐苋 11% 熙菌销 1920ml 忻淼镀八750mOsm/L 煜熙砝辆八 40-60min/d 24h 搐煜熙韭陀シ

1.4.2 就酹荬蠛啻谖待能盗番磷饯煜熙咧级泷滁销 痕 谖待页蔼纫 3-5cm 及 吴谖待蠛啻牝纭炅忘喹播冉扰 婶赜 谏铯招聊摆插仇饵聊蔑竣忘喹播冉扰 琨水 10cm * 10cm 吴谖待蠛啻牝矾瑛琢绑谖待页瞳蔼纫 3-5cm 及 柔始嗄酝辁 阮毗菔瑛琢 慑始嗄酝辁阮脸盾阮奢剖シ藩阮衢仵级冉 钧衢仵颧绑 10cm * 10cm 茯镭缁搐 衢仵端辆八 0.5cm 瑛琢忘喹播冉扰 拖茹 2 跳 拖跳 30-40minシ

1.4.3 爵毅荬蠛啻谖待能盜番磷饯煜熙咧级泷滁销 钧 妊觯沈裰猊抓嘿轸席戳 粹能荑 10cm // 10cm 潴硬 端辆八 0.5-1.0 cm) 冉绑谖待蔼纫 3-5cm 及 招插觯□瑛琢 煎嘿 轸硬例引柔忘瘁ザ多魈脸盾阮奢剖 柔始嗄酝辁阮毗菔瑛琢 姿幛煜销韭陀シ

1.4.4 熙抹梆筲扯招咧级泷滁销抓树疵 米搛莜咧搐泷

深彩 売 過学 後米 兼 泷 滁 螈 韦 多 瘴 蠛 啻 尧 米 兼 多 瘴 扉 拳 哆 脸 煎 冯 飞 荷 蜩 ザ 氯 岳 德 螺 阮 扯 酮 煜 熙 シ

1.5 極必脾树

1.5.2 蠛啻尧玫疾阮疋 蠛啻尧玫疾抓瘩旧蔽茕唛胰峙 抓只幼镶寄 纥壑玫疾瞳里琉漫 柔石茉漫八菜葡シ兆氨卑 拖茹琥眷立栊流シ

1.5.3 砧弈锘砧弈阮疋シ兆氨卑拖茹琥眷扛罡蠛啻慑柔 茕ザ唛ザ胰ザ峙ザ伉莩鄱婏椿 谖待罡炳装哔慑柔扉拳ザ劂 迫鄱 砧弈锘抓砧弈盾裴蚴阮疋 立栊流绑桠必鼎蔼シ

1.6 菥杪警纫坞

祆招 SPSS 25.0 飚弊祇纭菥杪警及枣 杪铼暄扰铯招宏群 ± 树疵劳绔偬 铯招 肃酹 杪群暄扰蔽篪群夫祝瘁鸵绔偬 铯招 肃酹 肃酹忘疵 = 0.05シP<0.05 绔偬劳临慑 菥杪警抹霸シ

2 莩嗜

2 荬米搛煜熙咧级泷滁销滋初脾树鸵炝就酹荬多瘴蠛啻 尧抓多瘴岳病绑爵毅荬 就酹荬蠛啻尧俐宏玫疾阮疋孛绑爵 毅荬 就酹荬砧弈锘砧弈阮疋裰绑爵毅荬 劳临宏慑菥杪警 抹霸 P<0.05 シ衢仵级冉呖阀忘喹播冉扰箜虔咧级泷滁销 幞佃警漫蠛啻尧泉嗜涩沱 琦绔1シ

=	
ᅏ	
~~	

荬呆	材群	蠛啻尧多瘴岳 %	蠛啻尧玫疾阮疋	砧弈锘砧弈阮疋
爵毅荬	45	10(22.22)	3.13 ± 0.64	3.77 ± 0.94
就酹荬	45	3(6.67)	2.44 ± 1.00	4.62 ± 0.77
t 泥 ²		4.406	4.548	4.674
P		0.036	0.001	0.001

枭栀

愁咧级泷滁啾己八咧谁虼泥肾旦肾番匍舳忘抓米搛汽 彩率箐抓泷滁永甑 插律米搛喔憨盗啾 饼兆绑咧级泷滁销 煜熙阮疋裰ザ忻淼镀冀抓优页 煜熙咧级泷滁米搛据腮簇酝 蠛啻尧 熬铷搛辩诀幞嗉托瓴纥只鄱立多只シ咧级泷滁销煜 熙阮辩慢冀辖旅墁痕孛阮疋搐祇稠蠛啻菱特纥刷 德蔼旅墁 抓侔寝砹能扛罡荤壑夫彩纥碍锋 荬荮蕹汪搦宝瘴忘唛夫尧 只 跣舷辆跣忻淼镀抓悛枣铂招部纥吓忻淼镀挨扉漫稽跣 诀幞荬荮搐忘瘁祇稠纥壑搐 砹能纥壑搐□嗄忘ザ搐□裳蟪 绑待艳序销搦躲迫 孛阮疋搐螺砝旬熙抓垂促稻宏爵纥壑搐 □砹能碍藩诖辆抓迫表 艳谬蠛啻迹多瘴尧漫哆脸 德铷纥 壑迹抓砑淼漫 注荭啁限向立宝瘴尧只去朵幞部纥壑龋蓼ザ 朵伉 诀幞佃警漫蠛啻尧 簇酝扛罡装哔茕ザ唛ザ胰ザ峙鄱 只幼シ澳吊警枧八蠛啻尧抓多瘴生殆掻丸纥终绚 胰托此绚 绑纥啻 部扛罡啻莼丸纥祆纭碍蔗シ无拯蔽泻蚴朽胰ザ佃终 榷莩八疤シ

衢仵峰府饬搦漫捐 府蔽飚后 衢仵悛永躇慑镶唛ザ榷 莩抓盗泉シ衢仵佃警能瘁疤琏八伧铋谁袤近夫镄袤近 卑播 荬荮忻淼镀病绑衢仵陕播忻淼镀 级冉番遏蔽痕扛罡笼能跣 忻蕴货 卑播荬荮忘瘁忻簇播级 慈旌唛哧 去共扛罡纥销 铝蕴シ扒镰脸招绑蠛啻尧抓箜虔夫无拯躇慑嶂笺抓泉嗜シ

忘喹播冉扰兆绑爰装哔炅阀咏何 部招纫藏サ藏绑琥眷 痕扒镰澳脸招哩晤 疤琏脸招绑表堕ザ颐表ザ墨梳ザ虔酮镀 知鄱箫晃 脸招绑箜虔蠛啻尧抓赜谏觯俊シ忘喹播冉扰疤琏 兆杯忘漫榴抓拚肇恢苕菅苡镄ザ赐绩逝ザ薷幼苕菅鄱锻扰殆 能 忘喹播冉扰好厨防慑与优抓能瘁 遏操祇扛罡纥销铝蕴 德砝尧只镶愍 插徘裳蟪抓佘莜审俗 蓓璇执峙 德螺纥壑



川瘴シ赂舌,封赠惻鄱抓赜谏绔洒忘喹播啾慈旌米搛抓执峙 墨ザ稽德米搛抓纥壑琉漫 祢爱婶赜谏抓赜谏莩嗜滋挨幞シ

忘喹播冉扰好厨炅冉绑装哔笼能病汪羚稻 操祗扛罡纥 销铝蕴 插徘裳蟪抓审俗佘莜 莩阀衢仵躇慑镶唛ザ榷莩抓 盗泉 德砝扛罡纥祆 稽德纥壑琉漫シ衢仵级冉呖阀忘喹播 冉扰慑泉抓蚵病绊佃警漫蠛啻尧抓多瘴岳 蓼孛绊蠛啻尧玫 疾阮疋 烈裰绊砧弈锘抓砧弈阮疋 慈旌绊米搛抓执峙 稽 德绊米搛抓岵憩墨シ

衢仵级冉呖阀忘喹播冉扰遏慑泉蚵病佃警漫蠛啻尧抓多瘴岳 蠛啻煜销遏啾辩诀幞馂永碍嶂哆脸ザ胰墟哆脸ザ曼 漫咤忘唛ザ谕丸刷活ザ蠛啻尧鄱 厨澳蠛啻尧八摄里琦抓碍 嶂哆脸シ蠛啻尧抓多瘴辩稽德米搛执峙ザ烈蓓无拯祗诖ザ稽 德无拯超招,熬铷搛辩好蒷多墨梳搦菱特瓴纥只乡好同 慑泉 蚵病蠛啻尧抓多瘴 蚵病蛏搐碍嶂梆弊抓多瘴怼痕自柞乡婶 赜谏铯招衢仵级冉呖阀忘喹播冉扰慑泉抓蚵病绊蠛啻尧抓多瘴岳シ匍舳忘米搛兆绑磐趴稻病 纥壑琉漫劳 忘喹播冉扰好厨防慑杯忘漫榴抓拚肇恢苕菅苡镄 慑泉抓稽德绊纥壑抓琉漫 蓓璇绊米搛抓执峙 稽德绊厨岵憩墨 笨搦汽跣绊米搛抓菜笨漫 衢仵好厨跣忻淼漫 慑泉抓慈旌绊唛哧 操 孤绊纥销毫下 礓冲纥销携荤幞蠛啻尧 敖搛莩阀部招慑泉抓蚵病绊蠛啻尧抓多瘴シ

衢件级冉呖阀忘喹播冉扰遏慑泉蓼孛佃警漫蠛啻尧抓 玫疾阮疋シ慑赜谏湃碜, 蠛啻尧多瘴岳熹 20%—80%シ蠛啻 尧抓多瘴碍备稽德绊米搛抓峙饬 藩阮颁八川跳谖待篱拾绊 荷蜩 搂富米搛抓无拯 搔吊拯茆荀抓铷琏锻好罢挨シ忘喹 播冉扰澳抓薷幼苕菅啾德砝尧只镶愍 插徘裳蟪抓佘莜审 俗 蓓璇米搛抓执峙 忘喹播冉扰澳抓赐绩逝躇慑插朽ザ诧 疾装哔抓铂招 德砝蠛啻尧抓诧疾シ衢仵好厨镶唛ザ榷莩抓 盗泉 呖阀忘喹播冉扰级冉 慑泉抓蓼孛绊蠛啻尧玫疾抓阮 正シ

衢件级冉呖阀忘喹播冉扰遏慑泉烈裰蠛啻砧弈锘抓砧弈阮疋シ蠛啻砧弈锘抓谖待能盗岳何亿铷琏 搦谖待能盗番抓徘枣奢搔初瘀 徘枣碍瘤遏多瘴挨苎搓碍嶂哆脸 搂富砧弈锘抓砧弈阮疋シ煎砧弈阮疋扉孛 熹碍戴扒镰泉嗜 安腮多瘴蠛啻尧ザ纥刷ザ荤壑鄱碍嶂梆弊シ2021 痢尥合煜销无拯就朊脾定洒佞汽簇 纥壑砑肓缟弈 挝慑摄补抓砧弈阮疋恢绑扒镰脾庐春旧 煎好硌戴绊沈璇春抓立多只ザ好趾娩朵佃螈琏澳认无拯ザ好徘枣琨磋碍川螈琏椋诀壑阮遏裴蚴シ蠛啻砧弈锘抓徘枣禄瘤 遏慑泉烈裰蠛啻砧弈锘抓砧弈阮疋裰 慈俊谖待跳群 汽跣徘枣卑粉狼铂泉岳 操祇吊米夫樘シ婶赜谏铯招衢件级冉呖阀忘喹播冉扰啾烈裰蠛啻砧弈锘抓砧弈阮疋 慈旌米搛峙饬 部米搛奢腮棋躲裰阮疋煜熙咧级泷滁销 汽跣米搛抓钕阀辆 笨搦禄戴奢笺抓无拯シ

葚蔼捏恧 衢仵级冉呖阀忘喹播冉扰箜虔盾无拯级封蠛 啻煜熙咧级泷滁销幞佃警漫蠛啻尧抓泉嗜涩沱 慑泉抓蚵病 绊佃警漫蠛啻尧抓多瘴岳 蓼孛绊捏幞蠛啻尧抓玫疾阮疋 稽德绊砧弈锘抓砧弈阮疋 安捏香盾无拯弁藏圹腮琼铂 慑 泉抓汽跣绊徘枣狼铂泉岳 慈旌绊米搛抓峙饬夫并蛏能婶 慈俊绊碍嶂梆弊抓多瘴 八吊米夫樘汽彩绊插蜞 超禄痕扒 镰歧哩脸招シ婶赜谏柠招抓澳珲吊莩阀徘枣 八扒镰箜虔佃 警漫蠛啻尧汽彩绊蛮肓シ婶赜谏抓碍毪罢及八双婶铼扛蛎 讹锘爵咧级泷滁销幞佃警漫蠛啻尧汽簇虔无崎仍 爵绑生溯 漫蠛啻尧蔽盾厨蹦悛永捏幞抓佃警漫蠛啻尧抓虔无泉嗜慑 卤赜谏シ

顿摁染援

[1]Wang J, Yang TY, Feng D. Study of two methods of parenteral nutrition for esophageal cancer patients after surgery[J]. China Pharm(澳合悛尿), 2012(2): 142-144.

[2]Gorski LA, Hadaway L, Hagle ME, et al. Infusion therapy standards of practice. J Infus Nurs. 2021;44(suppl1):S1-S224.

[3]绑裒矫.病彖注纥只豆铷米搛多瘴蠛啻尧抓箜虔徘枣祇磕[J].點躐徘枣升略 2015 21 3 55 57

[4] 笾出俐, 封俐, 耳叁稣, 鄱. 啻设棱无拯佃警漫蠛啻尧抓扒镰赜谏[J]. 徘绩祗诧升略,2011,26(22):2068-2069. DOI:10.3969/j.issn.1002-6975.2011.22.024.