

唔咧碜慈镀痕曼漫啜噙尧搐冽葚阀无拯澳抓脸招必超盾徘枣 例箜

Application value and nursing intervention of gastrointestinal decompression in comprehensive medical treatment of acute pancreatitis

羚巴 Zhang Li (憷珲雷卑玩吊蛏镶佃冽 课肮蠓窟 266600)

(Department of Gastroenterology, Laixi People's Hospital, Qingdao, Shandong 266600)

【摘 要】目的:判定评估分析于胰腺炎急性对象内科综合治疗中施用胃肠道减压和相应护理干预的价值及对其干预情况与相关联指标等影响性。方法:初始时间设定为 20 年 9 月,终止时间设定为 22 年同月。择选期间医院收治的施行内科综合治疗的 74 位胰腺炎急性病人展开探察,根据上述者入院确诊并行个体干预的时间次序开展数字 1 到数字 74 排号,遵循单双准则行分组(单对照、双观察,n=37),采取差别性质方案如普通护理或者胃肠道减压及相应护理。判定评估上述对象干预情况以及相关联指标情况,比照其心态变化与舒适度及对干预措施跟效果的认同性。结果:对照、观察两组人员在差别性质方案采取下,后者干预总有效率数值 94.59%和前者对应数据 78.38%比较具有明确增长性,相关联指标如初排气(3.18±0.60)d、初排便(4.13±0.47)d与住院时长(7.00±1.89)d皆优于另一组(4.62±0.62)d、(5.08±0.44)d、(8.76±1.53)d,差异显著(P<0.05)。普通护理或者胃肠道减压及相应护理施用之前病人心态均有较大波动性,比较无意义(P>0.05)。之后对照组负性情绪判定数值(108.24±3.05)分高于观察组(100.83±2.82)分,心理状态较差(P<0.05)。在内科综合治护中运用不同措施后,两组行总舒适度、总认可度比照,观察组对应数据 94.59%、91.89%相比于另一组72.97%、70.27%均有显著提升(P<0.05)。结论:在胰腺炎急性患者内科综合治疗中采取胃肠道减压和相应看护服务有确切效果,利于其相关联指标与心绪情况改善,可提升病人舒适程度,施用恰当且收获广泛认同。

[Abstract] Objective: To determine, evaluate and analyze the value of gastrointestinal decompression and corresponding nursing intervention in the comprehensive medical treatment of acute pancreatitis patients, as well as its impact on the intervention and related indicators. Methods: The initial time was set as September, 20 years, and the termination time was set as the same month of 22 years. During the selection period, 74 patients with acute pancreatitis who received comprehensive medical treatment in the hospital were investigated. According to the time sequence of admission diagnosis and individual intervention of the above patients, the number from 1 to 74 was arranged. The patients were grouped according to the single and double criteria (single control, double observation, n=37), and different schemes were adopted, such as general nursing or gastrointestinal decompression and corresponding nursing. Determine and evaluate the intervention and related indicators of the above objects, and compare their psychological changes and comfort and their identification with the intervention measures and effects. Results: The total effective rate of the latter group was 94.59%, and the corresponding data of the former group was 78.38%. The related indicators such as initial exhaust (3.18 ± 0.60) d, initial defecation (4.13 ± 0.47) d, and length of hospitalization (7.00 ± 1.89) d were significantly higher than those of the other group (4.62 ± 0.62) d, (5.08 ± 0.44) d, and (8.76 ± 1.53) d (P<0.05). The patients' mentality fluctuated significantly before general nursing or gastrointestinal decompression and corresponding nursing (P>0.05). After that, the negative emotion judgment value of the control group (108.24 ± 3.05) was higher than that of the observation group (100.83 ± 2.82), and the psychological state was poor (P<0.05). After applying different measures in the comprehensive treatment and nursing of internal medicine, the total comfort and recognition of the two groups were compared. The corresponding data of 94.59% and 91.89% in the observation group were significantly higher than those of 72.97% and 70.27% in the other group (P<0.05). Conclusion: Gastrointestinal decompression and corresponding nursing services in the comprehensive medical treatment of acute pancreatitis patients have a definite effect, which is conducive to the improvement of its related indicators and mood, and can improve the comfort level of patients. The application is appropriate and widely recognized.

【关键词】胃肠道减压; 急性胰腺炎; 内科综合治疗; 护理干预; 相关指标; 满意度

[Key words] Gastrointestinal decompression; Acute pancreatitis; Comprehensive medical treatment; Nursing intervention; Relevant indicators; Satisfaction



痕扒镰趾只澳曼漫啜噙尧滋爵里琦安几兢痕冯飞曼操ザ 蔼噢罡执峙鄱绔酝 遏铯垛搐冽葚阀无拯安泉嗜爱箜番宏炝 笺^[1-2]>·栩葡滋初娠翠升略瘁拭绔洒痕趾卑桤无娠仍招唔咧碜 慈镀崎仍爱滋脸毅徘设得遏痕稽榴例箜漫抓藩阮操祗厨玫 疾^[3-4] 婶染锘爵同蔽 20 痢 9 射戴 22 痢藩射绑吊蛏祗纭搐冽 葚阀无拯抓啜噙杀曼漫趾卑 74 炳磕磷沏眷シ

1 暗扰爱纫坞

1.1 挨峋暄扰

1.2 纫坞

敖荬荬粉宏纭搐冽葚阀无拯 煎爵纥吓衺近舷辆纭熬水 拙仙 佞插镱ザ锷招铼阀枣 仍招铉暇漫爰啜噙瘁午藕殆悛 永 磷磕墨梳箜虔爱绐销例箜 爵簇纥ザ哞绨娩椿纭盾阮慑 泉及枣鄱シ

1.2.1 爵毅荬

邦蔽趾娩拙仙ザ趾只柩璇ザ熙抹梆筲楸洒ザ招悛番琥眷 鄱刪砑徘枣シ

1.2.2 琥眷荬

1.2.2.1 唔咧慈镀

蔽硼申搛趾椿纭唔壑申垛 急嘏姹屋 钧壑碜旦隈弈绑 厨澳 佞插向悬シ唔壑泣稠罢旦泻熄硼申爵辁麟嘌 卤厨疵 急笺番纭泣壑 麟嘌临里搛斥纭及枣 稠赴沟阮脾诀米搛祗 纭贩赴钕阀シ泣稠妒堀群遏申垛痕 55 戴 68 罢疋 绑麟揆何 旧番纭戥镀憨祧棋 祗纭戥镀菱下爱菱下永琥眷シ

1.2.2.2 徘枣

1.3 琥眷脾树

1.3.1 例箜泉嗜

審旧硼争搛例箜泉嗜八涩沱阮 树疵痕 脾树玫疾泥躇 洒佞去共 肃孰莩嗜绔洒朝漫夯唛ザ嗉唛爱讷销鄱沈琦 泉 嗜八兢痕阮 脾树ザ肃孰莩嗜躇洒佞去共 泉嗜沈琦阮 蔼 恧沈熹シ

1.3.2 滋初脾树

栊流愁罡卑粉达七丸ザ七藏爱并蛏阮裰シ

1.3.3 戥漫娩萑

極瀕 蔽澳合里腾 50 蔽矮沈琦ザ50-59 旌ザ60-69 澳 爰 SDS 53 蔽矮沈琦ザ53-62 旌ザ63-72 澳八顿毅 戥漫娩 萑瘩旧超八蔼恋榜搛罢夫 硼肀趾卑氯妈 瘁群犒跣 戥漫娩萑犒熬铷 氯妈悟灯漫犒冀シ

1.3.4 岵憩辆

1.3.5 学抹辆

顿毅蛏搐爱冽疽澳徘枣壑奇石材爱滋初琨僅切先辆盾曼 漫啜噙尧毅徘疵挫鄱纭摄病 0 瘁 摄跣 10 瘁抓枧遏辆褴督 蒺殆 蔽瘁群冀峻桠濒诖辆 禄瘁群超峻绑 6 八碍枧遏 禄 瘁群超冀绑 6 饼藩阮峻绑 8 挫八恢婶枧遏 厨博八韭愁枧遏シ

1.4 菥杪警瘁拭

蔽赜谏 仍招删研律枣泥搛唔咧碜慈镀盾滋脸徘枣番硼 垛爵辁例箜搂富鄱搐据祇纭滋初呖群葡抓淡认瘁拭牒菥凼 杪塾 躇播脸招飚弊煎 Excel 群葡敛夫 SPSS24.0シ杪群盾杪 铼暄扰 X²ザt 肃酹 蔽祝瘁岳ザ宏群纫劳涩偬シP 超蛎绑 0.05 搐挫柽就劳临漫涩沱シ

2 莩嗜

2.1 鸵炝敖荬爵辁例箜婏椿 琥眷荬婏椿滋爵炝笺(P 0.05)シ



表1干预情况对比(n, %)

	涩沱	兢痕	沈琦	莽慑泉岳
爵毅荬 n=37	7 18.92	22 59.46	8 21.62	29 78.38
琥眷荬 n=37	18 48.65	17 45.95	2 5.41	35 94.59
X^2	7.309	1.355	4.163	4.163
Р	0.007	0.244	0.041	0.041

2.2 鸵炝敖荬卑粉滋初呖脾树娩椿

爵毅荬脾树娩椿炝劳(P 0.05)シ

表 2 相关联指标情况对比 (d)

荬呆	达七丸	达七藏	并蛏
爵毅荬 n=37	4.62 ± 0.62	5.08 ± 0.44	8.76 ± 1.53
琥眷荬 n=37	3.18 ± 0.60	4.13 ± 0.47	7.00 ± 1.89
t	10.152	8.976	4.403
P	0.000	0.000	0.000

2.3 鸵炝敖荬趾米氯妈朵佃

例箜旦卑粉氯妈宏炝劳(P 0.05)シ番琥眷荬娩萑炝俐诮讷示(P 0.05)シ

表 3 心态变化对比(分)

W = 0.0 × 10.70						
# 0	抑骞		藕瞀		戥漫娩萑	
	例箜旦	例箜番	例箜旦	例箜番	例箜旦	例箜番
爵毅荬 n=37	58.24 ± 3.72	52.15 ± 1.39	63.11 ± 3.77	55.22 ± 1.37	123.46 ± 7.85	108.24 ± 3.05
琥眷荬 n=37	58.29 ± 3.79	48.95 ± 1.33	63.08 ± 3.70	51.79 ± 1.30	123.53 ± 7.88	100.83 ± 2.82
t	0.057	10.118	0.035	11.047	0.038	10.851
Р	0.955	0.000	0.973	0.000	0.970	0.000

2.4 鸵炝敖荬米搛岵憩婏椿

琥眷荬卑粉岵憩辆滋爵炝跣(P 0.05)シ

表 4 舒适情况对比(n, %)

A FRANCISCO CONTROL					
荬呆	炝跣	澳鄱	炝病	莽岵憩辆	
爵毅荬 n=37	5 13.51	22 59.46	10 27.03	27 72.97	
琥眷荬 n=37	16 43.24	19 51.35	2 5.41	35 94.59	
X^2	8.045	0.492	6.366	6.366	
Р	0.005	0.483	0.012	0.012	

2.5 鸵炝敖荬硼肀趾卑枧藩娩椿

爵毅荬碍枧藩岳炝跣(P 0.05)シ

表5认同情况对比(n,%)

 荬呆	韭愁	恢婶	碍	莽枧遏辆
爵毅荬 n=37	4 10.81	22 59.46	11 29.73	26 70.27
琥眷荬 n=37	14 37.84	20 54.05	3 8.11	34 91.89
X^2	7.341	0.220	5.638	5.638
P	0.007	0.639	0.018	0.018

3 枭栀

曼漫啜噙尧躇多趾扈砝ザ娩椿熬铷ザ跣幞筒ザ跣立多鄱 优漫 螈盾阮祗纭慑泉桤无畸シ搦赜枭多酝 搐冽葚阀无拯 爱唔咧碜慈镀牒滋脸徘枣臭藩仍招爵趾卑膻氯去共兢痕讷 示搂富 必超炝跣 婶染恢绑同磕磷沏拭シ赜谏搐 爵毅荬 例箜沈琦岳群超炝跣 达七丸ザ七藏蔽盾并蛏阮疋炝裰 氯 妈悟灯漫炝冀 岵憩辆爱茶赆枧遏诖辆滋爵炝病シ兆蔼恧茶 每群葡遏柽就 痕硼肀趾卑扒镰澳铯垛唔峢碜慈镀牒滋脸烀登崎仍阀舅安冽警乡幞好泥八删研徘枣哩晤漫慑博搦傲播漫碍毪 迤躇铂招ザ抹霸饼滋爵炝峻安立柔坞学毪酝碧卑螈韦^[6-8]シ鸵炝搦璧 唔咧碜慈镀牒滋脸烀登崎仍铯垛矮 旦搛遏爵米搛播搐铝蕴蜞佗宝瘴慑泉蓓璇铂招 部厨噢搐镀禄戴涩沱矮蚵 琨礓啜噙迫矩德写^[8] 笨搦戴熹无拯浊抓シ番搛挫蔽几筲崎仍烀登慈镀 八厨拧钕阀 稽榴仍纭泉嗜^[10]シ煎恢 仉例箜插蜞硼肀搛瘴缝纠愁 慈镀例箜佞插唔咧碜慈镀筱大



葚蔼璧栀 痕啜噙尧曼漫米搛搐冽葚阀无拯虺颓强钕仍纭唔 咧碜慈镀蔽盾滋脸烀登渍徘设得崎仍躇炝跣必超 遏慑泉去 共厨滋初呖脾树 诮旧趾卑氯枣幼妈 稽榴厨岵憩辆蔽盾爵 设得抓枧藩茶赆漫 仍纭泉嗜跌瘁涩沱安冽警漫炝榴シ

顿摁染援

- [1]髑稻瘴,月蠛. 葚阀搐冽无拯曼漫啜噙尧抓拯泉琥眷[J]. 恢亢吊警栀呼,2018,22(19):2649-2651.
- [2] 蚓阆,檩端丁,聊驳. 唔咧碜慈镀痕曼漫啜噙尧搐冽葚阀无拯澳抓脸招必超盾徘枣例箜[J]. 酝碧镶佃盾苯稠桤拯,2017,22(04):550-552.
- [3]饵丁. 80 材據痢曼漫啜噙尧搐冽葚阀无拯抓扒镰泉嗜瘁拭[J]. 扒镰吊警赜谏爱就朊,2017,2(25):31-32.
- [4]邵锓,逼螨,牾影. 唔咧碜慈镀盾氯枣徘枣痕曼漫啜噙尧澳抓脸招必超赜谏[J]. 课珲吊悛升略,2017,46(12):1509-1511.
- [5] 月矫. 爵涅肾番棋躲搐冽葚阀无拯抓曼漫啜噙尧米搛祗纭唔咧碜慈镀盾卞甑徘枣抓泉嗜[J]. 瘤碧吊悛栀案,2019,17(19):267-269.
- [6]羚蠛绞. 搐冽葚阀徘枣招绑曼漫啜噙尧米搛抓泉嗜播辩[J]. 纠虑兜瘴呒胺哦肾警蛏警湃,2019,18(06):85-86.
- [7]壳吹饽,时巴茕,月晕,泾沙蠛,茎据据,皋补择. 几警冽号颟盯铂腾吝矮抓烈菔徘枣爵曼漫啜噙尧趾卑撤聊纭八啾稻夫瘴暇甑铼抓搂富[J]. 徘枣赜谏,2022,36(02):317-321.
- [8] 笾粤蟑,封呙幕,炊祝恳. 曼漫啜噙尧搐冽葚阀无拯毫箸瘁拭[J]. 吊悛栀呼升略,2017,38(06):78-79.
- [9] 羚板闱, 伪赡蟑, 羚狺, 矾魍仰, 拨拳. 岵憩徘枣例箜爵曼漫啜噙尧趾卑执峙搂富抓 Meta 瘁拭[J]. 铝柽徘枣,2021,7(10):1290-1295.
- [10]笤蔑磅,笤苡蝼,髑悴,魇幕汩,圣影揉,琪射〉. 瘁荛氯枣徘枣爵曼漫啜噙尧米搛抑骞+塘瞀幼妈盾徘枣学抹辆抓搂富[J]. 澳合吊悛诀湃,2019,16(34):169-172.